

AEG

2020



AEG

POWERING
PROFESSIONALS
SINCE 1898

AEG-POWERTOOLS.EU

WHEN WE SAY THEY LAST, WE MEAN IT.



Best in class longevity. Unmatched power. Professional performance. We're prepared to put our money where our mouth is when it comes to our range of AEG power tools. That's why we've extended the warranties across our entire power tool range. With an incredible 6 year tool warranty and 3 year guarantee for batteries and chargers, trade professionals trust the legendary durability of AEG.



BUILT FOR TRADE 4-5

PRO18V TECHNOLOGY 6-10

WHAT'S NEW 2020 11

CORDLESS SYSTEMS

18V POWER 12-43

PRO18V DRILLING AND FASTENING 13-21

Percussion Drills	13-14
Hammerdrill Drivers	14
Drill Drivers	15-16
Impact Drivers	17-18
Impact Wrenches	19-21
SDS-PLUS Hammers	22

PRO18V METALWORKING 23-25

Angle Grinders	23-25
----------------	-------

PRO18V SAWING 26-29

Circular Saws	26
Reciprocating Saws	26-28
Jigsaw	28
Chainsaw	29

PRO18V SANDING & WOODWORKING 30-32

Mitre Saw	30
Planer	30
Router	30
Sanders	31

PRO18V SPECIALITY 32-35

Multi Tool	32
Drywall Screwdriver	32
Nail Guns	33
Caulk Gun	33
Compressor	34
Radio	34
Vacuum	35
Blower	35
USB Charger	35

PRO18V LIGHTING 36-38

PRO18V BATTERIES 39-43

18V Batteries	39-41
18V Kits	42
18V Chargers	43

12V POWER 44-48

14,4V POWER 49-50

OTHER CORDLESS 50-52

OMNI PRO 53-56

CORDED SYSTEMS

AC HAMMER AND DRILLING RANGE 57-66

SDS Plus	58-60
SDS Max	60-62
Percussion Drills	64-65
Diamond Drill	65
Wall Chaser	66
Screwdriver	66

AC METAL WORKING RANGE 67-73

Small Angle Grinders	68-69
Large Angle Grinders	70-71
Die Grinders	72
Polisher	73
Right Angle Sander	73
Metal Chop saw	73

AC WOODWORKING RANGE 74-84

AC Multi Tool	75
Circular Saws	75-76
Jigsaws	77-78
Router	79
Planer	79
Reciprocating Saws	79-80
Sanders	80-82
Heat Guns	82-83
Mitre Saws	83-84
Mitre Saw Leg stand	84
Dust Extraction	84

ACCESSORIES RANGE 85-99

BUILT FOR THE TRADE



6 YEAR
TOOL
WARRANTY*

3 YEAR
BATTERY
WARRANTY*



OUR PROFESSIONAL OPINION

There's no substitute for the professional opinion of the trade. After all, they put AEG powertools through the toughest tests on the jobsite, day after day.



DOOR AND WINDOW FITTER

KEVIN FEIST
WINDOW FITTER
5 YRS IN THE TRADE
GERMANY

"We have now equipped all our [tradesmen] with the new battery devices in order to go cordless and exchange [their] corded machines. I had a great experience with [PRO18V] because you can actually say it's the first system where you can really effectively swap the tools and replace corded machines. The HD batteries give a lot more juice, more energy, that hasn't been seen before in batteries. You can work for longer, and the weight of the batteries is relatively low."



DRYWALLER

JOE MALCOLM
SITE MANAGER
AND PLASTERER
11 YRS IN THE TRADE
UK

"From AEG tools what we've found that we really like is the power that you get from the tools. The HD batteries give you that little bit more out of the tool... giving you that little bit more power, that little bit more runtime. Because most of the site is AEG, you can just grab an AEG battery wherever you are. It's just very handy to run the site off the same battery platform."



GENERAL BUILD

OLIVIER DAVID
CONSTRUCTION
BUSINESS OWNER
33 YRS IN THE TRADE
FRANCE

"Before working with the AEG range I was using mostly Bosch tools which didn't give me the same product satisfaction or service satisfaction, or versatility. So that's why I trust AEG now."



KITCHEN FITTER

FABIAN BIHLMEYER
OWNER, JOINER
& KITCHEN FITTER
8 YRS IN THE TRADE
GERMANY

"My favourite tool was the cordless planer. It's battery powered, doesn't need cables, it's easy to handle and we can work more quickly and efficiently on site."



ROOFER

PASCAL POIRIER
ARTISAN ROOFER
23 YRS IN THE TRADE
FRANCE

"My favourite tool is the battery powered 125mm grinder because it's very light, very functional and I use it a lot in places like little nooks that are inaccessible with extension leads. So that's my favourite ... tool."



CARPENTRY

TOBY COLDECOTT
JOINER
20 YRS IN THE TRADE
UK

"The multi-tool is absolutely fantastic. Very, very light, and very, very nimble. It really is a good bit of kit."

BENEFITS OF AEG TOOLS

We understand the demands of the trades, that's why we're the supplier of choice for the demanding trade professional. Expect nothing less than leading-edge performance, technology, innovation and reliability.


OPTIMISED PERFORMANCE	END USER RESEARCH
COMPACT DESIGN	BUILT TO LAST

*Some of the AEG products were provided to the tradesmen free of charge prior to giving testimonials. All testimonials however are a true opinion of the tradesman based on their experiences with AEG tools.


VISIT OUR **YOUTUBE PAGE** TO SEE THE FULL VIDEO.

PRO18v

PRO
TOOLS.
ONE
BATTERY.


AEG

AEG-POWERTOOLS.EU



AEG is a registered trademark used under license from AB Electrolux (publ).

PRO18v BRUSHLESS

3 CORE TECHNOLOGIES



ONE STEP CLOSER TO A CORDLESS JOBSITE

At the heart of PRO18V BRUSHLESS tools lie 3 core technologies. These core technologies are built to offer tradesmen relentless power, instinctive electronics and unstoppable runtime and set AEG's PRO18V Brushless tools apart from all competition.



RELENTLESS POWER

Compact 4 Pole Brushless motor with NEODYNIUM high strength magnets for relentless power and durability.



INSTINCTIVE ELECTRONICS

Patented CORETEK Intelligent technology constantly monitors tool performance and communication between the PRO LI-ion battery pack and PROFLUX brushless motor to deliver constant speed and power.



UNSTOPPABLE RUNTIME

PROLITHIUM-ION technology allows you to work in the most extreme conditions down to -18°C and up to + 50°C. Added triple protection and individual cell monitoring prevents tool overloading and over heating during high demand applications.



1 CHOOSE A STARTER PACK



18V 4.0 AH
PROLITHIUM-ION™
BATTERY WITH
BL1218 CHARGER
IN A BAG

SET L1840 BL



18V COMPACT
DRILL DRIVER
KIT WITH
2 X 4.0AH
BATTERIES

BSB 18CBL
LI-402C



18V COMPACT
DRILL DRIVER KIT
WITH 2 X 2.0AH
BATTERIES

BS182C
LI-202C

2 CHOOSE YOUR TOOLS



BSB 18BL



BSS 18B6



BSS 18C12ZB6



BBH 18C



BBH 18BL



BEWS 18-125BLPX



BEWS18-230BL



BKS 18BL



BUS 18BL



BST 18BLX



BPS18-254BL



BHO 18BL



BOF 18BL



ACS18B30



BEX18-125



B18N18



BKP18C



BK18-38BL

3 EXPAND YOUR SYSTEM WITH EXTRA POWER OPTIONS



18V BATTERY
CHARGER

BLK 12 18



18V 2.0AH
PROLITHIUM-ION™
BATTERY

L1820R



18V 4.0AH
PROLITHIUM-ION™
BATTERY

L1840R



18V 5.0AH
PROLITHIUM-ION™
BATTERY

L1850R



NEW
18V 3.0AH HIGH
DEMAND LITHIUM
BATTERY

L1830RHD



NEW
18V 6.0AH HIGH
DEMAND LITHIUM
BATTERY

L1860RHD



NEW
18V 9.0AH HIGH
DEMAND LITHIUM
BATTERY

L1890RHD

POWER. FOR ALL YOUR APPLICATIONS

HIGH DEMAND NEW



9.0Ah L1890RHD



6.0Ah L1860RHD



3.0Ah L1830RHD

VERSATILITY



5.0Ah L1850R



4.0Ah L1840R

COMPACT



2.0Ah L1820R

ALL BATTERIES **100%** BACKWARDS COMPATIBLE

NEW

WORK IN HD

THE **PRO 18v**
HIGH DEMAND
BATTERY RANGE

**35%
MORE POWER**

HEAVY DUTY

Adapts power output to heavy
duty needs without cutting out

PRO 18v

Compatible with all PRO18V tools

18V 3.0AH
HIGH-DEMAND PACK
PRO 18v L1830RHD NEW

18V 9.0AH
HIGH-DEMAND PACK
PRO 18v L1890RHD NEW

18V 6.0AH
HIGH-DEMAND PACK
PRO 18v L1860RHD NEW



POWERING FORWARD IN 2020

**6
MODE
IMPACT
RANGE**

BSS18C12ZB6 4935472012



6-Mode Wrench

BSS18B6 4935472013



6-Mode Driver

BSS18HTF12B6 4935472245



High Torque Wrench

PRO 18v BRUSHLESS

**6 MODES
ARE JOINING
THE SYSTEM**

Combining power and performance with excellent control, the 6 Mode Impact Range from AEG provides the ultimate in trade tool versatility. Offering varying torque settings with specific task modes, you'll never strip a thread, over-tighten a bolt, or struggle to change a tyre again.

The AEG 6 Mode Range helps make your job safer, easier and faster than ever before.

PRO HD
LITHIUM ION

2 x RUNTIME* HIGH QUALITY CELLS



*vs existing AEG battery packs. Tool and application may vary
**22MM AUGER BIT IN 10X10 PINE WOOD
***1250MM LONG CUTS IN 3 X PLYWOOD SHEETS (10 X 54MM)

PRO 18v

**NEW
TOOLS
NEW
FEATURES**

Equipped with the latest technology and designed to perform in the toughest conditions in the trade, expand your PRO18V collection with these cutting-edge tools, new for 2020.



PRO 18v

**18V HANDHELD
JOBSITE VAC**

BHSS18

4935471983



PRO 18v BRUSHLESS

**18V BRUSHLESS
COMPACT RECIP SAW**

BUS18CBL

4935471984



PRO 18v

**18V
RIVET GUN**

BNG18

4935472246

6 YEAR
TOOL
WARRANTY*

3 YEAR
BATTERY
WARRANTY*

140Nm
Max Torque

PRO 18v BRUSHLESS

THE POWERHOUSE DRILL

18V HIGH POWER BRUSHLESS PERCUSSION DRILL

BSB18BL

*Register within 30 days of purchase. See online for more details.

18V BRUSHLESS PERCUSSION DRILL

BSB 18BL

- PROFLEX™ Brushless Motor for more power, and reduced length of the tool
- Only 202mm in length for perfect ergonomics
- 140Nm with Pro Lithium Ion HD batteries
- Extra long side handle for perfect handling of the tool and working in total safety
- 2 - speed gearbox 0-500 / 0-2.000rpm
- 13mm metal chuck with carbide tips for the heaviest applications
- Microtexture overmould for the best handling on the market
- LED light on the foot print to illuminate the work surface

	BSB 18BL-0	BSB 18BL LI-602C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	6,0
No. of batteries supplied	0	2
Charger supplied	-	85 min
Max. drilling wood/ steel/ masonry (mm)	100 / 13 / 20	100 / 13 / 20
Chuck capacity (mm)	13	13
Max. torque (Nm)	140	140
No load speed (rpm)	500 - 2000	500 - 2000
Max. percussion rate (bpm)	32.000	32.000
Weight with battery pack (kg)	2,5	2,5
Supplied in	Gift box	Kitbox
Article Number	4935464099	4935464100
EAN Code	4058546220440	4058546220457



18V BRUSHLESS PERCUSSION DRILL

BSB 18CBL

- PROFLEX™ Brushless Motor for more power, more runtime in a smaller tool
- Removable 13mm ratchet chuck for the heaviest applications
- 75Nm with a (4.0Ah) battery for maximum torque which delivers complete power
- 2 - speed 0-550 / 0-2100rpm
- Only 151mm without the chuck and with chuck 193mm in length
- ¼" HEX reception under the chuck, 25mm screwdriving bit can be held in the reception while the chuck is mounted
- Offset and right angle attachment are sold as accessories
- New microtexture overmould for the best handling on the market

	BSB 18CBL-0	BSB 18CBL LI-202C	BSB 18CBL LI-402C
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0	4,0
No. of batteries supplied	0	2	2
Charger supplied	-	40 min	80 min
Max. drilling wood/ steel/ masonry (mm)	45 / 13 / 14	45 / 13 / 14	45 / 13 / 14
Chuck capacity (mm)	1,5 - 13	1,5 - 13	1,5 - 13
Max. torque (Nm)	75	75	75
No load speed (rpm)	0 - 550 / 0 - 2100	0 - 550 / 0 - 2100	0 - 550 / 0 - 2100
Max. percussion rate (bpm)	7150 / 27.300	7150 / 27.300	7150 / 27.300
Weight with battery pack (kg)	1,8	1,8	2,1
Supplied in	Gift box	Kitbox	Kitbox
Article Number	4935451082	4935448462	4935448463
EAN Code	4002395811083	4002395259366	4002395259373



18V BRUSHLESS PERCUSSION DRILL

BSB 18C2 BL

- PROFLEX™ Brushless Motor for more power, and reduced length of the tool
- Brushless motor delivers torque up to 65Nm (4.0Ah)
- Only 183mm in length
- 2 - speeds - 0-500 / 0-1950rpm
- Robust mode selector with By-Pass
- LED for work place illumination
- 13mm metal chuck for improved durability
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BSB 18C2BL LI-202C	BSB 18C2BL LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2,0	4,0
No. of batteries supplied	2	2
Charger supplied	40 min	100 min
Max. drilling wood/ steel/ masonry (mm)	40 / 13 / 13	40 / 13 / 13
Chuck capacity (mm)	13	13
Max. torque (Nm)	65	65
No load speed (rpm)	0 - 500 / 0 - 1950	0 - 500 / 0 - 1950
Max. percussion rate (bpm)	25.350	25.350
Weight with battery pack (kg)	1,8	2,0
Supplied in	Kitbox	Kitbox
Article Number	4935464096	4935464097
EAN Code	4058546220419	4058546220426



18V PERCUSSION DRILL

- 206mm in length and only 161mm without the chuck
- 60Nm (4.0Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800rpm
- 13mm metal removable chuck for improved durability and more versatility
- Robust mode selector with By-Pass
- LED for work place illumination
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BSB 18C2X LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel/ masonry (mm)	45 / 13 / 14
Chuck capacity (mm)	13
Max. torque (Nm)	60
No load speed (rpm)	0 - 450 / 0 - 1800
Max. percussion rate (bpm)	23.400
Weight with battery pack (kg)	1,74
Supplied in	Kitbox
Article Number	4935459424
EAN Code	4058546010850



18V HAMMERDRILL DRIVER

- Small, compact & powerful for high torque applications
- Only 191 mm in length
- 50 Nm (2.0 Ah) / 60 Nm (4.0 Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800 rpm
- Robust mode selector with By-Pass
- LED for work place illumination
- Forward and reverse
- 13mm Metal chuck for improve durability
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool

	BSB 18C2LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
LED	Yes
Max. drilling wood/ steel/ masonry (mm)	45 / 13 / 14
No load speed (rpm)	0 - 450 / 0 - 1800
Max. torque (Nm)	60
Weight with battery pack (kg)	1,71
Supplied in	Kitbox
Article Number	4935459722
EAN Code	4058546028947



18V PERCUSSION DRILL

- 55Nm maximum torque delivers complete power
- 2 speeds - 0-500 / 0-1850rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13mm single sleeve chuck
- 3 mode selector - ease of use between functions
- LED - for work place illumination
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BSB 18G3 LI-152C	BSB 18G3 LI-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	2,0
No. of batteries supplied	2	2
Charger supplied	50 min	65 min
Max. drilling wood/ steel/ masonry (mm)	40 / 13 / 13	40 / 13 / 13
Chuck capacity (mm)	13	13
Max. torque (Nm)	55	55
No load speed (rpm)	0 - 500 / 0 - 1850	0 - 500 / 0 - 1850
Max. percussion rate (bpm)	24.050	24.050
Weight with battery pack (kg)	1,8	1,8
Supplied in	Kitbox	Kitbox
Article Number	4935464102	4935464103
EAN Code	4058546220471	4058546220488



18V BRUSHLESS DRILL DRIVER

- PROFLEX™ Brushless Motor for more power, more runtime in a more compact tool
- Only 176mm in length for an extremely compact and perfectly balanced drill driver
- 75Nm with a (4.0Ah) battery for maximum torque delivers complete power
- 2 - speeds - 0-550 / 0-2100rpm
- 13mm ratchet chuck for withstanding the heaviest applications and a perfect torque transmission to the accessory
- New microtexture overmould for the best handling on the market
- LED light on the foot print to illuminate the work surface
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BS 18CBL LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel (mm)	45 / 13
Chuck capacity (mm)	1,5 - 13
Max. torque (Nm)	75
No load speed (rpm)	0 - 550 / 0 - 2100
Weight with battery pack (kg)	1,8
Supplied in	Kitbox
Article Number	4935448768
EAN Code	4002395294572



18V BRUSHLESS DRILL DRIVER

- PROFLEX™ Brushless Motor for more power, and reduced length of the tool
- Brushless motor delivers torque up to 65Nm (4.0Ah)
- Only 176mm in length
- 2 - speeds - 0-500 / 0-1950rpm
- Robust mode selector with By-Pass
- LED for work place illumination
- 13mm metal chuck for improved durability
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BS 18C2BL LI-202C	BS 18C2BL LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2,0	4,0
No. of batteries supplied	2	2
Charger supplied	40 min	80 min
Max. drilling wood/ steel (mm)	40 / 13	40 / 13
Chuck capacity (mm)	13	13
Max. torque (Nm)	65	65
No load speed (rpm)	0 - 500 / 0 - 1950	0 - 500 / 0 - 1950
Weight with battery pack (kg)	1,7	1,9
Supplied in	Kitbox	Kitbox
Article Number	4935464094	4935464095
EAN Code	4058546220396	4058546220402



18V COMPACT DRILL DRIVER

- Changeable chuck for different attachments or screwdriving without the chuck for hard to reach areas
- 202mm in length and only 158mm without the chuck
- 60Nm (4.0Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800rpm
- 13mm metal removable chuck for improved durability and more versatility
- Robust mode selector with By-Pass
- LED for work place illumination
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BS 18C2X LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	30 min
Max. drilling wood/ steel (mm)	45 / 13
Chuck capacity (mm)	13
Chuck type	Removable
Max. torque (Nm)	60
No load speed (rpm)	0 - 450 / 0 - 1800
Weight with battery pack (kg)	1,7
Supplied in	Kitbox
Article Number	4935459423
EAN Code	4058546010843



18V COMPACT DRILL DRIVER

BS 18C2

- Small, compact & powerful for high torque applications
- Only 187mm in length
- 60Nm (4.0Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800rpm
- Robust mode selector with By-Pass
- LED for work place illumination
- 13mm metal chuck for improved durability
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BS18C2 LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel (mm)	45 / 13
Max. torque (Nm)	60
No load speed (rpm)	0 - 450 / 0 - 1800
Weight with battery pack (kg)	1,68
Supplied in	Kitbox
Article Number	4935459721
EAN Code	4058546028930



BS18C2 LI-202C



18V COMPACT DRILL DRIVER

BS 18G3

- 55Nm maximum torque delivers complete power
- 2 speeds - 0-500 / 0-1850rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13mm single sleeve chuck
- LED - for work place illumination
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BS 18G3 LI-152C
Battery type	Li-ion
Battery pack capacity (Ah)	1,5
No. of batteries supplied	2
Charger supplied	50 min
Max. drilling wood/ steel (mm)	13 / 40
Chuck capacity (mm)	13
Max. torque (Nm)	55
No load speed (rpm)	0 - 500 / 0 - 1.850
Weight with battery pack (kg)	1,8
Supplied in	Kitbox
Article Number	4935464101
EAN Code	4058546220464



BS 18G3 LI-152C



6 MODE
IMPACT
RANGE

POWER
WITH
PRECISION.

PRO 18v BRUSHLESS



AEG 18V Brushless 6 Mode Impact Driver

BSS18B6

1

50Nm/750RPM

Low torque mode for applications requiring precision over power for fixing into more delicate materials.

2

210Nm/2100RPM

Mid torque, medium speed mode for those jobs requiring a little more force.

3

280Nm/3000RPM

High torque, high speed mode for heavy duty applications and large fastenings.



AUTOSTOP

Stops when the fixing is secured. Ideal for driving anchors or concrete screws without danger of overtightening or thread-stripping.



PULSE MODE

Slow pulsing rotation is perfect for removing screws with stripped or damaged heads, particularly from old floors and stud walls.



SELF TAPPING MODE

Designed to start fast to enable the screw to cut into the surface, before slowing down to prevent damage. Ideal for corrugated roofs.

4

5

6



*Nm value subject to +-10% variance

- Powerful 280Nm of torque for high-torque driving
- Intuitive 6-mode selection panel for a wide range of torque options to cover many applications
- Speeds 1,2 & 3 behave like a standard impact driver increasing in speed and power
- Autostop Mode shuts the tool off after impact to prevent material and fastener damage
- Pulse mode starts with slow bursts of movement to help remove rusted or damaged screws
- Self tapping mode will slow the tool down once the screw has cut through top material to ensure a secure fixing
- PROFLUX Brushless Motor with Coretek Technologies delivers market leading power and runtime
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BSS 18B6-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Max. torque (Nm)	280
No load speed (rpm)	50 - 750 / 210 - 2100 / 280 - 3000
Impact rate (ipm)	0 - 4000
Tool reception	1/4" Hex
Weight with battery pack (kg)	1,72
Supplied in	Gift box
Article Number	4935472013
EAN Code	4058546324094



BSS 18B6-0



18V BRUSHLESS IMPACT DRIVER

- Industrial metal gearbox and gears for extended life
- PROFLUX™ Brushless Motor for more power and extended runtime, in a more compact tool
- Built in LED illuminates work surface
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BSS 18CB3 LI-502C
Battery type	Li-ion
Battery pack capacity (Ah)	5,0
No. of batteries supplied	2
Max. torque (Nm)	220
No load speed (rpm)	0 - 750 / 0 - 2000 / 0 - 2750
Impact rate (ipm)	0 - 1700
Tool reception	¼" Hex
Weight with battery pack (kg)	1,84
Supplied in	Kitbox
Article Number	4935459898
EAN Code	4058546030704



18V OIL PULSE IMPACT DRIVER

- New Oil Pulse Technology reduces the noise of the impact to only 73dB
- Compact and ergonomic with only 152mm overall length
- Easy carriage with the belt clip, user can work hands free even on a ladder
- PROFLUX™ Brushless Motor Technology allows extreamly fast driving applications up to M14 Capacity
- 3-Speed powerful gearbox delivers up to 2400rpm
- 100% backwards compatible with all 18V Battery packs

	BSS 18OP-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Max. torque (Nm)	22 / 54 / 73
No load speed (rpm)	0 - 1000 / 0 - 1800 / 0 - 2400
Impact rate (ipm)	0 - 550 / 0 - 1300 / 0 - 1700
Tool reception	¼" Hex
Weight with battery pack (kg)	1,38
Supplied in	Gift box
Article Number	4935451631
EAN Code	4002395140985



18V COMPACT IMPACT DRIVER

- Only 145mm overall length
- 158Nm maximum torque
- Delivers up to 3100 impacts per minute for increased productivity
- Industrial metal gearbox and gears for extended life
- ¼" Hex bit reception
- Built in LED illuminates work surface
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- Supplied with a single P22 bit

	BSS 18C-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Max. torque (Nm)	158
No load speed (rpm)	0 - 2400
Impact rate (ipm)	0 - 3100
Tool reception	¼" Hex
Weight with battery pack (kg)	1,56
Supplied in	Gift box
Article Number	4935428405
EAN Code	4002395132140



BSS 18CB3

BSS 18OP

BSS 18C

6 MODE
IMPACT
RANGE

PRO 18v BRUSHLESS

PERFORMANCE
WITH
CONTROL

AEG 18V Brushless 6 Mode Impact Wrench

BSS18C12ZB6

1

58Nm/1100rpm

Low torque, low speed mode for applications requiring precision over power.

2

170Nm/2200rpm

Mid torque, mid speed mode for jobs requiring a little more force but still with control.

3

300Nm/3000rpm

High torque, high speed mode for heavy duty applications and large fastenings.



AUTOSTOP 70Nm

Low torque range for installation of concrete anchors. Shut off prevents concrete damage.

4

AUTOSTOP 120Nm

Mid torque range – ideal for tightening wheel nuts, will automatically shut off to prevent overtightening.

5

AUTOSTOP 160Nm

High torque range ideal for tightening the wheel nuts of larger commercial vehicles and vans.

6

*Nm value subject to +-10% variance

- Powerful 300Nm of torque for the toughest jobs
- 6-mode torque selection to cover multiple applications
- Speeds 1,2 & 3 behave like a standard impact wrench increasing in speed and power
- Autostop mode 1 will shut the tool off after impact at 70Nm +- 10%
- Autostop mode 2 will shut the tool off after impact at 120Nm +- 10%
- Autostop mode 3 will shut the tool off after impact at 160Nm +- 10%
- PROFLUX Brushless Motor with Coretek Technologies delivers market leading power and runtime
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BSS 18C12ZB6-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Max. torque (Nm)	300
No load speed (rpm)	0 - 3000
Impact rate (ipm)	0 - 4000
Tool reception	½" square
Weight with battery pack (kg)	1,92
Supplied in	Gift box
Article Number	4935472012
EAN Code	4058546324087



BSS 18C12ZB6-0




6 MODE
IMPACT
RANGE

CLASS
LEADING
PERFORMANCE

AEG 18V BRUSHLESS 6 MODE HIGH TORQUE IMPACT WRENCH

BSS 18HTF12B6

PRO 18v BRUSHLESS



*Nm value subject to +-10% variance

- Industry leading power delivers up to 1490Nm of fastening torque
- 6 Mode torque selection gives users ultimate control through all applications
- 2030Nm of maximum break away torque for increased power on fastener removal
- Speeds 1, 2 & 3 increase in speed and power subject to application and fastener size
- AUTOSTOP mode 1 shuts to the tool off after impact at 200Nm +-10%
- AUTOSTOP mode 2 shuts to the tool off after impact at 790Nm +-10%
- AUTOSTOP mode 3 shuts to the tool off after impact at 1230Nm +-10%
- PROFLUX brushless motor with Coretek Technologies delivers market leading power and runtime
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BSS 18HTF12B6-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Max. torque (Nm)	1490
No load speed (rpm)	0-1850
Impact rate (ipm)	0-2300
Tool reception	½" square
Weight with battery pack (kg)	3,6
Supplied in	Gift box
Article Number	4935472245
EAN Code	4058546326418



BSS 18HTF12B6-0



18V BRUSHLESS IMPACT WRENCH

BSS 18C 12Z BL

- ½" brushless impact wrench
- Only 196mm overall length
- PROFLUX™ Brushless Motor Technology allows extremely fast driving applications
- 500Nm maximum torque/ 360Nm in second speed/ 270Nm in first speed
- Delivers 0-3500 impacts per minute for increased productivity
- ½" Square reception and delivered with ¼" hex adaptor for screwdriving
- 4-Speed Gearbox, 3-Speeds plus Auto Stop Mode
- Built in triple LED for perfect illumination of the work surface without any shadow effect

	BSS 18C 12ZBL-0	BSS 18C 12ZBL LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4,0
No. of batteries supplied	0	2
Charger supplied	-	80 min
Max. torque (Nm)	500	500
No load speed (rpm)	1400 - 2750	1400 - 2750
Impact rate (ipm)	0 - 3500	0 - 3500
Tool reception	½" square	½" square
Weight with battery pack (kg)	2,3	3,02
Supplied in	Gift box	Kitbox
Article Number	4935459426	4935459427
EAN Code	4058546010874	4058546010881



18V COMPACT IMPACT WRENCH

BSS 18C 12Z

- Only 203mm overall length
- 360Nm maximum torque
- Delivers 0-3200 impacts per minute for increased productivity
- Industrial metal gearbox and gears for extended life
- ½" Square reception and delivered with ¼" hex adaptor for screwdriving
- Built in Triple LED for perfect illumination of the work surface without any shadow effect

	BSS 18C 12Z-0	BSS 18C 12Z LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4,0
No. of batteries supplied	0	2
Charger supplied	-	80 min
Max. torque (Nm)	360	360
No load speed (rpm)	0 - 2900	0 - 2900
Impact rate (ipm)	0 - 3200	0 - 3200
Tool reception	½" square	½" square
Weight with battery pack (kg)	2,3	2,3
Supplied in	Gift box	Kitbox
Article Number	4935446449	4935446456
EAN Code	4002395136247	4002395136254



18V COMPACT SDS

BBH 18C

PRO 18v

MANY
MODES MAKE
LIGHT WORK.

- 4 Modes for chiselling and chisel adjustment
- 2-position handle for easy overhead use
- 1.5 Joules
- Replaceable dust mesh for motor protection
- Integrated belt clip

18V 4-MODE SDS-PLUS COMPACT HAMMER

BBH 18C

- Compact and powerful 4-mode SDS plus optimised for fixing applications up to 16mm
- Ergonomic design with pistol grip reduces user fatigue in over head and one handed applications
- Optimised striker mechanism provides maximum productivity in common drill sizes (5.5-10mm)
- Dedicated chiselling mode allows for removal of light materials whilst minimising damage to surrounding material
- Replaceable dust mesh prevents motor damage caused by dust ingress
- ¼" Hex bit holder included for fixing applications
- Belt clip included for user storage
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BBH 18C-0	BBH 18CLI-201C	BBH 18CLI-202C
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0	2,0
No. of batteries supplied	0	1	2
Charger supplied	-	50 min	50 min
Max. drilling wood/ steel/ masonry (mm)	13 / 10 / 16	13 / 10 / 16	13 / 10 / 16
Blow energy (EPTAXJ)	1,5	1,5	1,5
No load speed (rpm)	0 - 1300	0 - 1300	0 - 1300
Full load hammer action (bpm)	0 - 5500	0 - 5.500	0 - 5500
Weight with battery pack (kg)	2,5	2,5	2,5
Supplied in	Gift box	Kitbox	Kitbox
Article Number	4935464984	4935471273	4935464985
EAN Code	4058546229290	4058546289003	4058546229306



BBH 18C-0



BBH 18CLI-201C



BBH 18CLI-202C



18V BRUSHLESS SDS-PLUS ROTARY HAMMER

BBH 18BL

- L-shape brushless SDS hammer for drilling into concrete up to 26mm
- 2.5 Joule impact energy delivers high performance
- PROFLUX™ Brushless Motor for a better efficiency
- 4-modes for greater versatility
- Hammer action stop for rotary drilling in wood and metal
- Rafter hook for holding the tool on a ladder
- Anti vibration handle for more comfort while working
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BBH 18BL-0	BBH 18BL LI-401C	BBH 18BL LI-502C
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4,0	5,0
No. of batteries supplied	0	1	2
Charger supplied	-	80 min	70 min
Max. drilling wood/ steel/ masonry (mm)	30 / 13 / 26	30 / 13 / 26	30 / 13 / 26
Blow energy (EPTAXJ)	2,5	2,5	2,5
No load speed (rpm)	0 - 1400	0 - 1400	0 - 1400
Full load hammer action (bpm)	0 - 4800	0 - 4800	0 - 4800
Weight with battery pack (kg)	-	3,08	3,08
Supplied in	Gift box	Kitbox	Kitbox
Article Number	4935464751	4935471045	4935464753
EAN Code	4058546226961	4058546286736	4058546226985



BBH 18BL-0



BBH 18BL LI-401C



BBH 18BL LI-502C



18V BRUSHLESS ANGLE GRINDER
WITH PADDLE SWITCH

BEWS18-125BLPX

PRO 18v BRUSHLESS

PADDLE
SWITCH

ENHANCED SAFETY

DISK
BRAKE

EFFORTLESS POWER.
EXCEPTIONAL PROTECTION.

18V BRUSHLESS ANGLE GRINDER

BEWS18-125BL

PRO 18v BRUSHLESS

ANTI
KICKBACK

OPTIMISED SAFETY

11,000 RPM

RELENTLESS POWER

18V 125MM BRUSHLESS ANGLE GRINDER WITH PADDLE SWITCH

BEWS 18-125BLPX

- Powerful 18V PROFLUX™ Brushless Motor with 11.000rpm for faster cutting
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- LED warning light, to indicate overload protection
- Built-in fuel gauge on the battery
- Best safety with disc break and anti kick-back function
- AVS side handle for more safety and comfort
- Supplied with a FIXTEC flange nut and keyless grinding guard for faster adjustment
- CORETEK™ Intelligent Electronics constantly monitors the communication between the PRO Li-ion battery pack and the PROFLUX™ brushless motor to deliver constant speed and power

	BEWS 18-125BLPX-0	BEWS 18-125BLPX-602C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	6,0
No. of batteries supplied	0	2
Charger supplied	-	85 min
No load speed (rpm)	11.000	11.000
Max. cutting depth (mm)	26	26
Spindle size	M 14	M 14
Weight with battery pack (kg)	2,5	2,9
Supplied in	Gift box	Kitbox
Article Number	4935464419	4935464422
EAN Code	4058546223649	4058546223670



18V 115MM BRUSHLESS ANGLE GRINDER WITH PADDLE SWITCH

BEWS 18-115BLPX

- Powerful 18V PROFLUX™ Brushless Motor with 11.000rpm for faster cutting
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- LED warning light, to indicate overload protection
- Built-in fuel gauge on the battery
- Best safety with disc break and anti kick-back function
- AVS side handle for more safety and comfort
- Supplied with a FIXTEC flange nut and keyless grinding guard for faster adjustment
- CORETEK™ Intelligent Electronics constantly monitors the communication between the PRO Li-ion battery pack and the PROFLUX™ brushless motor to deliver constant speed and power

	BEWS 18-115BLPX-0	BEWS 18-115BLPX-602C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	6,0
No. of batteries supplied	0	2
Charger supplied	-	100 min
No load speed (rpm)	11.000	11.000
Max. cutting depth (mm)	21	21
Spindle size	M14	M14
Weight with battery pack (kg)	2,5	3,0
Supplied in	Gift box	Kitbox
Article Number	4935464420	4935464423
EAN Code	4058546223656	4058546223687



18V 125MM BRUSHLESS ANGLE GRINDER WITH SLIDE SWITCH

BEWS 18-125BL

- Powerful 18V PROFLUX™ Brushless Motor with 11.000rpm for faster cutting
- LED warning light, to indicate overload protection
- Built-in fuel gauge on the battery
- CORETEK™ Intelligent Electronics constantly monitors the communication between the PRO Li-ion battery pack and the PROFLUX™ brushless motor to deliver constant speed and power
- Keyless grinding guard for faster adjustment
- Line Lock Out feature for more safety
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BEWS 18-125BL-0	BEWS 18-125BL-502C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	5,0
No. of batteries supplied	0	2
Charger supplied	-	90 min
No load speed (rpm)	11.000	11.000
Max. cutting depth (mm)	26	26
Spindle size	M14	M14
Weight with battery pack (kg)	2,4	2,6
Supplied in	Gift box	Kitbox
Article Number	4935464414	4935464417
EAN Code	4058546223595	4058546223625



18V 115MM BRUSHLESS ANGLE GRINDER WITH SLIDE SWITCH

BEWS 18-115BL

- Powerful 18V PROFLUX™ Brushless Motor with 11.000rpm for faster cutting
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- LED warning light, to indicate overload protection
- Built-in fuel gauge on the battery
- CORETEK™ Intelligent Electronics constantly monitors the communication between the PRO Li-ion battery pack and the PROFLUX™ brushless motor to deliver constant speed and power
- Keyless grinding guard for faster adjustment

	BEWS 18-115BL-0	BEWS 18-115BL-502C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	5,0
No. of batteries supplied	0	2
Charger supplied	-	90 min
No load speed (rpm)	11.000	11.000
Max. cutting depth (mm)	21	21
Spindle size	M14	M14
Weight with battery pack (kg)	2,4	2,4
Supplied in	Gift box	Kitbox
Article Number	4935464415	4935464418
EAN Code	4058546223601	4058546223632



18V BRUSHLESS ANGLE GRINDER

BEWS 18-230BL

- The first 18V dual battery 230mm Grinder on the market
- Dual 18V battery system but one battery is enough to operate
- Brushless motor enables up to 5.500rpm
- Best safety with disc break and anti kick-back function
- Perfect handling with the rotating back handle with anti-vibration system
- LED warning for overload and line lock-out
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BEWS 18-230BL-0	BEWS 18-230BL LI-402B
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4,0
No. of batteries supplied	0	2
Charger supplied	-	80 min
No load speed (rpm)	5500	5500
Max. cutting depth (mm)	68	68
Spindle size	M14	M14
Weight with battery pack (kg)	7,2	5,5
Supplied in	Gift box	Tool bag
Article Number	4935459735	4935464670
EAN Code	4058546029074	4058546226152



PRO 18v BRUSHLESS

18V LARGE ANGLE GRINDER

BEWS18-230BL-0

0-5500rpm

Brushless motor

6 YEAR TOOL WARRANTY*

3 YEAR BATTERY WARRANTY*

* Cutting 3cm thick roof tile
* Register within 30 days of purchase. See online for more details.

THE FIRST DUAL BATTERY 18V 230MM GRINDER

128 cuts with 2 x 9Ah batteries*

18V BRUSHLESS CIRCULAR SAW

BKS 18BL

- PROFLUX™ Brushless Motor delivers high speed and high power
- Ultra compact circular saw (341mm OAL)
- Improved visibility with LED light and dust blower
- Magnesium guard and die cast shoe keep the tool extremely light
- Supplied with a 190mm TCT blade with 24 carbide teeth for a perfectly clean and fast cut
- Electronic motor brake, saw blade stops within seconds
- Lock off switch for safety
- Spindle lock for fast blade changing
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BKS 18BL-0
Battery type	Li-ion
No. of batteries supplied	0
Blade diameter (mm)	190
Bevel capacity (°)	56°
Max. cutting depth 45° (mm)	45
Max. cutting depth 90° (mm)	64
No load speed (rpm)	3800
Arbor size (mm)	30
Weight with battery pack (kg)	3,6
Supplied in	Gift box
Article Number	4935451537
EAN Code	4002395146345



18V CIRCULAR SAW

BKS 18

- Compact, light weight and well balanced
- Extremely fast cutting speed of 5000rpm
- Magnesium base and upper guard for durability
- Large 50° bevel capacity
- Electronic motor brake, saw blade stops within seconds
- Lock off switch for safety
- Spindle lock for fast blade changing
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- Supplied with a 165mm TCT blade and a side fence

	BKS 18-0
Battery type	Li-ion
No. of batteries supplied	0
Blade diameter (mm)	165
Bevel capacity (°)	50
Max. cutting depth 45° (mm)	41
Max. cutting depth 90° (mm)	54
No load speed (rpm)	0 - 5000
Arbor size (mm)	15,87
Weight with battery pack (kg)	3,6
Supplied in	Gift box
Article Number	4935431375
EAN Code	4002395132812



18V BRUSHLESS RECIPROCATING SAW

BUS 18BL

- PROFLUX™ Brushless Motor delivers up to 3200spm
- Orbital function on board for cutting without pushing, perfect for overhead work
- 28mm stroke length for the fastest cutting performance on the market
- Quick release blade system, accepts all standard recip saw blades
- Easy and quick adjustable shoe with tool free system
- Fuel gauge on board, always be aware about the remaining power
- LED enables perfect view on the work piece
- Rafter hook for an easy carriage when you are on a ladder
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BUS 18BL-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
No load stroke rate (spm)	3200
Stroke length (mm)	28
Weight with battery pack (kg)	3,6
Supplied in	Gift box
Article Number	4935464032
EAN Code	4058546219772



18V BRUSHLESS COMPACT RECIPROCATING SAW

BUS 18CBL

- Compact and powerful one handed design allow the user to complete heavy applications in confined areas
- Orbital cutting action pushes blade through material for fast and aggressive cuts
- Overmoulded motor housing provides maximum grip and safety for two-handed applications
- 19mm stroke length removes maximum amount of material with every cut
- 3000spm provided fast and accurate cutting of stud and sheet material
- Quick release blade system for user convenience
- PROFLUX™ Brushless Motor with Coretek Technologies delivers market leading power and runtime
- PRO18V system compatibility

	BUS 18CBL-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
No load stroke rate (spm)	0 - 3000
Stroke length (mm)	19
Weight with battery pack (kg)	2,81
Supplied in	Gift box
Article Number	4935471984
EAN Code	4058546298838



COMPACT CUTTING & POWERFUL PERFORMANCE

COMPACT AND LIGHTWEIGHT

POWERFUL BRUSHLESS MOTOR

ERGONOMICALLY DESIGNED OVERMOULD HANDLE

ORBITAL CUTTING ACTION

SAFETY TRIGGER ACTION

18V BRUSHLESS COMPACT RECIP SAW

BUS18CBL

PRO HD
LITHIUM ION

PRO 18v BRUSHLESS

18V RECIPROCATING SAW

- Pendulum action for increased performance
- 3600 strokes per minute and 19mm stroke length for fast cutting applications
- Robust bladeclamp for demolition applications
- FIXTEC for fast and easy keyless blade change
- Adjustable shoe
- Saw blade can be turned 180° for various applications
- Variable speed trigger
- Soft-grip
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- Supplied with 2 blades

	BUS 18-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
No load stroke rate (spm)	0 - 3600
Stroke length (mm)	19
Weight with battery pack (kg)	3,5
Supplied in	Gift box
Article Number	4935431370
EAN Code	4002395132805



UP TO
3,500SPM

18V BRUSHLESS MOTOR

LOCK-ON BUTTON

FOR BODY GRIP USE

5-POSITION

SPEED DIAL

25.4MM

STROKE LENGTH



18V BRUSHLESS JIGSAW

BST 18BLX



18V BRUSHLESS JIGSAW

- Powerful 18V PROFLUX™ Brushless Motor with 3500spm
- Lock on button for usage like a body grip jigsaw
- Patented FIXTEC system for fast keyless blade change and bevel adjustment with snap-in at 0° and 45°
- Variable speed with 5 positions, soft start and constant speed under load
- Adjustable chipping blower to the front and rear
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BST 18BLX-0	BST 18BLX LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0
No. of batteries supplied	0	2
Charger supplied	-	30 min
Stroke length (mm)	25,4	25,4
No load stroke rate (spm)	3500	3500
Bevel capacity (°)	45	45
Max. cutting capacity soft wood (mm)	135	135
Max. cutting capacity aluminium (mm)	20	20
Weight with battery pack (kg)	2,46	2,46
Supplied in	Gift box	Kiribox
Article Number	4935459654	4935459656
EAN Code	4058546028268	4058546028282



18V BRUSHLESS CHAINSAW

- High-performance brushless motor for higher productivity
- 30cm Oregon® bar runs at 10m/s for best performance
- Mechanical and electronic motor brake for added safety
- Best balance for comfortable use in any orientation
- Large, easy-fill chain oil reservoir for automatic chain lubrication
- Tooled chain tensioning adjustments with on board tool storage
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	ACS18B30-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Chain bar length (cm)	30
Chain speed (m/s)	10
Article Number	4935471337
EAN Code	4058546289652



18V BRUSHLESS CHAINSAW

ACS18B30

BRUSHLESS MOTOR
FOR HIGHER PRODUCTIVITY

**MECHANICAL CHAIN
BREAK**
FOR ADDED SAFETY

**90 CUTS WITH HD
6AH BATTERY**
IN 100MM X 100MM TIMBER



18V BRUSHLESS SLIDE MITRE SAW

BPS18-254BL

- 18V brushless motor designed for superior runtime and performance
- Dual 18V system, for longer runtime
- Dual bevel cut
- Clamp system, for a safer cut
- LED for perfect view on the cutting line and adjustable laser for quick and precise cut
- Blade depth adjustment, Allows for trenching applications
- 254mm Blade, providing fantastic cutting capacities up to 90mm x 305mm

	BPS18-254BL-0
Battery type	Li-ion
No. of batteries supplied	0
Blade diameter (mm)	254
Max. cutting depth (mm)	90
No load speed (rpm)	3900
Max. cutting capacity 0° mitre/ 45° bevel [mm]	39 x 305
Max. cutting capacity 45° mitre/ 45° bevel (mm)	39 x 215
Max. cutting depth 45° (mm)	43
Mitre capacity left (°)	45
Mitre capacity right (°)	45
LED	Yes
Weight with battery pack (kg)	16,3
Supplied in	Gift box
Article Number	4935459336
EAN Code	4058546009977



18V BRUSHLESS PLANER

BHO 18BL

- Powerful brushless motor delivers up to 16000rpm to achieve supreme surface finish across a range of materials
- 82mm reversible cutting blade with 58mm ejection ports maximises material removal
- Patented depth adjustment feature allows user to retract the planer shoe up to -2mm giving perfectly balanced and precise chamfering capability
- Adjustable cutting depth up to 2mm allows the user to accurately control the amount of material removed with each pass
- Left or right material ejection port to suit user comfort and application
- A lockable kickstand on the base of the tool protects material from accidental damage
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BHO18 BL-0
Battery type	Li-ion
No. of batteries supplied	0
No load speed (rpm)	14.300
Planing depth (mm)	0 - 2,0
Planing width (mm)	82
Rebate depth (mm)	0 - 12,5
Weight with battery pack (kg)	3,32
Supplied in	Gift box
Article Number	4935464988
EAN Code	4058546229337



18V BRUSHLESS TRIM ROUTER

BOF 18BL

- One-hand cordless 18V brushless trim router
- Up to 25.000rpm for rounding all types of wood
- Collet size 6mm for the most common accessories on the market
- Spindle Lock enables quick and simple router bit changes
- Built in speed dial, for adjusting the speed for different materials
- Micro adjust dial: For easily adjusting the router depth to the specific material and application
- Magnesium guard for more durability
- Ergonomic slim grip for maximum comfort during extended use

	BOF 18BL-0
Battery type	Li-ion
No. of batteries supplied	0
Collet capacity (mm)	6
Fuel gauge	Yes
No load speed (rpm)	17.000 to 25.000
Plunge capacity (mm)	32
Speed settings	7
Weight with battery pack (kg)	2,31
Supplied in	Gift box
Standard equipment	Edge Guide, 6mm Bit + 6,35mm, Round and Square base, wrench
Article Number	4935459584
EAN Code	4058546027568




18V ORBITAL SANDER

BEX18-125

- Powerful 18V motor 125mm random orbital sander
- Ideal for working in confined spaces and overhead
- Variable speed for optimum control
- Convenient hook & loop paper fastening
- Very efficient dust extraction, over 8 holes in the base plate
- Dust extraction, with dust bag or absorption system
- Micro texture grip for perfect handling
- Supplied with dust bag and sanding paper

	BEX18-125-0	BEX18-125 LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4,0
No. of batteries supplied	0	2
Charger supplied	-	80 min
No load speed (rpm)	7000 - 11.000	7000 - 11.000
Oscillation rate (opm)	14.000 - 22.000	14.000 - 22.000
Oscillation diameter (mm)	2,4	2,4
Sanding pad size (mm)	125	125
Weight with battery pack (kg)	-	2,1
Supplied in	Gift box	Kitbox
Article Number	4935451086	4935451087
EAN Code	4002395811120	4002395811137



18V BRUSHLESS BELT SANDER

BHBS 18-75BL

- PROFLUX™ Brushless Motor for more power, more runtime and a more compact tool
- Compact and lightweight Sander
- Variable speed dial to match the speed of the sander with the specific application
- Lock on button for comfortable operating
- Integrated dust absorption (DEK 26 system)
- Accepts up to 457mm belt length and 75mm belt width
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BHBS18-75BL-0
Battery type	Li-ion
No. of batteries supplied	0
Belt length (mm)	457
Belt width (mm)	75
No load speed (m/min)	135 - 300
No load speed (rpm)	11.000
Speed settings	6
Weight with battery pack (kg)	-
Supplied in	Kitbox
Article Number	4935459582
EAN Code	4058546027544



18V MULTI-TOOL

OMNI 18C

- Gives more power and more runtime whilst keeping the advantage of cordless portability.
- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2-finger switch with adjustable speed
- Range of one-handed applications
- Optimum power to weight ratio
- LED for work place illumination
- Built in fuel gauge
- Slim handle design for perfect ergonomics and better vibration absorbtion

	OMNI 18C LI-202BKIT1X	OMNI 18C - OKIT1X
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2.0	-
Charger supplied	30 min	-
Fuel gauge	Yes	Yes
LED	Yes	Yes
No. of batteries supplied	2	0
Oscillation angle left/ right (°)	2	2
Oscillation rate (opm)	20.000	20.000
Supplied in	Gift box	Tool bag
Weight with battery pack (kg)	1,15	1,15
Article Number	4935446705	4935446706
EAN Code	4002395136438	4002395136421



18V BRUSHLESS DRYWALL SCREWDRIVER

BTS 18BL

- Small lightweight drywall screwdriver with a length of 266mm/ 418mm with collated attachment
- Powerful motor with 5000rpm
- Push drive function for improved runtime and comfort
- Incredible runtime up to 3000 screws with a L1850R Battery
- Fine adjustment nose cone for setting desired countersink levels in single screw applications +/-5 mm
- Quick release ¼" Hex chuck allows for easy bit change
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- Belt clip to hang your tool quickly and easily

	BTS 18BL-0	BTS18BL-OKIT1	BTS18BL LI-202B
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	-	-	2,0
No. of batteries supplied	0	0	2
Charger supplied	-	-	40 min
Tool reception	¼" Hex	¼" Hex	¼" Hex
Max. torque (Nm)	5	5	5
No load speed (rpm)	5000	5000	5000
Standard equipment	-	Collated attachment	-
Weight with battery pack (kg)	1,87	1,87	1,71
Supplied in	Gift box	Tool bag	Tool bag
Wood screws to (mm)	25 - 55	25 - 55	25 - 55
Article Number	4935459620	4935459621	4935464104
EAN Code	4058546027926	4058546027933	4058546220495



18V 18 GA BRUSHLESS NAIL GUN

B18N18

- Vacuum Drive Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 18 Gauge (1.2mm) nails from 15,9 to 55mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages twin LEDs by grasping the handle
- Tool-less depth and power adjustment helps to protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool free release lever to remove jammed nails
- Belt hook mounts left or right side for added convenience
- Includes 2 non marking rubber nose caps to prevent damage to work surface

	B18N18-0	B18N18 LI-201C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0
No. of batteries supplied	0	1
Charger supplied	-	40 min
Magazine capacity	105	105
Nail type (mm)	1,2	1,2
Cycle rate (h)	2/sec	2/sec
Weight with battery pack (kg)	3,6	2,7
Supplied in	Kitbox	Kitbox
Article Number	4935451535	4935451536
EAN Code	4002395146321	4002395146338



18V 16 GA BRUSHLESS NAIL GUN

B16N18

- Vacuum Drive Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 16 Gauge (1.6mm) nails from 19 to 65mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages LED by grasping the handle
- Tool-less depth and power adjustment helps to protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool free release lever to remove jammed nails
- Belt hook mounts on left or right side for added convenience
- Includes 2 non marking rubber nose caps to prevent damage to work surface
- Up to 1400 nails runtime using a L1840R battery pack

	B16N18-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Magazine capacity	105
Nail type (mm)	1,6
Cycle rate (h)	2/Sec
Weight with battery pack (kg)	3,0
Supplied in	Kitbox
Article Number	4935451533
EAN Code	4002395146307



18V CAULK GUN WITH 310ML CARTRIDGE CAPACITY

BKP18C

- 4500Nm of force even for high viscosity material
- Anti-drip feature prevents unwanted dripping when trigger is released
- Speed dial with 6 speed settings for optimal speed
- Belt clip for easy storage during working
- Spring loaded cartridge holder for easy setup
- On board fuel gauge on the battery
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BKP18C-310-0	BKP18C-310LI-201B
Battery type	Li-ion	Li-ion
No. of batteries supplied	0	1
Weight with battery pack (kg)	2,9	2,9
Supplied in	Gift box	Tool bag
Article Number	4935471246	4935471247
EAN Code	4058546288747	4058546288754



DUAL 18V BRUSHLESS COMPRESSOR

BK18-38BL

- Dual 18V for longer runtime
- 3.8L tank with roll cage for portability and protection
- Pressure regulator knob for accurate pressure adjustments with on board pressure gauge
- Quick connect coupler for easy compatibility
- Oil-free pump design and up to 30.8L/min air flow
- Enough runtime to fire 1,200 brad nails per charge
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BK18-38BL-0
Battery supplied	-
Power (kW)	0,4
Tank capacity (l)	3,8
Max. pressure (bar)	8,3
Air flow (l/min)	30,8
Supplied in	Gift box
Article Number	4935471201
EAN Code	4058546288297

BK18-38BL-0



18V DAB + DIGITAL JOBSITE RADIO

BR 1218C

- Ultra compact AC/DC jobsite Radio 1,1Kg
- 150mm width only, fits on almost all window frames
- New PROLITHIUMION™ 5,0Ah provides over 20 hours runtime
- Back light display allows perfect visibility
- 10 channel pre set for FM/ 10 channel pre set for DAB+
- DAB+ compatible
- Aux Cable Connector (Ipod, Phone)
- Water and debris resistant to withstand tough conditions on the jobsite
- Accepts all 12V stem packs and all PRO18V packs
- 220V-240V 2 pin EU plug transformer included



	BR 1218C-0
Battery type	Li-ion
No. of batteries supplied	0
Weight with battery pack (kg)	1,93
Supplied in	Gift box
Article Number	4935451539
EAN Code	4002395146369

BR 1218C-0



18V HANDHELD DUST EXTRACTOR

BHSS 18

- Powerful suction, optimised for quick clean ups
- One-motion detachable tank for easy emptying
- Fully transparent tank to show when emptying is required
- Lock on/off power switch
- Over mould for user comfort
- Compact and lightweight
- Washable pre-filter for superior filtration
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BHSS 18-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
Sealed Suction [kPa]	5,4
Air flow (l/min)	1068
Tank capacity (l)	0,67
Filter type	Washable pre filter
Weight with battery pack (kg)	1,5
Supplied in	Gift box
Article Number	4935471983
EAN Code	4058546298821

BHSS 18-0



18V JOBSITE BLOWER

BGE18

- Compact & powerful blower for jobsite clean up
- 3-speed setting dial
- Reinforced housing for durability
- Trigger actuated variable speed



	BGE18-0
Battery type	Li-ion
No. of batteries supplied	0
No load speed (rpm)	19,000
Air volume (m³/min)	2,9
Supplied in	Gift box
Weight with battery pack (kg)	1,94
Article Number	4935464986
EAN Code	4058546229313

BGE18-0



18V USB CHARGER

BHJ18C

- Compatible with all PRO18V AEG batteries
- Makes it possible to run the 12V Heated Gear from a PRO18V AEG battery
- USB charging port for MP3 player, mobile phone, digital camera, GPS
- Belt clip for maximum comfort
- On/Off switch for USB port



	BHJ18C-0
Battery type	Li-ion
No. of batteries supplied	0
Weight with battery pack (kg)	0,71
Supplied in	Blister
Article Number	4935459335
EAN Code	4058546009960


BHJ18C-0



PRO18v SITE LIGHTS

POWERING
THROUGH
DARKNESS

The AEG PRO18V site lights are able to provide long lasting light for a variety of needs on the jobsite. The powerful LEDs provide a clear white light and the PROLITHIUMION™ battery delivers unstoppable runtime, making these ideal lights for the tradesman on site.



18V LED SITE LIGHT

BFL18X

- High performance flood light LEDs with rotary encoder technology automatically adjusts lighting in high heat conditions
- Detachable from stand for added portability
- Dimming function makes it easy to adjust the light level
- Multiple hanging positions
- Compatible with the AEG tripod

	BFL18X-0
Battery type	Li-ion
No. of batteries supplied	0
Bulb type	LED
IP protection class	IP44
Lumens	1200
Supplied in	Gift box
Weight with battery pack (kg)	1,7
Article Number	4935459657
EAN Code	4058546028299



18V LED TORCH LIGHT

BTL18

- High performance torch light, LED's with rotary encoder technology automatically adjusts lighting in high heat conditions
- Handheld design with belt clip makes this unit extremely portable
- Dimming function allows for correct light/concentration level per application
- Rotating head allows for multi directional concentrated light source
- 12V car adaptor included
- Up to 32hrs runtime on low setting from 5.0Ah Battery pack

	BTL18-0
Battery type	Li-ion
No. of batteries supplied	0
Bulb type	LED
IP protection class	IP24
Lumens	2100
Supplied in	Gift box
Weight with battery pack (kg)	2,0
Article Number	4935459659
EAN Code	4058546028312



18V LED SITE LIGHT

BPL18

- High performance LED panels with rotary encoder technology automatically adjusts lighting in high heat conditions
- Hybrid design makes this unit versatile for worksite, camping or workshop
- Dimming function allows for correct light level per application
- Multiple hanging positions
- Folding panels enable multi directional lighting capabilities
- Up to 20hrs runtime on low setting from 5.0Ah Battery pack

	BPL18-0
Battery type	Li-ion
No. of batteries supplied	0
Bulb type	LED
IP protection class	IP20
Lumens	2500
Standard equipment	2,5m AC power cord
Supplied in	Gift box
Weight with battery pack (kg)	2,7
Article Number	4935459661
EAN Code	4058546028336



LIGHT TRIPOD STAND

- Rugged and lightweight aluminium mast construction
- Wide leg base, with weight ballasts for extra stability
- Compact storage footprint with carry handle enable ultimate portability
- Adjustable arms
- Easy lock level adjustment with bubble level
- Multiple mounting points with standard ½” thread size means a huge number of mounting applications
- Equipped with clip for attaching the laser distance measurer LMG 50

	LUS-210X
Length (mm)	882
Length extended (mm)	2100
Loading capacity (kg)	4,5 kg per arm
Weight (kg)	3,9
Supplied in	Gift box
Article Number	4935459663
EAN Code	4058546028350



18V LED TORCH LIGHT

- AEG compact and lightweight 18V torch light
- High quality LED, which provides 135 lumens
- Swivel head rotates up to 180° which allows the user to direct the light beam at the desired work area
- Rubberized soft grip increases comfort on the job site
- Belt clip mountable
- Extensive runtime up to 25hrs with a 18V 4,0Ah Pro Lithium Ion Battery
- Compatible with all PROLITHIUMION™ 18V batteries

	FL18-0
Battery type	Li-ion
No. of batteries supplied	0
Bulb type	LED
IP protection class	IP20
Lumens	135
Supplied in	Gift box
Weight with battery pack (kg)	1,5
Article Number	4932451164
EAN Code	4002395138333



18V INSPECTION LIGHT

- AEG compact and flexible 18V inspection light
- High quality LED, which provides 270 lumens
- Dual mode LED for directional spotlight or area light
- Flexible head which allows 360° rotation
- Light can be used standing on its base or wrapped around a pipe
- Extensive runtime up to 18hrs with a 18V 4,0Ah Pro Lithium Ion Battery
- Compatible with all PROLITHIUMION™ 18V batteries

	BFAL 18 - 0
Battery type	Li-ion
No. of batteries supplied	0
Bulb type	LED
IP protection class	IP20
Lumens	270
Supplied in	Gift box
Weight with battery pack (kg)	1,63
Article Number	4932451163
EAN Code	4002395138326



LUS-210X

FL 18 New

BFAL 18

WORK
IN HD

POWER UP YOUR

PRO18v

TOOLS WITH OUR
HIGH DEMAND
BATTERIES



35%
MORE POWER*

HIGH
DEMAND

PRO18v
COMPATIBLE

*vs existing AEG battery packs. Tool and application may vary

18V 9,0 AH PROLITHIUM-ION™ HD BATTERY

- The new HD battery technology offers a higher performance level on high demand applications
- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with all AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- New HD battery technology, the pack remains cool no matter the application - less risk of overheating
- 9,0Ah power for working all day long without having to recharge your battery. Up to 2x the runtime of our 5,0Ah battery
- Heavy duty pack construction for optimal resistance to jobsite abuses

	L1860RHD
Battery type	Li-ion
Battery pack capacity (Ah)	6,0
Voltage (V)	18
Weight (kg)	0,86
Supplied in	Gift box
Article Number	4932464754
EAN Code	4058546226992



L1890RHD

18V 6,0 AH PROLITHIUM-ION™ HD BATTERY

- The new HD battery technology offers a higher performance level on high demand applications
- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with all AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- New HD battery technology, the pack remains cool no matter the application - less risk of overheating
- Up to 25% more runtime vs. our 5,0Ah battery
- Heavy duty pack construction for optimal resistance to jobsite abuses

	L1890RHD
Battery type	Li-ion
Battery pack capacity (Ah)	9,0
Voltage (V)	18
Weight (kg)	1,2
Supplied in	Gift box
Article Number	4932464231
EAN Code	4058546221768



L1860RHD

18V 3,0 AH PROLITHIUM-ION™ HD BATTERY

L1830RHD

- The new HD battery technology offers a higher performance level on high demand applications
- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with all AEG 18V tools
- On-board battery fuel gauge helps the user to maximize his battery run-time efficiency
- New HD battery technology, the pack remains cool no matter the application - less risk of overheating
- Up to 25% more runtime vs. our 5,0Ah battery
- Heavy duty pack construction for optimal resistance to jobsite abuses



	L1830RHD
Battery type	Li-ion
Battery pack capacity (Ah)	3,0
Voltage (V)	18
Weight (kg)	0,66
Supplied in	Gift box
Article Number	4932471051
EAN Code	4058546286798



18V 5,0 AH PROLITHIUM-ION™ BATTERY

L1850R

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Same size and weight as the 4.0Ah but with 25% more runtime
- Backwards compatible with all AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durability during high vibration applications and are more resistant to heat



	L1850R
Battery type	Li-ion
Battery pack capacity (Ah)	5,0
Voltage (V)	18
Weight (kg)	0,75
Supplied in	Blister
Article Number	4932451630
EAN Code	4002395140978



18V 4,0 AH PROLITHIUM-ION™ BATTERY

L1840R

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with all AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durability during high vibration applications and are more resistant to heat



	L1840R
Battery type	Li-ion
Battery pack capacity (Ah)	4,0
Voltage (V)	18
Weight (kg)	0,72
Supplied in	Blister
Article Number	4932430170
EAN Code	4002395378319



18V 3,0 AH PROLITHIUM-ION™ BATTERY

L1830R

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with all AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durability during high vibration applications and are more resistant to heat



	L1830R
Battery type	Li-ion
Battery pack capacity (Ah)	3,0
Voltage (V)	18
Weight (kg)	0,71
Supplied in	Gift box
Article Number	4932352655
EAN Code	4002395373130



18V 2,0 AH PROLITHIUM-ION™ BATTERY

L1820R

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with all AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durability during high vibration applications and are more resistant to heat



	L1820R
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
Voltage (V)	18
Weight (kg)	0,47
Supplied in	Blister
Article Number	4932430169
EAN Code	4002395378302



18V 1.5 AH PROLITHIUM-ION™ BATTERY

L1815R

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with all AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durability during high vibration applications and are more resistant to heat



	L1815R
Battery type	Li-ion
Battery pack capacity (Ah)	1,5
Voltage (V)	18
Weight (kg)	0,46
Supplied in	Gift box
Article Number	4932352654
EAN Code	4002395373123



18V 9,0 AH PROLITHIUM-ION™ HD STARTER KIT

SETL1890RHD-BLK

- The new HD battery technology offers higher performance level on high demand applications
- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with all AEG 18V tools



SETL1890RHDBLK	
Battery type	Li-ion
Battery pack capacity (Ah)	9,0
Charger supplied	100 min
No. of batteries supplied	1
Supplied in	Tool bag
Article Number	4932464232
EAN Code	4058546221775

18V 5,0 AH PROLITHIUM-ION™ BATTERY STARTER KIT

SET L1850BLK

- 12V-18V Twin Charger with fast charging and Car Plug with 1x18V 5,0Ah Battery Pack and a Bag
- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency



SET L1850BLK	
Battery type	Li-ion
Battery pack capacity (Ah)	5,0
Charger supplied	100 min
No. of batteries supplied	1
Supplied in	Tool bag
Article Number	4932451629
EAN Code	4002395140961

18V 2X4,0 AH PROLITHIUM-ION™ BATTERY STARTER KIT

SET LL1840BL

- BL1218 standard charger with 2 x L1840R in a bag
- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency



SET LL1840BL	
Battery type	Li-ion
Battery pack capacity (Ah)	4,0
Charger supplied	80 min
Supplied in	Tool bag
Article Number	4932451627
EAN Code	4002395140930

18V 6,0 AH PROLITHIUM-ION™ HD STARTER KIT

SETL1860RHD-BLK

- The new HD battery technology offers higher performance level on high demand applications
- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with all AEG 18V tools



SETL1860RHDBLK	
Battery type	Li-ion
Battery pack capacity (Ah)	6,0
Charger supplied	70 min
No. of batteries supplied	1
Supplied in	Tool bag
Article Number	4932464756
EAN Code	4058546227012

18V 2X5,0 AH PROLITHIUM-ION™ BATTERY STARTER KIT

SET LL1850 BL

- BL1218 standard Charger with 2 x L1840R in a Bag
- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency



SET LL1850 BL	
Battery type	Li-ion
Battery pack capacity (Ah)	5,0
Charger supplied	BL1418
No. of batteries supplied	2
Supplied in	Tool bag
Article Number	4932464019
EAN Code	4058546219642

18V 4,0 AH PROLITHIUM-ION™ BATTERY STARTER KIT

SET L1840 BL

- BL1218 standard charger with 1 x 18V 4,0Ah battery in a Sports Bag
- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency



SET L1840 BL	
Battery type	Li-ion
Battery pack capacity (Ah)	4,0
Charger supplied	80 min
No. of batteries supplied	1
Supplied in	Tool bag
Article Number	4932430359
EAN Code	4002395380206

12-18V FAST TWIN CHARGER

BLK1218

- 12-18V Fast Twin Charger
- Provides fast charging capacity for stem and slide battery packs out of 240V powersource
- Combined with a DC car plug for charging tools out of a 12V DC socket
- Quick and easy understanding about the charging status though Intuitive LED interface
- Charges 18V 5,0Ah out of main 240V power in 60mins / out of 12V DC plug in 90mins



BLK1218	
Battery type	Li-ion
Charging range	12-18V & AEG PCLS 12V Batteries
Weight (kg)	1,59
Supplied in	Giftbox
Article Number	4932451538
EAN Code	4002395146352



14-18V FAST TWIN CHARGER

BL1418

- Power LED: Indicates if the charger is plugged on an energy source
- Evaluate LED: Indicates when the charger is analyzing the battery status
- Defect LED: Blinks when the pack is defective
- Charging LED: Blinks when the battery is charging, stays when the pack is charged
- Temperature LED: Blinks when the pack is too hot or too cold and needs to be cooled or warmed before charging



BL1418	
Battery type	Li-ion
Charging range	14-18v
Weight (kg)	0,98
Supplied in	Gift box
Article Number	4932464542
EAN Code	4058546224875



18V CHARGER

AL1218G

- 18V Charger
- Charges all PRO18V batteries



AL1218G	
Battery type	Li-ion, NiCd, NiMH
Charging range	12 - 18V
Charging time (min)	60
Weight (kg)	1,08
Supplied in	Giftbox
Article Number	4932352528
EAN Code	4002395371860



AEG

PRO 12v

COMPACT SIZE. HEAVY DUTY PERFORMANCE.



THE PRO 12v RANGE

12V 2-SPEED DRILL DRIVER

BBS 12C2

- Removable chuck system allows the user to keep a 25mm screwdriving bit in the reception when the chuck is installed
- Extremely compact percussion drill - 192mm length with the chuck / 155mm without
- Belt clip for easy transportation
- Built in fuel gauge
- High torque - 40Nm for a wide range of applications
- Offset and right angle attachments available separately
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BBS 12C2 LI-202B	BBS 12C2 LI-202C KIT 1
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2,0	2,0
No. of batteries supplied	2	2
Charger supplied	40 min	40 min
Max. drilling wood/ steel (mm)	20 / 10	20 / 10
Chuck capacity (mm)	10	10
Max. torque (Nm)	40	40
No load speed (rpm)	0 - 400 / 0 - 1500	0 - 400 / 0 - 1500
Standard equipment	Removable chuck, screwdriving bit, belt clip	Removable chuck, chuck offset attachment, screwdriving bit, belt clip
Weight with battery pack (kg)	1,2	1,2
Supplied in	Tool bag	Kitbox
Article Number	4935446693	4935446382
EAN Code	4002395136377	4002395136131



12V 2-SPEED ULTRA COMPACT PERCUSSION DRILL

BSB 12C2

- Compact hammer drill/driver measuring only 192mm
- Powerful torque of up to 40Nm (4.0Ah) for all driving applications
- FIXTEC spindle lock and keyless 10mm chuck
- 2-speed gearbox for a wide range of applications
- Industrial metal gearbox and gears for superior durability
- Built in fuel gauge and belt clip
- 3 mode selector - ease of use between applications
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BSB 12C2 LI-202B	BSB 12C2 LI-402B
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2,0	4,0
No. of batteries supplied	2	2
Charger supplied	40 min	80 min
Max. drilling wood/ steel/ masonry (mm)	20 / 10 / 10	20 / 10 / 10
Chuck capacity (mm)	10	10
Max. torque (Nm)	40	40
No load speed (rpm)	0 - 400 / 0 - 1500	0 - 400 / 0 - 1500
Max. percussion rate (bpm)	22.500	22.500
Weight with battery pack (kg)	1,4	1,2
Supplied in	Tool bag	Tool bag
Article Number	4935443964	4935446696
EAN Code	4002395135622	4002395136384



12V COMPACT SCREWDRIVER

BS 12C2 NEW

- 17-stage torque adjustment plus additional drilling stage
- 2-speed gearbox for a wide range of applications
- Built in fuel gauge
- Belt clip
- FIXTEC spindle lock on keyless 10mm chuck
- Electronic switch with variable speed
- Built in LED light illuminates the work surface
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BS 12C2 LI-152B	BS 12C2 LI-202B	BS 12C2 LI-202C
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	2,0	2,0
No. of batteries supplied	2	2	2
Charger supplied	30 min	40 min	40 min
Max. drilling wood/ steel (mm)	20 / 10	20 / 10	20 / 10
Chuck capacity (mm)	10	10	10
Max. torque (Nm)	34	34	34
No load speed (rpm)	0 - 350 / 0 - 1500	0 - 350 / 0 - 1500	0 - 350 / 0 - 1500
Weight with battery pack (kg)	1,1	1,1	1,1
Supplied in	Tool bag	Tool bag	Kitbox
Article Number	4935448464	4935448465	4935447867
EAN Code	4002395259380	4002395259397	4002395135585



12V ULTRA COMPACT DRILL/DRIVER

- Compact pocket drill/screwdriver measuring only 161mm
- Built in fuel gauge
- 17-stage torque adjustment plus additional drilling stage
- Industrial metal gearbox and gears for superior durability
- FIXTEC spindle lock and keyless 10mm chuck
- Electronic switch with variable speed
- Built in LED light illuminates the work surfaces
- Overload protection
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BS 12C LI-151B	BS 12C LI-152B
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	1,5
No. of batteries supplied	1	2
Charger supplied	30 min	30 min
Max. drilling wood/ steel (mm)	20 / 10	20 / 10
Chuck capacity (mm)	10	10
Max. torque (Nm)	18,5	18,5
No load speed (rpm)	0 - 575	0 - 575
Weight with battery pack (kg)	1,0	1,0
Supplied in	Tool bag	Tool bag
Article Number	4935433901	4935433902
EAN Code	4002395126347	4002395126354

BS 12C



BS 12C LI-151B



BS 12C LI-152B

12V ULTRA COMPACT IMPACT DRIVER

- Ultra compact impact driver measuring only 163mm
- 115Nm torque
- Industrial metal gearbox and gears for superior durability
- Built in fuel gauge
- ¼" Hex bit reception
- Ergonomic soft-grip design
- NEW 3 beam LED for total workplace illumination
- Belt clip
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BSS 12C-0	BSS 12C LI-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0
No. of batteries supplied	0	2
Charger supplied	-	40 min
Max. torque (Nm)	115	115
No load speed (rpm)	0 - 2000	0 - 2000
Impact rate (ipm)	0 - 3000	0 - 3000
Tool reception	¼" Hex	¼" Hex
Weight with battery pack (kg)	1,0	1,0
Supplied in	-	Kitbox
Article Number	4935446702	4935443965
EAN Code	4002395136407	4002395135639

BSS 12C



BSS 12C-0



BSS 12C LI-202C

12V HAMMER

- L-shape SDS hammer for drilling and fixing into concrete up to 13mm
- 0.9 Joule impact energy delivers high performance
- Hammer action stop for rotary drilling in wood and metal
- Built in fuel gauge
- Metal gearbox for extended durability
- Safety clutch for user protection
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool
- Supplied with a screwdriving bit adaptor

	BBH 12-0	BBH 12 LI-202C	BBH 12 LI-401C	BBH 12 LI-402C
Battery type	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0	4,0	4,0
No. of batteries supplied	0	2	1	2
Charger supplied	-	40 min	80 min	80 min
Max. drilling wood/ steel/ concrete (mm)	10 / 8 / 13	10 / 8 / 13	10 / 8 / 13	10 / 8 / 13
Blow energy (EPTAX(J))	0,9	0,9	0,9	0,9
No load speed (rpm)	0 - 800	0 - 800	0 - 800	0 - 800
Full load hammer action (bpm)	0 - 5350	0 - 5350	0 - 5350	0 - 5350
Weight with battery pack (kg)	No charger supplied	1,6	1,8	1,8
Supplied in	Gift box	Kitbox	Kitbox	Kitbox
Article Number	4935446699	4935443968	4935443988	4935443991
EAN Code	4002395136391	4002395135646	4002395135714	4002395135721

BBH 12



BBH 12-0



BBH 12 LI-202C



BBH 12 LI-401C



BBH 12 LI-402C

12V DRYWALL SCREWDRIVER

- Light and small Drywall Screwdriver weighs only 1,5kg with an OAL of 254mm
- Powerful, 4000rpm motor
- A lock on trigger to work more comfortably and save runtime
- Fine adjustment nose cone for setting desired countersink levels in single screw applications +/- 5 mm
- Quick release ¼" Hex chuck allows for easy bit change
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- Fuel gauge displays remaining charge
- Bright LED workspace illumination
- Belt clip to hang your tool quickly and easily

	BTS 12C-0	BTS 12C LI-202C	BTS 12C LI-302C
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0	3,0
No. of batteries supplied	0	2	2
Charger supplied	-	40 min	60 min
Max. torque (Nm)	3	3	3
No load speed (rpm)	4000	4000	4000
Tool reception	¼" Hex	¼" Hex	¼" Hex
Wood screws to (mm)	25 - 55	25 - 55	25 - 55
Weight with battery pack (kg)	1,71	1,2	1,2
Supplied in	Gift box	Gift box	Gift box
Article Number	4935459624	4935459625	4935459626
EAN Code	4058546027964	4058546027971	4058546027988

BTS 12C



BTS 12C-0



BTS 12C LI-202C



BTS 12C LI-302C

12V MULTI-TOOL

- The 12V multi-tool is a problem solver for the professional user
- 20.000opm enables you to work with all kind of materials
- Speed dial 1-6 for perfect control of the speed
- Lock-on switch for better comfort, no need for constant pushing
- Keyless bladechange is an easy and quick solution
- 1,5°/1,5° L/R oscillation for a clean cut
- Fuel gauge, to be aware of the power remaining
- Unique LED in multi-tool, makes working in dark areas easy
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BMT12C-0	BMT12C LI-152B
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	1,5
Charger supplied	-	30 min
Standard equipment	1 x multi-tool head, accessories	1 x multi-tool head, accessories
Oscillation rate (opm)	20.000	20.000
Weight with battery pack (kg)	1,37	1,1
Supplied in	Gift box	Tool bag
Article Number	4935464030	4935464031
EAN Code	4058546219758	4058546219765

BMT12C



BMT12C-0



BMT12C LI-152B

12V FLASHLIGHT

- Fantastic power to weight ratio
- Extra long runtime with PROLITHIUMION™ packs

	BLL 12C
Bulb type	LED
Battery Life (continuous use) (hrs)	9
Weight with battery pack (kg)	0,71
Supplied in	Gift box
Article Number	4932352162
EAN Code	4002395368150

BLL 12 C



BLL 12C

12V 6.0 AH PROLITHIUM-ION™ BATTERY

L1260

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging



Name	L1260
Battery type	Li-ion
Battery pack capacity (Ah)	6,0
Voltage (V)	12
Weight (kg)	0,46
Supplied in	Blister
Article Number	4932459181
EAN Code	4002395288564

12V 3.0 AH PROLITHIUM-ION™ BATTERY

L1230

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging



	L1230
Battery type	Li-ion
Battery pack capacity (Ah)	3,0
Voltage (V)	12
Weight (kg)	0,46
Supplied in	Blister
Article Number	4932352824
EAN Code	4002395374823

12V 1,5 AH PROLITHIUM-ION™ BATTERY

L1215 GEN I

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging



	L1215 GEN I
Battery type	Li-ion
Battery pack capacity (Ah)	1,5
Voltage (V)	12V
Weight (kg)	0,2
Supplied in	Gift box
Article Number	4932352095
EAN Code	4002395367481

12V 4.0 AH PROLITHIUM-ION™ BATTERY

L1240

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Impact and vibration resistant outer shell to protect and increase the lifetime of each pack



	L1240
Battery type	Li-ion
Battery pack capacity (Ah)	4,0
Voltage (V)	12
Weight (kg)	0,46
Supplied in	Blister
Article Number	4932430166
EAN Code	4002395378272

12V 2.0 AH PROLITHIUM-ION™ BATTERY

L1220

- AEG Powertools PROLITHIUMION™ technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects the battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect the battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging



	L1220
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
Voltage (V)	12
Weight (kg)	0,24
Supplied in	Blister
Article Number	4932430165
EAN Code	4002395378265

12V CHARGER

LL1230

- Compatible with all AEG 12V batteries
- Heavy duty durable plastic case
- Dual LED Charge level indicator with easy to read descriptions
- Battery Fault indicator displays when battery is defective



	LL1230
Battery type	Li-ion
Charging range	12V
Charging time (min)	30
Weight (kg)	0,46
Supplied in	Gift box
Article Number	4932352096
EAN Code	4002395367498

14,4V COMPACT PERCUSSION DRILL

BSB 14C

- 3 mode selector
- Powerful new frameless motor delivering 50Nm maximum torque
- 2 speeds - 0-400 / 0-1500rpm
- FIXTEC 13mm keyless chuck
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BSB 14C LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel/ masonry (mm)	45 / 13 / 14
Chuck capacity (mm)	1,5 - 13
Max. torque (Nm)	50
No load speed (rpm)	0 - 400 / 0 - 1500
Max. percussion rate (bpm)	19.500
Weight with battery pack (kg)	1,8
Supplied in	Kitbox
Article Number	4935443974
EAN Code	4002395136025

BSB 14C LI-202C



14,4V COMPACT DRILL DRIVER

BS 14C

- Ultra compact drill/driver measuring 186mm in length
- Powerful new frameless motor delivering 50Nm maximum torque
- 2 speeds 0-400 / 0-1500rpm
- FIXTEC 13 mm keyless chuck
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BS 14C LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel (mm)	45 / 13
Chuck capacity (mm)	1,5 - 13
Max. torque (Nm)	50
No load speed (rpm)	0 - 400 / 0 - 1500
Weight with battery pack (kg)	1,7
Supplied in	Kitbox
Article Number	4935443971
EAN Code	4002395135653

BS 14C LI-202C



14,4V COMPACT PERCUSSION DRILL

BSB 14G3

- Compact (190mm OAL) & powerful for completion of all jobsite applications
- 36Nm maximum torque delivers complete power
- 2 speed Gearbox 0-400 / 0-1700rpm
- 24-stage torque adjustment
- 13mm single sleeve metal chuck with full metal jaws
- 3 mode selector for ease of use between functions
- LED - for work place illumination and built in fuel gauge
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool



	BSB 14G3 LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	80 min
Max. drilling wood/ steel/ masonry (mm)	32 / 12 /
Chuck capacity (mm)	2,0 - 13
Max. torque (Nm)	36
No load speed (rpm)	0 - 400 / 0 - 1700
Max. percussion rate (bpm)	1.700
Weight with battery pack (kg)	1,26
Supplied in	Kitbox
Article Number	4935451532
EAN Code	4002395145690

BSB 14G3 LI-202C



14,4V COMPACT DRILL DRIVER

BS 14G3

- Compact (Up to 180mm OAL) & powerful for completion of all jobsite applications
- Up to 36Nm maximum torque delivers complete power
- 2 speeds 0-400 / 0-1700rpm
- 24 stage torque adjustment for complete control
- 13mm single sleeve metal chuck with full metal jaws (202C Version only)
- Built in fuel gauge (202C Version only)
- LED - for work place illumination (202C Version only)
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BS 14G3 LI-152C	BS 14G3 LI-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	2,0
No. of batteries supplied	2	2
Charger supplied	60 min	80 min
Max. drilling wood/ steel (mm)	30 / 10	32 / 13
Chuck capacity (mm)	0,8 - 10	2,0 - 13
Max. torque (Nm)	36	36
No load speed (rpm)	0 - 400 / 0 - 1700	0 - 400 / 0 - 1700
Weight with battery pack (kg)	1,2	1,2
Supplied in	Kitbox	Kitbox
Article Number	4935451092	4935451093
EAN Code	4002395811182	4002395811199



12V COMPACT PERCUSSION DRILL

BSB 12G3

- Compact (188mm OAL) & powerful for completion of all jobsite applications
- 32Nm maximum torque delivers complete power
- 2 speed Gearbox 0-350 / 0-1500rpm
- 24-stage torque adjustment
- 10mm single sleeve chuck with full metal jaws
- 3 mode selector - ease of use between functions
- 12V 2.0Ah PROLITHIUMION™ pack delivering higher power and higher runtime
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BSB 12G3 LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	80 min
Max. drilling wood/ steel/ masonry (mm)	30 / 10 / 10
Chuck capacity (mm)	0,8 - 10
Max. torque (Nm)	32
No load speed gear 1 (rpm)	0 - 350
No load speed gear 2 (rpm)	0 - 1500
Max. percussion rate (bpm)	20.250
Weight with battery pack (kg)	1,2
Supplied in	Kitbox
Article Number	4935451531
EAN Code	4002395145683



12V COMPACT DRILL DRIVER

BS 12G3

- Compact (180mm OAL) & powerful for completion of all jobsite applications
- Up to 32Nm maximum torque delivers complete power
- 2 speed Gearbox delivering 0-350 / 0-1500rpm
- 24-stage torque adjustment for complete control
- 10mm single sleeve chuck with full metal jaws
- 12V 2.0Ah PROLITHIUMION™ pack delivering higher power and higher runtime (202C Version only)
- Compatible with AEG PROLITHIUMION™ battery technology featuring overload protection for maximum durability of battery and tool

	BS 12G3 LI-152C	BS 12G3 LI-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	2,0
No. of batteries supplied	2	2
Charger supplied	60 min	80 min
Max. drilling wood/ steel (mm)	30 / 10	30 / 10
Chuck capacity (mm)	0,8 - 10	0,8 - 10
Max. torque (Nm)	32	32
No load speed (rpm)	0 - 350 / 0 - 1500	0 - 350 / 0 - 1500
Weight with battery pack (kg)	1,1	1,1
Supplied in	Kitbox	Kitbox
Article Number	4935451090	4935451091
EAN Code	4002395811168	4002395811175



12V COMPACT IMPACT DRIVER

BSS 12G3 LI

130Nm
Max Torque



PRO 12v

12V COMPACT IMPACT DRIVER

BSS 12G3 LI

- 130Nm impact driver delivering powerful torque in a compact design
- Metal gears and gearbox for superior durability
- ¼" Hex bit reception
- LED for illuminating workspace
- Belt clip to hang your tool quickly and easily
- AEG PROLITHIUMION™ battery technology with overload protection for maximum durability of the battery and tool

	BSS 12G3 LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	80 min
Max. torque (Nm)	130
No load speed (rpm)	0 - 2600
Impact rate (ipm)	0 - 3500
Tool reception	¼" Hex
Weight with battery pack (kg)	1,08
Supplied in	Kitbox
Article Number	4935471061
EAN Code	4058546286897



3.6V INLINE SCREWDRIVER

SE 3.6

- In-line or angled handle adjustment
- 10-stage torque selection plus drill stage
- Ergonomic, modern design
- 2-speed full metal gearbox
- 1/4" Hex bit reception



	SE 3.6 LI-152C
Battery type	Li-ion
Battery pack capacity (Ah)	1,5
No. of batteries supplied	2
Charger supplied	30 min
No load speed (rpm)	200 / 600
Weight with battery pack (kg)	0,6
Supplied in	Kitbox
Article Number	4935413165
EAN Code	4002395197538

SE 3.6 LI-152C



LASER DISTANCE METER

LMG 50

- Point and shoot system - one person measuring with only one simple press of a button
- Area, volume, height and width measurement
- Pythagoras 3 types
- Large and easy to read 3 line LCD graphical display with automatic white backlight
- Measuring pin for corner measurement
- Memory recall for last 10 measurements
- IP54 water & dust protection
- Extremely slim LDM
- Rubber overmold for perfect handling
- Large rising buttons with intuitive positioning
- Belt clip makes it easy to carry and to hold in the pocket
- Addition/subtraction function for adding measures of areas and volumes



	LMG 50
Battery type	2 x AAA
No. of batteries supplied	2
IP protection class	IP 54
Max. measurement range (m)	50
Pythagoras function	3 - point
Weight with battery pack (kg)	1,0
Supplied in	Blister
Article Number	4935447680
EAN Code	4002395294275

LMG 50



OMNI^{PRO}



THIS IS HOW
REAL PROS
MULTI TASK

18V MULTI-TOOL

- Gives more power and more runtime whilst keeping the advantage of cordless portability.
- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2-finger switch with adjustable speed
- Range of one-handed applications
- Optimum power to weight ratio
- LED for work place illumination
- Built in fuel gauge
- Slim handle design for perfect ergonomics and better vibration absorbtion



OMNI 18C

	OMNI 18C 0-KIT1	OMNI 18C LI-152BKIT1
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	1,5
Charger supplied	-	30 min
Oscillation rate (opm)	20.000	20.000
Standard equipment	1 x multi-tool head, accessories	1 x multi-tool head, accessories
Weight with battery pack (kg)	0.374	0.374
Supplied in	Gift box	Tool bag
Article Number	4935440645	4935440644
EAN Code	4002395134649	4002395134632



300W MULTI-TOOL

- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- Range of one handed applications
- LED for work place illumination



OMNI 300

	OMNI 300 KIT1
Power input (W)	300
Oscillation rate (opm)	20.000
Oscillation angle left/ right (°)	2,0
Standard equipment	1 x multi-tool head, accessories
Weight (kg)	2,52
Supplied in	Tool bag
Article Number	4935431790
EAN Code	4002395194995



OMNI KEYLESS MULTI TOOL HEAD

- For applications: cutting, grout removal, rasping, sanding, scraping, polishing
- Keyless blade change system, no more allen key needed for an easy and quick solution
- Full metal head construction for more durability
- Supplied with an adaptor to fit the most common blades on the market



	OMNI - MTX
Oscillation angle left/ right (°)	2 / 2
Oscillation rate (opm)	20.000
Article Number	4935446707
EAN Code	4002395136414

OMNI MULTI-TOOL HEAD

- For applications: sawing, grout removal, rasping, shaving, sanding, scraping, filing, cutting, sharpening, polishing



	OMNI-MT
Oscillation angle left/ right (°)	1,5
Article Number	4935440700
EAN Code	4002395134717

OMNI ROTARY/DRYWALL CUTTER HEAD

- A problem solver head for the professional user, which will help them to make clean and precise curve plunge cut in drywall. Precise cut in non-ferrous metal, small and precise grinding & sanding jobs
- Up to 24.000rpm clean cut in all materials
- Adjustable depth gauge for having perfect control of the cut
- Multipurpose depth gauge: one end depth gauge, other end key to change the bit. Easy and quick solution, always by the tool, no need to lose time looking for the key
- 3,2mm reception accepts the most common accessories on the market. Can be used: cutting wheel for cutting metal. Grinding wheel for metal. Sanding wheels for wood. Drywall drill bit etc.

OMNI-RT



	OMNI - RT
No load speed (rpm)	24.000
Collet capacity (mm)	3175
Article Number	4935451311
EAN Code	4002395151295

OMNI JIGSAW HEAD

- For applications: cutting wood, laminate, thin metal and plastic
- Keyless blade change system
- Integrated dust blow
- Full metal gear case for maximum durability
- 15mm stroke length for clean and fast cuts



	OMNI-JS
Max. cutting capacity wood/ steel/ aluminium (mm)	40 / 6 / 10
Stroke length (mm)	15
No load stroke rate (spm)	0 - 3000
Article Number	4935440715
EAN Code	4002395134748

OMNI RECIPROCATING SAW HEAD

OMNI-RH

- For applications: cutting metal & plastic pipe, wood (interior, garden & exterior), plasterboard
- 13mm stroke length and up to 3000spm for fast cutting application
- Keyless blade change for perfect ergonomics



	OMNI-RH
No load stroke rate (spm)	0 - 3000
Stroke length (mm)	13
Article Number	4935440725
EAN Code	4002395134762

OMNI RIGHT ANGLE DRILLING HEAD

OMNI-RAD

- For applications: drilling wood, metal and plastic, fastening / screwdriving
- Single sleeve 10mm chuck



	OMNI-RAD
Max. drilling wood/ steel (mm)	18 / 10
Max. torque (Nm)	12
No load speed (rpm)	0 - 550
Wood screws to (mm)	4
Article Number	4935440705
EAN Code	4002395134724

OMNI RATCHET HEAD

OMNI-IR

- For applications: fastening / loosening bolts
- 3/8" reception
- 28Nm torque for up to M12 capacity of nuts
- Up to 220rpm in forward / reverse



	OMNI-IR
No load speed (rpm)	0 - 220
Tool reception	3/8" square
Max. torque (Nm)	28
Article Number	4935440720
EAN Code	4002395134755


OMNI IMPACT DRIVER HEAD

OMNI-IH

- For applications: fastening / screwdriving, drilling wood & metal
- Quick release system for easy change of bit



	OMNI-IH
Max. torque (Nm)	62
Impact rate (ipm)	0 - 3100
No load speed (rpm)	0 - 2000
Tool reception	1/4" Hex
Article Number	4935440730
EAN Code	4002395134779



AEG

AC HAMMER
RANGE

SDS-PLUS ROTARY HAMMER

- Powerful 800 watt motor
- 24mm drilling capacity in concrete
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism
- Soft-grip handle for comfort
- Supplied with a side handle, metal depth gauge and a 4m cable

	BH 24IE
Power input (W)	800
No load speed (rpm)	0 - 1500
Full load hammer action (bpm)	0 - 4500
Blow energy (EPTA)(J)	2,4
Max. drilling wood/ steel/ concrete (mm)	30 / 13 / 24
Tool reception	SDS-Plus
FIXTEC™	No
Supplied in	Kitbox
Weight (kg)	2,8
Article Number	4935451558
EAN Code	4002395145201



4 002395 145201

SDS-PLUS COMBI HAMMER

- Powerful 800 watt motor
- 24mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and Reverse mechanism
- Soft grip handle for comfort

	KH 24IE
Power input (W)	800
No load speed (rpm)	0 - 1500
Full load hammer action (bpm)	0 - 4500
Blow energy (EPTA)(J)	2,4
Max. drilling wood/ steel/ concrete (mm)	30 / 13 / 24
Tool reception	SDS-Plus
FIXTEC™	No
Supplied in	Kitbox
Weight (kg)	2,8
Article Number	4935451555
EAN Code	4002395144570



4 002395 144570

SDS-PLUS ROTARY HAMMER

- Powerful 800 watt motor
- 24mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- FIXTEC quick change chuck
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism
- Soft-grip handle for comfort
- Supplied with a side handle, FIXTEC adaptor and keyless chuck, metal depth gauge and a 4m cable

	KH_24IXE
Power input (W)	800
No load speed (rpm)	0 - 1500
Full load hammer action (bpm)	0 - 4500
Blow energy (EPTA)(J)	2,4
Max. drilling wood/ steel/ concrete (mm)	30 / 13 / 24
Tool reception	SDS-Plus
FIXTEC™	Yes
Supplied in	Kitbox
Weight (kg)	2,8
Article Number	4935451553
EAN Code	4002395144556



4 002395 144556

SDS-PLUS COMBI HAMMER

- Powerful 800 watt motor
- 26mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism
- Soft-grip handle for comfort
- Supplied with a side handle, metal depth gauge and a 4m cable

	KH 26E	KH 26XE
Power input (W)	800	800
No load speed (rpm)	0 - 1500	0 - 1500
Full load hammer action (bpm)	0 - 4500	0 - 4500
Blow energy (EPTA)(J)	2,5	2,5
Max. drilling wood/ steel/ concrete (mm)	30 / 13 / 26	30 / 13 / 26
Tool reception	SDS-Plus	SDS-Plus
FIXTEC™	No	Yes
Supplied in	Kitbox	Kitbox
Weight (kg)	2,6	2,8
Article Number	4935428180	4935428910
EAN Code	4002395194360	4002395194681



4 002395 194360



4 002395 194681

SDS-PLUS COMBI HAMMER

- Powerful 1010 watt motor
- 28mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for drilling/chiselling in sensitive materials
- FIXTEC quick change tool system
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Soft-grip handle for comfort
- Electronic overload protection

	KH 28 Super XE
Power input (W)	1010
No load speed (rpm)	0 - 1500
Full load hammer action (bpm)	0 - 5000
Blow energy (EPTA)(J)	2,8
Max. drilling wood/ steel/ concrete (mm)	30 / 13 / 28
Tool reception	SDS-Plus
FIXTEC™	Yes
Supplied in	Kitbox
Weight (kg)	2,8
Article Number	4935428190
EAN Code	4002395194377



4 002395 194377

SDS-PLUS CHIPPING HAMMER

- Powerful 720 watt motor
- 3.6J impact energy for powerful chipping
- Variolock (35 positions) for selecting the most appropriate chisel angle
- Service hatches for easy changing of carbon brushes
- Lock-on switch function
- AVS anti-vibration system significantly reduces vibration for more comfortable operation
- Soft-grip for more comfortable handling
- Supplied with a side handle and a 4m cable

	PM 3
Power input (W)	720
Full load hammer action (bpm)	0 - 3650
Blow energy (EPTA)(J)	3,6
Tool reception	SDS-Plus
FIXTEC™	No
Supplied in	Kitbox
Weight (kg)	3,7
Article Number	4935412541
EAN Code	4002395199044



4 002395 199044

SDS-PLUS COMBI HAMMER

- Powerful 750 watt motor
- 30mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for controlled drilling in masonry
- FIXTEC quick change tool system
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Hammer action stop for drilling in wood or metal
- Supplied with a side handle, FIXTEC adaptor and keyed chuck, metal depth gauge and a 4m cable

	PN 3500X	PN 3500
Power input (W)	750	750
No load speed (rpm)	0 - 970	0 - 970
Full load hammer action (bpm)	0 - 4200	0 - 4200
Blow energy (EPTA)(J)	3,4	3,4
Max. drilling wood/ steel/ concrete (mm)	40 / 16 / 30	40 / 16 / 30
Tool reception	SDS-Plus	SDS-Plus
FIXTEC™	Yes	No
Supplied in	Kitbox	Kitbox
Weight (kg)	3,6	3,4
Article Number	4935412210	4935412152
EAN Code	4002395198337	4002395198306



SDS-MAX TRADESMANN CHIPPING HAMMER

- Powerful 1100 watt motor
- 7.5J EPTA blow energy
- 2 mode SDS-Max chipping hammer
- Multi position chisel function gives 12 different positions to optimize working angle
- Robust magnesium gear housing for tough environments
- Low vibration construction enhances usage time per day
- Soft grip side handle

	MH 5G
Power input (W)	1100
Full load hammer action (bpm)	0 - 3000
Blow energy (EPTA)(J)	7,5
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	5,9
Article Number	4935443170
EAN Code	4002395135462



SDS-MAX COMBI HAMMER

- Powerful 1100 watt motor
- 7.5J EPTA blow energy
- 40mm drilling capacity in concrete
- Rotary stop for chiselling applications
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling
- Supplied with a side handle, metal depth gauge, grease and a 4m cable

	KH 5G
Power input (W)	1100
No load speed (rpm)	0 - 450
Full load hammer action (bpm)	0 - 3000
Blow energy (EPTA)(J)	7,5
Max. drilling concrete/core bit/tunnel drill bit (mm)	40 / 105 / 65
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	6,4
Article Number	4935418160
EAN Code	4002395133062



PN 3500X

SDS-MAX DEMOLITION HAMMER

- Powerful 1200 watt motor
- 8.5J impact energy for effortless chipping
- Soft hammer mode reduces blow energy for chiselling in sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiselling
- Service light provides in-time notice in the case of worn out brushes
- Power light indicates if the tool is live
- Supplied with a D front handle, grease and a 6m cable

	MH 5E
Power input (W)	1200
Full load hammer action (bpm)	0 - 2840
Blow energy (EPTA)(J)	8,5
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	6,2
Article Number	4935412361
EAN Code	4002395198795



SDS-MAX COMBI HAMMER

- Powerful 1200 watt motor
- 40mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for drilling/chiselling in sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling
- Service light provides in-time notice in the case of worn out brushes
- Power light indicates if the tool is live
- Supplied with a side handle, metal depth gauge, grease and a 6m cable

	KH 5E
Power input (W)	1200
No load speed (rpm)	0 - 300
Full load hammer action (bpm)	0 - 2840
Blow energy (EPTA)(J)	8,5
Max. drilling concrete/core bit/tunnel drill bit (mm)	40 / 90 / 65
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	6,6
Article Number	4935412326
EAN Code	4002395198603



SDS-MAX DEMOLITION HAMMER

- Powerful 1500 watt motor
- 10.5J impact energy for stronger chipping applications
- Soft hammer mode for reducing the blow energy by working on sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiseling
- Service lights provide in-time notice in case of worn out brushes
- Power light indicates if the tool is live

	MH 7E
Power input (W)	1500
Full load hammer action (bpm)	0 - 2700
Blow energy (EPTA)(J)	10,5
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	7,3
Article Number	4935459422
EAN Code	4058546010836



SDS-MAX CHIPPING HAMMER

KH 7E

- Powerful 1500 watt motor
- 10.5J impact energy for stronger chipping applications
- Soft hammer mode for reducing the blow energy by working on sensitive materials
- 3 mode selector switch (1-Hammer drilling / 2-Chisel lock off), allows to lock chisel in 12 different positions
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiseling
- Service lights provides in-time notice in case of worn out brushes
- Power light indicates if electricity flows



	KH 7E
Power input (W)	1500
No load speed (m/min)	300
Full load hammer action (bpm)	0 - 2700
Blow energy (J)	10,5
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	7,3
Article Number	4935459609
EAN Code	4058546027810

KH 7E



SDS-MAX LARGE DEMOLITION HAMMER

PM 10E

- Powerful 1600 watt motor
- 20J impact energy for heavy demolition applications
- Variable speed electronics for control
- No load speed limitation
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiselling
- Service light provides in-time notice in the case of worn out brushes
- Automatic cut out carbon brushes
- Soft-grip on handles for comfort
- Supplied with a D front handle, grease and a 6m cable



	PM 10E
Power input (W)	1600
Full load hammer action (bpm)	975 - 1950
Blow energy (EPTA)(J)	20
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	11,0
Article Number	4935412418
EAN Code	4002395198832

PM 10E



SDS-MAX LARGE COMBI HAMMER

PN 11E

- Powerful 1700 watt motor
- 20J impact energy for heavy demolition applications
- 50mm drilling capacity into concrete
- Variable speed electronics for control
- No load speed limitation
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling
- Service light provides in-time notice in the case of worn out brushes
- Automatic cut out carbon brushes
- Soft-grip on handles for comfort
- Supplied with a D front handle, additional side handle, grease and a 6m cable



	PN 11E
Power input (W)	1700
No load speed (rpm)	125 - 250
Full load hammer action (bpm)	975 - 1950
Blow energy (EPTA)(J)	20
Max. drilling concrete/core bit/tunnel drill bit (mm)	50 / 150 / 80
Tool reception	SDS-Max
Supplied in	Kitbox
Weight (kg)	11,8
Article Number	4935412440
EAN Code	4002395198931

PN 11E



AEG



AC DRILLING
RANGE

2-SPEED PERCUSSION DRILL

- 1100 watt powerful 2 speed percussion drill
- Anti vibration system for better comfort of use
- Large metal gear case for maximum durability
- 13mm metal chuck
- Ergonomic soft-grip design for comfort

	SB2E 1100 RV	SB2E 1100 RVZ
Power input (W)	1100	1100
No load speed (rpm)	0 - 1000 / 0 - 3200	0 - 1000 / 0 - 3200
Max. drilling wood/ steel/ masonry/ concrete (mm)	40 / 13 / 24 / 22	40 / 13 / 24 / 22
Max. torque (Nm)	60	60
Chuck capacity (mm)	13	13
Chuck type	Keyless	Keyed
Supplied in	Kitbox	Kitbox
Weight (kg)	2,9	2,9
Article Number	4935447375	4935447385
EAN Code	4002395294176	4002395294183



2-SPEED PERCUSSION DRILL

- 850 watt powerful 2 speed percussion drill
- 10mm shorter than the previous version (235mm OAL)
- Large switch with speed dial for stationary drilling or light mixing
- Large metal gear case for maximum durability
- 13mm metal chuck
- Ergonomic soft-grip design for comfort

	SB2E 850 R	SB2E 850 RZ
Power input (W)	850	850
No load speed (rpm)	0 - 1000 / 0 - 3000	0 - 1000 / 0 - 3000
Max. drilling wood/ steel/ masonry/ concrete (mm)	40 / 13 / 22 / 20	40 / 13 / 22 / 20
Max. torque (Nm)	56	56
Chuck capacity (mm)	13	13
Chuck type	Keyless	Keyed
Supplied in	Kitbox	Kitbox
Weight (kg)	2,7	2,7
Article Number	4935447360	4935447370
EAN Code	4002395294152	4002395294169



HIGH TORQUE PERCUSSION DRILL

- Compact and powerful 750 watt high torque percussion drill
- 62Nm torque delivers complete power
- IMB - Integrated-Metal-Block technology for highest durability and stability
- 2-speed gearbox with synchromesh gear lever
- Variable speed control with speed dial, forward and reverse mechanism
- Easy access to carbon brushes via removal of soft-grip rubber
- Hammer action stop for rotary drilling
- 13mm metal keyless chuck
- Supplied with a side handle, metal depth gauge and a 4m cable

	SB2E 750 RX ST	SB2E 750 R ST
Power input (W)	750	750
No load speed (rpm)	0 - 1200 / 0 - 3400	0 - 1200 / 0 - 3400
Max. drilling wood/ steel/ masonry/ concrete (mm)	40 / 13 / 22 / 20	40 / 13 / 22 / 20
Max. torque (Nm)	62	62
Chuck capacity (mm)	13	13
Chuck type	Keyless	Keyless
Supplied in	Kitbox	Kitbox
Weight (kg)	2,5	2,5
Article Number	4935412853	4935412839
EAN Code	4002395192779	4002395192700



1-SPEED PERCUSSION DRILL

- Compact and powerful 750 watt motor
- Speed dial and lock on trigger button for stationary drilling
- High drilling speed at 3000rpm
- IMB design for more durability
- Reinforced 2 sleeve 13mm chuck
- Rubber overmold with micro texture for a perfect handling

	SBE 750 RE	SBE 750 RZ
Power input (W)	750	750
No load speed (rpm)	0 - 3000	0 - 3000
Max. drilling wood/ steel/ masonry/ concrete (mm)	30 / 13 / 20 / 16	30 / 13 / 20 / 16
Max. torque (Nm)	27	27
Chuck capacity (mm)	1,5 - 13	1,5 - 13
Chuck type	Keyless	Keyed
Supplied in	Kitbox	Tool bag
Weight (kg)	1,9	1,9
Article Number	4935442850	4935442840
EAN Code	4002395247875	4002395247868



1-SPEED PERCUSSION DRILL

- Powerful 705 watt motor
- Speed dial on the switch with lock on button
- Fast drilling speed at 2800rpm
- IMB design for more durability
- High quality 13mm metal chuck
- Rubber overmold with micro texture for a perfect handling

	SBE 705 RE
Power input (W)	705
No load speed (rpm)	0 - 2800
Max. drilling wood/ steel/ masonry/ concrete (mm)	30 / 13 / 20 / 15
Max. torque (Nm)	25
Chuck capacity (mm)	13
Chuck type	Keyless
Supplied in	Tool bag
Weight (kg)	1,9
Article Number	4935442830
EAN Code	4002395247851



DRY DIAMOND DRILL

- Powerful 1500 watt motor
- High performance 2-speed dry diamond drill
- Dual protection with interlinked mechanical and electronic clutches for safety
- Robust construction and full metal gearbox for durability
- 2-speed gear box
- Electronics with soft start for precision drilling and motor overload protection
- Soft hammer mode
- Supplied with a handle

	DB 1500-2XE
Power input (W)	1500
No load speed (rpm)	0 - 1500 / 0 - 3000
Spindle size	M 18 x 2,5
Max. drilling masonry (mm)	162
Supplied in	Kitbox
Weight (kg)	4,2
Article Number	4935412475
EAN Code	4002395198955



WALL CHASER

MFE 1500

- Powerful 1500 watt motor
- Electronics with thermal overload protection and soft start
- Variable and adjustable cutting depth for accurate results
- Variable cutting width for versatility
- Bayonet adaptor for dust extraction
- Spindle lock
- Supplied with a 4m cable, special break out chisel, front handle, suction adaptor and a spanner



	MFE 1500
Power input (W)	1500
Disc diameter (mm)	125
No load speed (rpm)	0 - 9500
Cutting width (mm)	8 - 26
Supplied in	Kitbox
Weight (kg)	4,1
Article Number	4935413605
EAN Code	4002395192809

MFE 1500



DRYWALL SCREWDRIVER

S 4000E

- Powerful 720 watt motor for increased productivity
- Compact high speed screwdriver for drywall applications
- Full metal gearbox for durability
- Easily adjustable depth-setting nosepiece for consistent fastener depth
- Forward and reverse mechanism
- Ergonomic design and soft-grip for comfortable handling
- 1/4" Hex bit reception
- Belt clip
- Supplied with a depth gauge, bit holder, PH 2 bit, belt clip and a 4m cable



	S 4000E
Power input (W)	720
No load speed (rpm)	0 - 4000
Drywall screws (mm)	5
Max. torque (Nm)	10
Tool reception	1/4" Hex
Supplied in	No kitbox or bag supplied
Weight (kg)	1,4
Article Number	4935413215
EAN Code	4002395197637

S 4000E



SELF DRILLING SCREWDRIVER

S 2500 E

- Powerful 720 watt motor for increased productivity
- Compact self drilling screwdriver with high torque for self tapping screws
- Full metal gearbox for durability
- Easily adjustable depth-setting nosepiece for consistent fastener depth
- Forward and reverse mechanism
- Ergonomic design and soft grip for comfortable handling
- 1/4" Hex bit reception
- Belt clip
- Supplied with a 2 depth gauge, bit holder, PH 2 bit, belt clip, 4m cable and 3/8" & 5/16" Hex sockets



	S 2500 E
Power input (W)	720
No load speed (rpm)	0 - 2500
Self-tapping (mm)	6
Wood screws to (mm)	6
Max. torque (Nm)	14
Tool reception	1/4" Hex
Supplied in	No kitbox or bag supplied
Weight (kg)	1,5
Article Number	4935413225
EAN Code	4002395197651

S 2500 E



AEG

AC METALWORKING
RANGE

SMALL ANGLE GRINDER

WS 8-115 S

- Powerful 800 watt motor
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Metal gearbox for durability
- Directed air exhaust
- Gear head rotates at 90° intervals for added versatility
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Protected air inlets
- Spindle lock
- Supplied with an additional handle, flange, flange nut and spanner



	WS 8-115S
Power input (W)	800
No load speed (rpm)	12.000
Max. cutting depth (mm)	35
Disc diameter (mm)	115
Spindle size	M14
Weight (kg)	1,9
Supplied in	Gift box
Article Number	4935451293
EAN Code	4002395150519



SMALL ANGLE GRINDER

WS 8-125 S

- Powerful 800 watt motor
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Metal gearbox for durability
- Directed air exhaust
- Gear head rotates at 90° intervals for added versatility
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Protected air inlets
- Spindle lock
- Supplied with an additional handle, flange, flange nut and spanner



	WS 8-125SK	WS 8-125S
Power input (W)	800	800
No load speed (rpm)	12.000	12.000
Max. cutting depth (mm)	40	40
Disc diameter (mm)	125	125
Spindle size	M14	M14
Weight (kg)	1,9	1,9
Supplied in	Kitbox	Gift box
Article Number	4935451298	4935451296
EAN Code	4002395150564	4002395150540



SMALL ANGLE GRINDER

WS 10-115 S

- Powerful 1000 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and working in restricted areas
- Optimised cooling slots prevent overheating, even when blocked occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock
- Supplied with a AVS side handle, keyless safety guard, flange, flange nut and spanner



	WS 10-115 S
Power input (W)	1000
No load speed (rpm)	11.500
Max. cutting depth (mm)	35
Disc diameter (mm)	115
Spindle size	M14
Weight (kg)	2,3
Supplied in	-
Article Number	4935451300
EAN Code	4002395150588



SMALL ANGLE GRINDER

WS 10-125 S

- Powerful 1000 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock
- Supplied with a AVS side handle, keyless safety guard, flange, flange nut and spanner



	WS 10-125 S	WS 10-125 SK
Power input (W)	1000	1000
No load speed (rpm)	11.500	11.500
Max. cutting depth (mm)	40	40
Disc diameter (mm)	125	125
Spindle size	M14	M14
Weight (kg)	2,3	2,3
Supplied in	Gift box	Kitbox
Article Number	4935451302	4935451303
EAN Code	4002395151202	4002395151219



SMALL ANGLE GRINDER

WS 12-125 S

- Powerful 1200 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocked occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock
- Supplied with an AVS side handle, keyless safety guard, flange, flange nut and spanner



	WS 12-125 SK	WS 12-125 S
Power input (W)	1200	1200
No load speed (rpm)	11.500	11.500
Max. cutting depth (mm)	40	40
Disc diameter (mm)	125	125
Spindle size	M14	M14
Weight (kg)	2,4	2,4
Supplied in	Kitbox	Gift box
Article Number	4935451307	4935451306
EAN Code	4002395151257	4002395151240



SMALL ANGLE GRINDER

WS 13-125 SXE

- Powerful 1300 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Variable speed electronics for lower speed setting especially in finishing applications
- Constant speed for best performance and high torque, even in lower speed applications
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocked occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock
- Supplied with an AVS side handle, keyless safety guard, flange, flange nut and spanner



	WS 13-125 SXE	WS 13-125 SXEK
Power input (W)	1300	1300
No load speed (rpm)	2800 - 11.500	2800 - 11.500
Max. cutting depth (mm)	40	40
Disc diameter (mm)	125	125
Spindle size	M14	M14
Weight (kg)	2,4	2,4
Supplied in	Gift box	Kitbox
Article Number	4935451309	4935451310
EAN Code	4002395151271	4002395151288



LARGE ANGLE GRINDER

- Powerful 1520 watt motor
- DIGITRONIC with constant speed electronics, soft start, motor overload protection and no load speed limitation
- FIXTEC - patented nut for fast and easy disc changing
- Automatic cut-off, easy change carbon brushes
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Epoxy coating field and armature - combat abrasive dust to increase tool lifetime
- New "snap-in" safety guard for keyless adjustment
- Spindle lock, with safety mechanism
- Large surface safety switch

	WS 15-125 SX
Power input (W)	1520
No load speed (rpm)	11.000
Max. cutting depth (mm)	35
Disc diameter (mm)	125
Spindle size	M14
Weight (kg)	2,5
Supplied in	Gift box
Article Number	4935455100
EAN Code	4002395247264



LARGE ANGLE GRINDER

- Powerful 2200 watt motor with powder field coating for long life time and outstanding performance in all applications
- Extreme compact design with an overall short length of 485mm and 5.1kg for most comfortable handling
- Line lock out function to prevent automatic start up after power loss
- Soft start for smooth start up
- Burst resistant keyed safety guard
- External brush doors for easy access to the brushes for fast servicing
- Supplied with a cable, wrench, flange, flange nut, anti-vibration addition handle and a safety guard

	WS 22-180 E	WS 22-180 DMS
Power input (W)	2200	2200
No load speed (rpm)	8500	8500
Max. cutting depth (mm)	45	45
Disc diameter (mm)	180	180
Spindle size	M14	M14
Deadman switch	No	Yes
Weight (kg)	5,1	5,1
Supplied in	Gift box	Gift box
Article Number	4935431690	4935431700
EAN Code	4002395194858	4002395194865



LARGE ANGLE GRINDER

- Powerful 2400 watt motor
- AVS: additional handle for more comfortable handling and less strain on body joints
- Epoxy-coated field windings and armature - prevents accumulation of abrasive dust, increasing tool life
- High quality sealed bearings provide superior protection
- New "snap-in" safety guard for keyless adjustment
- Convenient three-finger switch with soft start
- Soft start for smooth startup
- Supplied with a 4m cable, wrench, flange, flange nut, anti-vibration additional handle, safety guard

	WS 24-180 V
Power input (W)	2400
No load speed (rpm)	8500
Max. cutting depth (mm)	44
Disc diameter (mm)	180
Spindle size	M14
Weight (kg)	5,3
Supplied in	Gift box
Article Number	4935446490
EAN Code	4002395136285



LARGE ANGLE GRINDER

- Powerful 2200 watt motor with powder field coating for long life time and outstanding performance in all applications
- Extremely compact design with an overall short length of 485mm and 5.1kg for most comfortable handling
- Line lock out function to prevent automatic startup after power loss
- Burst resistant keyed safety guard
- External brush doors for easy access to the brushes for fast servicing
- Supplied with a cable, wrench, flange, flange nut, anti-vibration additional handle and a safety guard

	WS 22-230 E	WS 22-230 DMS
Power input (W)	2200	2200
No load speed (rpm)	6600	6600
Max. cutting depth (mm)	68	68
Disc diameter (mm)	230	230
Spindle size	M14	M14
Deadman switch	No	Yes
Weight (kg)	5,2	5,2
Supplied in	Gift box	Gift box
Article Number	4935431720	4935431730
EAN Code	4002395194889	4002395194902



LARGE ANGLE GRINDER

- Powerful 2400 watt motor
- AVS: additional handle for more comfortable handling and less strain on body joints
- Epoxy-coated field windings and armature - prevents accumulation of abrasive dust, increasing tool life
- High quality sealed bearings provide superior protection
- New "snap-in" safety guard for keyless adjustment
- Convenient three-finger switch with soft start
- Soft start for smooth startup
- Supplied with a 4m cable, wrench, flange, flange nut, anti-vibration handle and a safety guard

	WS 24-230 V
Power input (W)	2400
No load speed (rpm)	6600
Max. cutting depth (mm)	68
Disc diameter (mm)	230
Spindle size	M14
Weight (kg)	5,4
Supplied in	Gift box
Article Number	4935446500
EAN Code	4002395136292




LARGE ANGLE GRINDER

- Powerful 2400 watt motor with powder field coating for long life time and outstanding performance in all applications
- Extremely compact design with an overall short length of 515mm and 5.6kg for most comfortable handling
- Line lock out function to prevent automatic start up after power loss
- Soft start for smooth start up
- Burst resistant quick release safety guard for easy adjustment
- AVS equipped motor housing and 2-positions Anti-vibration side handle for less vibrations
- 7 step rotating main handle and large soft grip area for most comfortable handling
- External brush doors for easy access to the brushes for fast servicing
- 4m rubber cable
- Supplied with a wrench, flange, flange nut, anti-vibration additional handle and a safety guard

	WS 24-230 GEV	WS 24-230 GV DMS
Power input (W)	2400	2400
No load speed (rpm)	0 - 6600	0 - 6600
Max. cutting depth (mm)	68	68
Disc diameter (mm)	230	230
Spindle size	M14	M14
Deadman switch	No	Yes
Weight (kg)	5,6	5,6
Supplied in	Kitbox	Kitbox
Article Number	4935431765	4935431775
EAN Code	4002395194964	4002395194971



THE PROCESS



12
SEC

FIXTEC NUTS



DIE GRINDER

- High speed, one handed die grinder
- Variable speed electronic
- Automatic cut-off carbon brushes
- High rotation precision metal gearbox
- Weight only 1.3kg
- Ergonomic switch
- Supplied with a key, 6mm collet and a 4m cable

GS 500 E



	GS 500 E
Power input (W)	500
No load speed (rpm)	10.000 - 29.000
Collet capacity (mm)	6
Max. grinding wheel diameter (mm)	40
Max. grinding pin diameter (mm)	20
Weight (kg)	1,3
Supplied in	Gift box
Article Number	4935412985
EAN Code	4002395192939

GS 500 E



DIE GRINDER

- Variable speed electronics
- Long spindle for easy access to awkward places
- Double bearing spindle seating for smooth rotation
- Automatic cut-off carbon brushes
- High rotation precision metal gearbox
- Weight only 1.9kg
- Ergonomic switch
- Supplied with a key, 6mm collet and a 4m cable

GSL 600 E



	GSL 600 E
Power input (W)	600
No load speed (rpm)	10.000 - 29.000
Collet capacity (mm)	6
Max. grinding wheel diameter (mm)	40
Max. grinding pin diameter (mm)	20
Weight (kg)	1,9
Supplied in	Gift box
Article Number	4935412965
EAN Code	4002395192946

GSL 600 E



POLISHER

PE 150

- 1200 watt polisher
- Variable speed electronics for various materials and finishes
- Special gearing for high spindle torque and ideal polishing speed
- Automatic cut-off carbon brushes
- Externally accessible brushes for easy replacement
- Spindle lock
- Large 3 finger switch
- Supplied with a 4m cable, additional handle, cap and a backing pad



	PE 150
Power input (W)	1200
No load speed (rpm)	900 - 2500
Disc diameter (mm)	150
Spindle size	M14
Weight (kg)	2,1
Supplied in	Gift box
Article Number	4935412266
EAN Code	4002395198443

PE 150



RIGHT ANGLE SANDER

SE 12-180

- 1200 watt sander with full wave electronics
- Variable speed electronics for various materials and finishing
- High motor torque and optimum speed range for sanding, especially for fine surface work
- Automatic cut-off carbon brushes
- Externally accessible brushes for easy replacement
- Spindle lock
- Large 3 finger switch
- Supplied with a 4m cable, additional handle with guard, flange nut and a flexible backing pad



	SE 12-180
Power input (W)	1200
No load speed (rpm)	1800 - 4800
Disc diameter (mm)	180
Spindle size	M14
Weight (kg)	2,5
Supplied in	Gift box
Article Number	4935412279
EAN Code	4002395198481

SE 12-180



METAL CHOPSAW

SMT 355


- Powerful 2300 watt motor
- - 45°/0°/45° mitre capacity with quick release mitre clamp
- Spindle lock for easy wheel and accessory changing
- Deflector protects the user from sparks
- Oversize guard for added safety
- On board wrench storage
- Rubber feet for greater stability
- Replaceable carbon brushes
- Supplied with a 4m cable, 355mm cutting disc and a spanner



	SMT 355
Power input (W)	2300
No load speed (rpm)	4280
Wheel size (mm)	355
Bore size (mm)	25,4
Weight (kg)	16,5
Supplied in	Gift box
Article Number	4935411770
EAN Code	4002395129638

SMT 355





AEG

AC WOODWORKING
RANGE

300W MULTI-TOOL

OMNI 300

- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- Range of one handed applications
- LED for work place illumination



OMNI 300 KIT1	
Power input (W)	300
No. of batteries supplied	0
Oscillation rate (opm)	20.000
Oscillation angle left/ right (°)	2,0
Standard equipment	1 x multi-tool head, accessories
Weight (kg)	2,52
Supplied in	Tool bag
Article Number	4935431790
EAN Code	4002395194995



1600W, 190MM CIRCULAR SAW

KS 66-2

- Powerful 1600 watt motor
- 0-56 degree bevel capacity with 45 degree positive stop
- Durable and stable die cast shoe and guard
- Large action levers for easy operating
- Micro texture grip on front and back handle
- 4m cable
- Dust port with DEK 26 connection to our AEG dust extractors



KS 66-2	
Power input (W)	1600
Blade diameter (mm)	190
Bevel capacity (°)	56
Max. cutting depth 45° (mm)	47
Max. cutting depth 90° (mm)	64
No load speed (rpm)	0 - 5800
Arbor size (mm)	30
Weight (kg)	4,8
Supplied in	Tool bag
Article Number	4935446675
EAN Code	4002395136339



1500W, 190MM CIRCULAR SAW

KS 15-1

- Powerful 1500 watt motor
- 64mm Max depth of cut
- 0 - 45° bevel capacity
- Durable die cast shoe and guard
- Large action levers for easy operating
- Micro texture grip for use comfort
- 2m cable
- Dust port extraction point



KS 15-1	
Name	KS 15-1
Power input (W)	1500
Blade diameter (mm)	190
Bevel capacity (°)	45
Max. cutting depth 45° (mm)	47
Max. cutting depth 90° (mm)	64
No load speed (rpm)	0 - 5000
Arbor size (mm)	30
Weight (kg)	4,2
Supplied in	Gift box
Article Number	4935472007
EAN Code	4058546324032



1200W, 190MM CIRCULAR SAW

KS 12-1

- Powerful 1200 watt motor
- 64mm max depth of cut
- 0 - 45° bevel capacity
- Durable steel shoe and die cast guard
- Large action levers for easy operating
- Micro texture grip for comfortable use
- 2m cable
- Dust port extraction point



Name	KS 12-1
Power input (W)	1200
Blade diameter (mm)	190
Bevel capacity (°)	45
Max. cutting depth 45° (mm)	47
Max. cutting depth 90° (mm)	64
No load speed (rpm)	0 - 5000
Arbor size (mm)	30
Weight (kg)	3,7
Supplied in	Gift box
Article Number	4935472006
EAN Code	4058546324025

KS 12-1



TOPHANDLE JIGSAW

STEP 100X

- Tophandle jigsaw with a new powerful 700 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 6-different speed settings for better cutting control
- Better ergonomic design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Keyless adjustment of the base plate for cutting close to edges and for precise Bevel cuts up to 45°
- Supplied with a 4m cable, blade, anti-splitting guard and dust cap



	STEP 100X
Power input (W)	700
No load stroke rate (spm)	1000 - 3200
Mitre capacity (°)	45
Stroke length (mm)	20
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	100 / 10 / 20
Weight (kg)	2,3
Supplied in	Kitbox
Article Number	4935451000
EAN Code	4002395136513

STEP 100X



TOPHANDLE JIGSAW

STEP 100

- Tophandle jigsaw with a new powerful 700 watt motor
- 6-different speed settings for better cutting control
- Better ergonomic design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Supplied with a 4m cable, blade, anti-splitting guard and dust cap



	STEP 100
Power input (W)	700
No load stroke rate (spm)	1000 - 3200
Mitre capacity (°)	45
Stroke length (mm)	20
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	100 / 10 / 20
Weight (kg)	2,2
Supplied in	Gift box
Article Number	4935451001
EAN Code	4002395136520

STEP 100



TOPHANDLE JIGSAW

STEP 80

- Tophandle jigsaw with a new powerful 700 watt motor
- 6-different speed settings for better cutting control
- Better ergonomic design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Supplied with a 4m cable, blade, anti-splitting guard and dust cap



	STEP 80
Power input (W)	700
No load stroke rate (spm)	1000 - 3200
Mitre capacity (°)	45
Stroke length (mm)	20
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	80 / 10 / 20
Weight (kg)	2,2
Supplied in	Gift box
Article Number	4935451002
EAN Code	4002395136537

STEP 80



BODYGRIP JIGSAW

- Powerful 730 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4 – stage pendulum adjustment
- Variable speed selection for correct speed to match the material and blade
- Soft start prevents sudden kick back of machine on start up
- Integrated electronics allows constant speed under load
- Ergonomic and very slim body grip design with integrated soft-grip zone
- Dust extraction port
- Sawdust blower keeps cutting line clear for accuracy
- Adjustable dust extraction (front or back) over switch
- Base plate can be moved backwards for cutting close to edges and for precise mitre cuts to 45°
- Supplied with a 4m cable, 1 saw blade, anti-splintering guard, dust cap and a suction adaptor

	STEP 1200XE
Power input (W)	730
No load stroke rate (spm)	500 - 3000
Mitre capacity (°)	45
Stroke length (mm)	26
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	135 / 10 / 30
Weight (kg)	2,4
Supplied in	Kitbox
Article Number	4935412878
EAN Code	4002395192762



BODYGRIP JIGSAW

- Powerful 705 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4 – stage pendulum adjustment
- Variable speed electronics for control
- Ergonomic slimline bodygrip design with integrated soft grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Base plate can be moved backwards for cutting close to edges
- Supplied with a 4m cable, blade, anti-splintering guard, sliding shoe and a dust cap

	ST 800XE
Power input (W)	705
No load stroke rate (spm)	600 - 2700
Mitre capacity (°)	45
Stroke length (mm)	26
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	110 / 10 / 25
Weight (kg)	2,3
Supplied in	Kitbox
Article Number	4935412950
EAN Code	4002395192892



PALM JIGSAW

- Powerful 440 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- LED light for cut line visibility
- Pendulum function
- Unique palm design for use in tight spaces and easy handling
- Dust blower keeps cut line clear for accuracy
- Supplied with a clear dust cap, splintering device, 1 saw blade and a 4m cable

	PST 500X
Power input (W)	450
No load stroke rate (spm)	3700
Mitre capacity (°)	45
Stroke length (mm)	15
Pendulum settings	1
Max. cutting capacity wood/ steel/ aluminium (mm)	40 / 6 / 10
Weight (kg)	2,3
Supplied in	Tool bag
Article Number	4935428260
EAN Code	4002395194315



STEP 1200XE

COMBO ROUTER

- 2 routers in one for maximum flexibility in all kinds of application
- Soft start to prevent sudden kickback
- Integrated electronics maintain constant speed under load
- Variable speed electronics for optimum control in a wide range of materials
- Large soft-grip handles for decreased vibration and greater comfort
- Flat motor housing with integrated rubber feet for convenient upside down bit change with spindle lock
- Premium collet and shaft design minimises run out
- Built in LED for unparalleled workplace illumination
- Through table depth adjustment for ultimate convenience
- Supplied with 5 guide bushes, 3 dust extraction adaptors, parallel guide, 2 collects (8/12mm) 2 keys, oval base, round base and a chip shield

	MF 1400KE
Power input (W)	1400
Collet capacity (mm)	8 / 12
Plunge capacity (mm)	64
No load speed (rpm)	10.000 - 23.000
Weight (kg)	5,7
Supplied in	Tool bag
Article Number	4935411850
EAN Code	4002395193295



82MM PLANER

- Powerful 700 watt motor to power through the toughest timber
- Changeable left or right chip ejection
- Lockable kickstand on the base of the tool protects material from accidental damages
- 0.2mm fine depth adjustment for detaied applications
- 82mm dual reversible cutting blades
- Powerful brushed motor delivers up to 17000rpm to achieve proffessional surface finish.

	PL 700
Name	PL 700
Power input (W)	700
No load speed (rpm)	17.000
Max. cutting depth (mm)	3
Cutting width (mm)	82
Rebate depth (mm)	12
Weight (kg)	2,6
Supplied in	Gift box
Article Number	4935472008
EAN Code	4058546324049



RECIPROCATING SAW

- Powerful 900 watt motor, for fast cuts in various materials
- Pendulum function with 19mm stroke length, for more powerful and faster cutting progress
- Speed regulation from 0 – 3500spm, especially needed for heat-sensitive materials
- FIXTEC - for fast and easy keyless blade change
- 24 % lighter than other saws, for better work control
- One hand blade insertion
- Soft grip handle, for better ergonomics
- Supplied with a 4m cable and 2 blades

	US 900 XE
Power input (W)	900
No load stroke rate (spm)	0 - 3500
Stroke length (mm)	19
Weight (kg)	2,9
Supplied in	Tool bag
Article Number	4935419610
EAN Code	4002395193806



US 900 XE

RECIPROCATING SAW

US 1300 XE

- Powerful 1300 watt motor
- FIXTEC blade clamp for fast and easy blade changes
- Variable speed switch for increased cutting control and efficiency
- Adjustable shoe for prolonged blade life
- Ergonomic soft grip handle design for comfort
- Blades can be turned 180° for various applications
- Supplied with a 4m cable and 2 blades



	US 1300 XE
Power input (W)	1300
No load stroke rate (spm)	0 - 2800
Stroke length (mm)	30
Weight (kg)	3,8
Supplied in	Kitbox
Article Number	4935413235
EAN Code	4002395197675



PALM DELTA SANDER

FDS 140

- Extremely compact 260 watt sheet sander
- Ideal for working in confined spaces and over head
- Delta base for sanding in corners
- Hook & loop and large release tabs for convenient paper changing
- Magnesium base for more stability and less vibration
- Dust extraction with dust bag or absorption system
- Soft-grip on handle
- Supplied with a 4m cable, 3 sheets (60, 80, 120 grit) sanding pad, delta base plate and dust bag



	FDS 140
Power input (W)	260
No load speed (rpm)	14.000
Oscillation rate (opm)	20.000
Oscillation diameter (mm)	1,6
Sanding pad size (mm)	115 x 140
Weight (kg)	1,5
Supplied in	Gift box
Article Number	4935416090
EAN Code	4002395129768



1/3 SHEET SANDER

FS 250

- Variable speed setting for increasing or decreasing sanding speed
- Sanding plate with velcro type attachment
- Lock-on switch designed to easily lock trigger in place during extended tool operation
- Wide trigger for convenient 2-finger on/off operation of tool
- Removable duct collection bag ensures efficient collection of dust residue
- Hex grip micro texture for maximum user comfort
- Front auxiliary grip ensures maximum user control and optimum distribution of force during sanding
- Supplied with 2m cable



	FS 250
Power input (W)	250
Oscillation rate (opm)	6000-12.000
Sanding pad size (mm)	90x187
Weight (kg)	1,8
Supplied in	Gift box
Article Number	4935472164
EAN Code	4058546325602



1/2 SHEET SANDER

FS 280

- Powerful 500 watt motor
- Variable speed for optimum control
- Convenient hook & loop paper fastening
- Dust extraction, with dustbag or absorption system
- Supplied with a 4m cable, 3 sheets (80, 120, 240 grit) sanding pads, dust bag and a pommel handle



	FS 280
Power input (W)	500
Oscillation rate (opm)	14.000 - 26.000
Sanding pad size (mm)	115 x 280
Weight (kg)	3,0
Supplied in	Gift box
Article Number	4935419280
EAN Code	4002395133116



RANDOM ORBIT SANDER

EX 125 ES

- Ergonomic & compact 300 watt random orbit sander
- Ideal for working in confined spaces and over head
- Variable speed for optimum control
- Pad brake control: pad brake for a gauge free workpiece
- Convenient hook & loop paper fastening
- Very efficient dust extraction over 8 holes in the base plate
- Dust extraction, with dust bag or absorption system
- Soft-grip on handle
- Supplied with a 4m cable, sheets (80, 120, 180 grit) sanding pads and a dust bag



	EX 125 ES
Power input (W)	300
No load speed (rpm)	7000 - 12.000
Oscillation rate (opm)	14.000 - 24.000
Oscillation diameter (mm)	2,4
Sanding pad size (mm)	125
Weight (kg)	1,7
Supplied in	Gift box
Article Number	4935416100
EAN Code	4002395129799



RANDOM ORBIT SANDER

EX 150 ES

- Dual orbits for control of material removal
- Variable speed for optimum control
- Soft start and pad brake for a gauge free workpiece
- Through-body sealed slide switch for reliability and ease of use
- Convenient hook & loop paper fastening
- Dust extraction, with dust bag or absorption system
- Diecast construction for strength and durability
- Micro texture grip for perfect handling
- Supplied with a 4m cable, 3 x 80 grit sanding pads, dust bag and a pommel handle



	EX 150 ES
Power input (W)	440
No load speed (rpm)	4000 - 10.000
Oscillation rate (opm)	8000 - 20.000
Oscillation diameter (mm)	3,2 / 6,4
Sanding pad size (mm)	150
Weight (kg)	2,8
Supplied in	Gift box
Article Number	4935443290
EAN Code	4002395135479



BELT SANDER

- Powerful 1010 watt motor
- Electronic speed for control and optimum results
- Clamping lever for easy, tool free changing of sanding belt
- Externally accessible brushes for easy replacement
- Control wheel for precise adjustment of sanding belt
- Compact design, ideal for sanding close to edges
- Die-cast construction for high strength and durability
- Dust extraction, with dust bag or absorption system
- Supplied with a 4m cable, 1 x 80 grit sanding belt, dust bag and a pommel handle

	HBS 1000 E
Power input (W)	1010
Belt length (mm)	533
Belt speed (rpm)	240 - 450
Sanding surface (mm)	75 x 145
Belt width (mm)	75
Weight (kg)	5,1
Supplied in	Kitbox
Article Number	4935413205
EAN Code	4002395197613



BELT SANDER

- Powerful 1100 watt motor
- Extra-large sanding surface 100 x 140mm
- Full-wave electronics with pre-selection of belt speed
- Control wheel for precise adjustment of belt alignment
- Dust extraction, with dust bag or absorption system
- Supplied with a 4m cable, 1 x 100 grit sanding belt and a dust bag

	BBSE 1100
Power input (W)	1100
Belt speed (rpm)	230 - 400
Belt length (mm)	560
Belt width (mm)	100
Sanding surface (mm)	100 x 140
Weight (kg)	5,0
Supplied in	Gift box
Article Number	4935413530
EAN Code	4002395199037



HEAT GUN

- 2 temperature adjustment modes 300° / 560°
- 253 - 420l/min
- Reinforced fan for continuous use
- Extremely light product - 0.85kg
- Rubber overmold on back end for safe stationary use

	HG 560 D
Power input (W)	1500
Air flow (l/min)	253 - 420
Temperature range (°C)	300 / 560
Weight (kg)	0,85
Supplied in	Gift box
Article Number	4935441015
EAN Code	4002395134991



HEAT GUN

- Electronic precise adjustment for temp from 90° up to 600°
- 345 - 434l/min
- Reinforced fan for continuous use
- Extremely light product - 0.9kg
- Rubber overmold on back end for safe stationary use

	HG 600 V	HG 600 VK
Power input (W)	2000	2000
Air flow (l/min)	345 - 434	345 - 434
Temperature range (°C)	90 - 600	90 - 600
Weight (kg)	0,9	0,9
Supplied in	Gift box	Kitbox
Article Number	4935441025	4935441035
EAN Code	4002395135011	4002395135035



MITRE SAW

- Internal fan that removes 80% of the dust
- Cut line visibility - Adjustable LED and laser
- Blade depth adjustment. Allows for trenching application
- Mitre lock with detent plate. Mitre: 50 left or right
- Powerful 1800 watt motor delivers 5000rpm
- Supplied with a 48 tooth blade, clamp, hose, bucket cover and a dust bag

	PS 254 L
Power input (W)	1800
Blade diameter (mm)	254
No load speed (rpm)	4500
Mitre capacity left (°)	50
Mitre capacity right (°)	50
Max. cutting depth (mm)	90
Mitre saw capacity 90° (mm)	305
Max. cutting capacity 0 mitre/ 90 bevel (mm)	90 x 305
Max. cutting capacity 45° mitre/ 90° bevel (mm)	90 x 215
Max. cutting capacity 0 mitre/ 45 bevel (mm)	50 x 305
Max. cutting capacity 45° mitre/ 45° bevel (mm)	50 x 215
Weight (kg)	19,5
Supplied in	Gift box
Article Number	4935440670
EAN Code	4002395134687



MITRE SAW

- 1500 watt motor delivers 5000rpm producing fast cuts through toughest material
- Cut line visibility with LED light and laser
- Mitre lock out with detent plate
- Blade depth stop for trench cutting applications
- 50° mitre capacity / 45° bevel capacity
- Supplied with 40 tooth blade

	PS 216 L
Power input (W)	1500
Blade diameter (mm)	216
No load speed (rpm)	5000
Mitre capacity left (°)	50
Mitre capacity right (°)	50
Max. cutting depth (mm)	65
Mitre saw capacity 90° (mm)	65 x 305
Max. cutting capacity 0 mitre/ 90 bevel (mm)	65 x 305
Max. cutting capacity 45° mitre/ 90° bevel (mm)	65 x 215
Max. cutting capacity 0 mitre/ 45 bevel (mm)	36 x 305
Max. cutting capacity 45° mitre/ 45° bevel (mm)	36 x 215
Weight (kg)	16,5
Supplied in	Gift box
Article Number	4935440650
EAN Code	4002395134656



MITRE SAW

PS 216 L3

- 1400 watt motor delivers 5000rpm producing fast cuts through toughest material
- Cut line visibility with LED light and laser
- Mitre lock out with detent plate
- Blade depth stop for trench cutting applications
- 50° Mitre capacity / 45° Bevel capacity
- Supplied with 40 tooth blade

	PS 216 L3
Power input (W)	1400
Blade diameter (mm)	216
No load speed (rpm)	5000
Mitre capacity left (°)	50
Mitre capacity right (°)	50
Max. cutting depth (mm)	65
Mitre saw capacity 90° (mm)	65x305
Max. cutting capacity 0 mitre/ 90 bevel (mm)	65x305
Max. cutting capacity 45° mitre/ 90° bevel (mm)	65x215
Max. cutting capacity 0 mitre/ 45 bevel (mm)	36x305
Max. cutting capacity 45° mitre/ 45° bevel (mm)	36x215
Weight (kg)	16,2
Supplied in	Gift box
Article Number	4935471981
EAN Code	4058546298807



PS 216 L3



UNIVERSAL MITRE SAW LEGSTAND

PSU 1000

- Extendable to 2,3m
- Quick release brackets
- Adjustable leg
- Low weight 14kg
- 180kg maximum load capacity

	PSU 1000
Extendable up to (mm)	2,3
Bearing force (kg)	180
Weight (kg)	14,0
Article Number	4935440850
EAN Code	4002395134892



PSU 1000



DUST EXTRACTOR

AP2-200 ELCP

- Clear press filters cleaning system
- "L" industry dust class
- PET Filter, with fleece filter bag
- Wet and dry cleaning
- Wet overflow protection
- Click system easy to change accessories
- Fleece double wall filter bag and disposal bag

	AP2-200 ELCP
Power input (W)	1000
Air volume (l/min)	3600
Max. vacuum (mbar)	210
Container capacity (ml)	20
Hose diameter (mm)	32
Hose length (m)	3,5
Weight (kg)	7,5
Article Number	4935447460
EAN Code	4002395294190



AP2-200 ELCP



AEG

ACCESSORIES
RANGE



BATTERIES

18V

						
	L1890RHD	L1860RHD	L1830RHD	L1850R	L1840R	L1820R
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	9,0	6,0	3,0	5,0	4,0	2,0
Charger compatibility	AL 1218G,AL 9618	AL 1218G,AL 9618	AL 1218G,AL 9618	AL 1218G,AL 9618	AL 1218G,AL 9618	AL 9618,BL 1218
Article Number	4932464231	4932464754	4932471051	4932451630	4932430170	4932430169
EAN Code	4058546221768	4058546226992	4058546286798	4002395140978	4002395378319	4002395378302

14.4V

					
	L1430R GEN II	L1420R	L1415R	L1420 G3	L1415 G3
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	3.0	2.0	1.5	2.0	1.5
Charger compatibility	AL 9618,BL 1218,AL 1218G	AL 9618,BL 1218,AL 1218G	AL 9618,BL 1218,AL 1218G	AL 1214 G3	AL 1214 G3
Article Number	4932352657	4932430167	4932352656	4932451097	4932451096
EAN Code	4002395373154	4002395378289	4002395373147	4002395811236	4002395811229


12V

					
	L1260	L1240	L1230	L1220	L1215
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	6.0	4.0	3.0	2.0	1.5
Charger compatibility	LL 1230	LL 1230	LL 1230	LL 1230	LL 1230
Article Number	4932459180	4932430166	4932352824	4932430165	4932352658
EAN Code	4002395288557	4002395378272	4002395288557	4002395378265	4002395373161

12V

			
	L1215 G3	L1220 G3	L1215R
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	1.5	2.0	1.5
Charger compatibility	-	-	AL 9618,BL 1218
Article Number	4932430365	4932451094	4932451095
EAN Code	4002395380268	4002395811205	4002395811212

3.6V

	
	SL 3.6
Battery type	Li-ion
Battery pack capacity (Ah)	1.5
Charger compatibility	LA 036
Article Number	4932352969
EAN Code	4002395376278

CHARGERS

	Battery type	Charging range	Charging time	Article Number	EAN Code
AL1214G	Li-ion, NiCd, NiMH	12 - 14.4 V	60 min	4932352481	4002395371402
AL1218G	Li-ion, NiCd, NiMH	12 - 18 V	60 min	4932352528	4002395371860
BL 1218 GEN II	Li-ion, NiCd, NiMH	12 - 18 V	30 min	4932352659	4002395373178
AL1214 G3	Li-ion	12 - 14 v	30 min	4932451098	4002395811243
LL1230	Li-ion	12 V	30 min	4932352096	4002395367498
LA 036	Li-ion, NiCd, NiMH	3.6 V	30 min	4932352097	4002395367504

AEG

ACCESSORY & STORAGE SOLUTIONS 2020

STORAGE



37L TOOL BOX

AEG26TB
4932471878

- 37 Liters capacity / 26"
- Water seal
- Portable half tray allows room for storage of larger items
- Made by heavy-duty injected PP
- Metal latches with lockable lid and rubber handle



21L TOOL BOX

AEG21TB
4932471879

- 21.5 Liters capacity / 21"
- Water seal
- Portable half tray allows room for storage of larger items
- Heavy-duty injected PP
- Metal latches with lockable lid and rubber handle



TOTE BAG

BAGTT
4932471880

- High quality 1680 denier
- Eight inner pockets, six inner tool loops
- Seven outer pockets
- Hard plastic and waterproof base
- Straight zip for open mouth style
- Adjustable shoulder strap

ACCESSORIES



10 PIECE BALLISTIC IMPACT SCREWDRIVING KIT

AAKSD10
4932471963

- 10 x 50mm Screwdriver Bits
- PH2 X 1, PH3 X 1, PZ2 X 1, PZ3 X 1, T15 X 1, T20 X 2, T25 X 2, TX30 X 1



16 X 50MM SCREWDRIVER BITS

AAKSDDD24
4932464802

- 24pcs Mixed Drilling and Driving Ballistic Impact Kit
- 16 x 50mm Screwdriver Bits (1 x PZ1, 6 x PZ2, 1 x PH1, 2 x PH2, 2 x TX15, 2 x TX25, 2 x TX30)
- 1 X 60mm Bit Holder
- 7 x Black Oxide HSS Drill Bits (2, 3, 4, 5, 5.5, 6, 8mm)
- For Drill Drivers and Percussion Drills
- Plastic Box allows user to keep bits organised and accessible



50 PIECE MIXED DRILLING & SCREWDRIVING SET

AAKDD50
4932472024

- 19 x 25mm Screwdriver Bits
- 1 x 60mm Bit Holder
- 2 x 50mm Screwdriver Bit
- 3 x Non-Magnetic Nut Drivers
- 2 x Spade Bits
- 5 x Brad Point Bits
- 9 x Masonry Bits
- 9 x HSS Metal Bits



30 PIECE MIXED DRILLING & SCREWDRIVING SET

AAKDD30
4932472023

- 10 x 25mm Screwdriver Bits
- 1 x 60mm Bit Holder
- 3 x Non-Magnetic Nut Drivers
- 5 x Brad Point Bits
- 5 x Masonry Bits
- 6 x HSS Metal Bits



30 PIECE MIXED DRILLING & SCREWDRIVING SET

AAKSD31
4932471962

- 30 x 25mm Screwdriver Bits
- PH1 X 1, PH2 X 3, PH3 X 2, PZ1 X 1, PZ2 X 3, PZ3 X 2, HEX3 X 1, HEX4 X 1, HEX5 X 1, HEX6 X 1, T15 X 3, T20 X 4, T25 X 4, TX30 X 2, TX40 X 1
- 1 x 60mm Magnetic Bit Holder

POWER SET SDS-PLUS DRILL BITS

- High quality 2 cutter carbide top with 130° tip angle
- The carbide tip is set deeper into the head for a more precise fit and better durability
- 2 flute geometry for rapid material removal
- Surface treated flute eliminates binging for faster drilling and high abrasion resistance

	Article Number	EAN Code
Counter display (12 sets) SDS-Plus	4932352315	4002395369744
Single Power Set SDS-Plus Drill Bits (8pcs) with Ø 5/6/8 x 110mm and Ø 6 (2pcs)/8/10/12 x 160mm	4932352236	4002395368952



POWER SET STONE DRILL BITS

- Extra sharp diamond ground carbide tip with 130 degree angle
- Polished silver and black finish eliminates binding for faster cutting and material removal
- Made from special alloy steel for best precision and robustness
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 sets) Stone	4932352238	4002395368976
Single Power Set Stone Drill Bits (10pcs) Contents: Ø 4/5/5.5/6 (2pcs)/7/8 (2pcs)/9/10mm	4932352239	4002395368983



POWER SET HSS-R (DIN 338) METAL DRILL BITS

- HSS-Rollforged metal drill bits manufactured according to DIN 338
- Oxide coating for improved swarf removal
- Normal point cutting tip with 118 degree angle
- Standard type N flute design

	Article Number	EAN Code
Counter display (6 x sets) HSS-R	4932352240	4002395368990
Single Power Set HSS-R Drill Bits (19pcs) Contents: Ø 2 x 49mm / Ø 2.5 (2pcs) x 57mm/ Ø 3 (2pcs) x 61mm/ Ø 3.5 (2pcs) x 70mm/ Ø 4 (2pcs) x 75mm/ Ø 4.5 (2pcs) x 80mm/ Ø 5 (2pcs) x 86mm/ Ø 6 (2pcs) x 93mm/ Ø 7 x 109mm/ Ø 8 x 117mm/ Ø 9 x 125mm/ Ø 10 x 133mm	4932352241	4002395369003



POWER SET HSS-G (DIN 338) METAL DRILL BITS

- Fully ground drill bits according to DIN 338
- Standard tip for cutting geometry with 118° angle
- Standard type N flute design for faster chip removal and faster cutting
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) HSS-G	4932352242	4002395369010
Single Power Set HSS-G Drill Bits (19pcs) Contents: Ø 2 x 49mm / Ø 2.5 (2pcs) x 57mm/ Ø 3 (2pcs) x 61mm/ Ø 3.5 (2pcs) x 70mm/ Ø 4 (2pcs) x 75mm/ Ø 4.5 (2pcs) x 80 mm/ Ø 5 (2pcs) x 86 mm/ Ø 6 (2pcs) x 93 mm/ Ø 7 x 109 mm/ Ø 8 x 117 mm/ Ø 9 x 125 mm/ Ø 10 x 133 mm/ Ø 4.5 (2pcs) x 80mm/ Ø 5 (2pcs) x 86mm/ Ø 6 (2pcs) x 93mm/ Ø 7 x 109mm/ Ø 8 x 117mm/ Ø 9 x 125mm/ Ø 10 x 133mm	4932352243	4002395369027



POWER SET HSS-G TIN DRILL BITS

- Metal drill bits ground from high speed steel according to DIN 338
- Normal point cutting tip with 118° angle
- Standard type N flute design
- Titanium nitride coating increases cutting speed by 50% and lifetime by 300%

	Article Number	EAN Code
Counter display (6 x sets) HSS-G TiN	4932352244	4002395369034
Single Power Set HSS-G TiN Drill Bits (19pcs) Contents: Ø 2 x 49mm / Ø 2.5 (2pcs) x 57mm/ Ø 3 (2pcs) x 61mm/ Ø 3.5 (2pcs) x 70mm/ Ø 4 (2pcs) x 75mm/ Ø 4.5 (2pcs) x 80mm/ Ø 5 (2pcs) x 86mm/ Ø 6 (2pcs) x 93mm/Ø 7 x 109mm/ Ø 8 x 117mm/ Ø 9 x 125mm/ Ø 10 x 133mm	4932352245	4002395369041



POWER SET LIP & SPUR WOOD DRILL BITS

- Manufactured from chrome vanadium steel according to DIN 7487 E
- Center point guarantees precise positioning
- Sharpened shoulders provide for clean holes avoiding splintering
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6x sets) Lip and Spur Wood	4932352246	4002395369058
Single Power Set Lip & Spur Wood Drills Bits (8 pcs) Contents: Ø 3 x 60mm / Ø 4 x 75mm/ Ø 5 x 85mm/ Ø 6 x 97mm/ Ø 7 x 104mm/ Ø 8 x 117mm/ Ø 9 x 120mm/ Ø 10 x 133mm	4932352247	4002395369065



POWER SET HSS-G (DIN 338) METAL DRILL BITS & SCREWDRIVING BITS

- Metal drill bits ground from high speed steel according to DIN 338
- Normal point cutting tip with 118° angle
- Standard type N flute design
- Screwdriving bits are milled from S2 steel
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter Display (6 x sets) HSS-G & Screwdriving Bits	4932352248	4002395369072
Single Power Set HSS-G & Screwdriving Bits (35pcs) Contents: Ø 2/ 2.5/ 3/ 3.2/ 3.5/ 4/ 4.5/ 6/ 8/ 10mm, 25mm length: PH1 (2pcs)/ PH2 (2pcs)/ PH3 (2pcs)/ PZ1 (2pcs)/ PZ2 (2pcs)/ PZ3 (2pcs)/ TX10 (2pcs)/ TX15 (2pcs)/ TX20 (2pcs)/ TX25 (2pcs)/ TX30/ TX40, 50mm length: PH2/ PZ2, 1/4" Hex magnetic bit holder	4932352249	4002395369089



POWER SET JIGSAW BLADES FOR WOOD & METAL

- Wood applications: T144D - Fast cutting T101B - Very clean, splinter free cutting
- Metal applications: T118A - Cutting of thin sheet material Ø 1.5-4 mm T118B - cutting of thicker material 3-6 mm
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter Display (6 X Sets) Jigsaw Blades	4932352252	4002395369119
Power Set 50pcs - jigsaw blades for wood and metal 10 x T 144 D/ 10 x T 101 B/ 15 x T 118 A/ 15 x T 188 B	4932352253	4002395369126



POWER SET SCREWDRIVING BITS

- COLDFire® is a special hardening treatment for making metal stronger, tougher and more durable. This cryogenic process is a one-time permanent treatment affecting the entire screwdriving bit and it is not just a surface coating. The cryogenic process consists of two steps, firstly the bit is hardened by heating it up to 870° and then freezing the bit down to -148° using a dry nitrogen atmosphere. The result of this process is a bit with exceptional durability
- + 40% stronger - bit tips hold their form and will accept higher torque forces
- + 45% longer life - over the lifetime of a bit one can expect to drive 45% more screws

	Article Number	EAN Code
Counter display (6x sets) Screwdriving Bits	4932352254	4002395369133
Single Power Set Screwdriving Bits (40pcs) Contents: 25mm length: PH1 / PH2 (2pcs)/ PH3 / PZ1 (2pcs)/ PZ2 (2pcs)/ PZ3 (2pcs)/ TX6/ TX7 / TX 8/ TX9/ TX10 (2pcs)/ TX15 (2pcs)/ TX20 (2pcs)/ TX25 (2pcs)/ TX30/ TX40/ Hex 3/ Hex 4/ Hex 5/ Hex 6/ SL 0.6 x 4.5/ SL 0.8 x 5.5/ SL 1.0 x 5.5/ SL 1.2 x 6.5 / 50mm length: PH1/ PH2/ PZ1/ PZ2/ TX10/ TX15/ TX20 / 1/4" Hex magnetic bit holder	4932352255	4002395369140



COLDfire®
Cryogenically Treated

PROFI-BOX HSS-R (DIN 338) METAL DRILL BITS

- HSS-Rollforged metal drill bits manufactured according to DIN 338
- 118° cutting tip angle
- Oxide coating for improved swarf removal
- Robust metal box

	Article Number	EAN Code
Counter display (10 x sets) HSS-R	4932352460	4002395371198
Single Profi-Box HSS-R Drill Bits (19pcs)	4932352459	4002395371181
Contents: Ø 1-10mm in 0.5mm incrementals		



MAXI-MIX DRILL BITS

- Contains a mixed assortment of drill bits for drilling wood, metal and masonry/stone (18 pieces in total)
- Robust metal box

	Article Number	EAN Code
Counter display (10 x sets) Maxi-Mix Drill Bits	4932352464	4002395371235
Single Maxi-Mix Drill Bits (18pcs)	4932352463	4002395371228
Contents: Stone drill bits: Ø 3/4/5/6/8/10mm, HSS-R drill bits: Ø 3/4/5/6/8/10mm, Wood drill bits: Ø 3/4/5/6/8/10mm		



WB1 - SCREWDRIVER ANGLE ATTACHMENT WITH 10 SCREWDRIVING BITS

- Contents: WB1 and crewdriving bits 25mm PH1/ PH2/ PZ1/ PZ2 (2pcs)/ PZ3/ TX15/ TX20/ Hex 4/ Hex 5
- Being only 30mm high it is ideally suited to working in confined and limited spaces
- Fits to all machines. The 1/4" Hex shank fits directly into the chuck preventing slippage
- Magnetic 1/4" Hex reception. Accepts 1/4" Hex screwdriving bits
- Adjustable to working situation. 360° variable thumb lever for extra grip
- Industrial quality up to 11Nm torque and 400min-1
- Tough gears made of special hardened steel



	Article Number	EAN Code
Counter Display (10 X WB1 Sets)	4932430174	4002395378357
Screwdriver Angle Attachment With 10 Screwdriving Bits	4932430173	4002395378340
Contents: Screwdriver angle attachment with 10 screwdriving bits		

MAXI-BIT SCREWDRIVING SET

	Article Number	EAN Code
Counter display (20 x sets) & Screwdriving Bits	4932399494	4002395361144
Single Maxi-Bit Set Screwdriving Bits (10pcs)	4932399493	4002395361151
Contents: SL 0.6 x 4.5/ SL 0.8 x 5.5/ SL 1.5 x 6.5/ PH1/ PH2/ PH3/ PZ1/ PZ2/ PZ3 / 1/4" Hex magnetic bit holder		



PROFI-BIT SCREWDRIVING SET

	Article Number	EAN Code
Counter Display (17 x Sets) Screwdriving Bits	4932399496	4002395361168
Single Profi-Bit Set Screwdriving Bits (17pcs)	4932399495	4002395361175
Contents: SL 0.8 x 5.5/ SL 1.2 x 6.5/ PH1/ PH2 (2pcs)/ PH3/ PZ1/ PZ2 (2pcs)/ PZ3/ TX10/ TX15/ TX20/ TX25/ TX30/ TX40 1/4" Hex magnetic bit holder		



FIXTEC NUTS

- FIXTEC: Disc changing in seconds, no extra tools required
- 12 seconds from removing the worn disc to fixing a new disc
- Only 8 mm thick, enabling more surface of disc on the material
- Compatible to all manufactures angle grinders up to 150 mm with standard M14 spindle thread
- With integrated keyholes, for removal of the nut with a standard pin spanner in the event of the nut becoming too tight



	Article Number	EAN Code
Counter display (12 x FIXTEC Nut)	4932358936	4002395326693
Single FIXTEC Nut	4932358225	4002395325528

SDS-PLUS DRILL BITS - 2 CUT / 10 PIECE POWER PACKS

- High quality 2 cutter carbide tip with 130 degree tip angle
- The carbide tip is set deeper into the head for a more precise fit and better durability
- 2 flute geometry for rapid material removal
- Surface treated eliminates binding for faster drilling and high abrasion resistance
- Made in Germany

Diameter (mm)	Total length (mm)	Working length (mm)	Quantity	Article Number	EAN Code
5	110	50	10	4932352256	4002395369157
5,5	110	50	10	4932352257	4002395369164
6	110	50	10	4932352258	4002395369171
6	160	100	10	4932352259	4002395369188
7	160	100	10	4932352260	4002395369195
8	110	50	10	4932352261	4002395369201
8	160	100	10	4932352262	4002395369218
8	210	150	10	4932352263	4002395369225
10	160	100	10	4932352264	4002395369232
10	210	150	10	4932352265	4002395369249
10	260	200	10	4932352266	4002395369256
12	160	100	10	4932352267	4002395369263
12	210	150	10	4932352268	4002395369270

Single Power Set SDS-Plus Drill Bits (8pcs)	4932352236	4002395368952
with Ø 5/6/8 x 110mm and Ø 6 (2pcs)/8/10/12 x 160mm		
SDS-plus Starter Set	4932352653	4002395373116
with Ø 6/8/10 x 160mm, point chisel and flat chisel		




ROUTER BIT SET

Description	Quantity	Article Number	EAN Code
8mm shank	12	4932354236	4002395320639




SDS MAX DRILLS - 2 CUT

Diameter (mm)	Total length (mm)	Working length (mm)	Quantity	Article Number	EAN Code
16	540	400	1	4932352687	4002395373451
18	540	400	1	4932352688	4002395373468
20	520	400	1	4932352689	4002395373475
22	520	400	1	4932352690	4002395373482
25	520	400	1	4932352691	4002395373499
28	570	450	1	4932352692	4002395373505
30	570	450	1	4932352693	4002395373512
32	570	450	1	4932352694	4002395373529




SDS-PLUS CHISELS

Description	Length (mm)	Width (mm)	Quantity	Article Number	EAN Code
Point Chisel	200	-	1	4932352269	4002395369287
SDS-Plus Flat Chisel	200	20	1	49323532270	4002395369294
SDS-Plus Wide Chisels	200	35	1	49323532271	4002395369300
Set Of 3 SDS-Plus Chisels				4932352272	4002395369317
with 1 pointed, 1 flat, 1 wide chisel					



SDS MAX CHISELS

Description	Length (mm)	Width (mm)	Quantity	Article Number	EAN Code
Point Chisel	400	-	1	4932352685	4002395373437
SDS Max Flat Chisel	400	25	1	4932352686	4002395373444



MULTIMIX SET 75 PCS - DRILLING AND SCREWDRIVING SET

	Article Number	EAN Code
Contents: Screwdriving bits 25mm length: 1 x PH 0/1 x PH 1/3 x PH 2/1 x PH 3/1 x PZ 0/1 xPZ 1/3 x PZ 2/1 x PZ 3/1 x SQ 1/1 x SQ 2/1 x SQ 3/1 x TX 10/1 x TX 15/1 x TX 20/1 x TX 25/1 x TX 30/1 x TX 40/1 x Hex 4/1 x Hex 5/1 x Hex 6/1 x SL 3/1 x SL 4/1 x SL 4/1 x SL 5/1 x SL 6/1 x SL 7/1 x SL 8, 1/4" Hex magnetic bit holder. Screwdriving bits 50mm length: 1 x PH 2/1 x PZ 2/1 x SL 4/1 x SL 6/1 x SL 8. Nut drivers: 1 x 5mm/ 1 x 6mm/ 1 x 7mm/ 1 x 8mm/ 1 x 10mm/ 1 x 12mm. Metal drill bits HSS-R DIN 338: 2 x 1mm/ 1 x 1.5mm/ 1 x 2mm/ 1 x 2.5mm/ 1 x 3mm/ 1 x 4mm/ 1 x 5mm/ 1 x 6mm/ 1 x 7mm/ 1 x 8mm/ 1 x 10mm/ 1 x 12mm. Metal drill bits HSS-R DIN 338: 2 x 1 mm/ 1 x 1.5 mm/ 1 x 2 mm/ 1 x 2.5 mm/ 1 x 3 mm/ 1 x 3.5 mm/ 1 x 4 mm. Lip & Spur wood drill bits: 3 x 3 mm/ 3 x 4 mm/ 2 x 5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm/ 1 x 10 mm. Countersink with 1/4" Hex reception 45°. Masonry drill bits: 1 x 4 mm/ 1 x 5 mm/ 1 x 5.5 mm/ 3 x 6 mm/ 1 x 6.5 mm/ 2 x 7 mm/ 1 x 8 mm/ 1 x 10 mm/ 1 x 12 mm mm/ 1 x 2mm/ 1 x 2.5mm/ 1 x 3mm/ 1 x 3.5mm/ 1 x 4mm. Lip & Spur wood drill bits: 3 x 3mm/ 3 x 4mm/ 2 x 5mm/ 1 x 6mm/ 1 x 7mm/ 1 x 8mm/ 1 x 10mm/. Countersink with 1/4" Hex reception 45°. Masonry drill bits: 1 x 4mm/ 1 x 5mm/ 1 x 5.5mm/ 3 x 6mm/ 1 x 6.5mm/ 2 x 7mm/ 1 x 8mm/ 1 x 10mm/ 1 x 12mm	4932352670	4002395373284



DRILL AND DRIVE 50PCS SET

	Article Number	EAN Code
HSS-Ground Metal Drill Bits: 1 x 2mm/ 1 x 2.5mm/ 1 x 3mm/ 1 x 3.5mm/ 1 x 4mm/ 1 x 4.5mm/ 1 x 5DRILL AND DRIVE 50PCS SET m/ 1 x 5.5mm/ 1 x 6mm. Stone Drill Bits: 1 x 5mm/ 1 x 5.5mm/ 1 x 6mm/ 1 x 7mm/ 1 x 8mm/ 1 x 8mm/ 1 x 9mm/ 1 x 10mm. Nut Drivers: 1 x Hex 6/ 1 x Hex 8/ 1 x Hex 10. Lip & Spur Wood Drill Bits: 1 x 4mm/ 1 x 5mm/ 1 x 6mm/ 1 x 7mm/ 1 x 8mm. Flat Boring Bits: 1 x 16mm/ 1 x 18mm. Screwdriving bits 25mm bits (1 of each) SL 0.6 x 4.5/ SL 0.8 x 5.5/ PH 1/ PH 2/ PH 3/ PZ 1/ PZ 2/ PZ 3/ TX 10/ TX 15/ TX 20/ TX 25/ TX 30/ TX 35/ TX 40/ Hex 4/ Hex 5/ Hex 6. 50 mm bits: PH 1/ PZ 2. Magnetic bit holder	4932430411	4002395380725



METAL DRILL BITS HSS-G COBALT (DIN 338)

- Metal drill bits ground from solid extremely heat resistant cobalt-alloyed high speed steel produced according to DIN 338. Polished finish. Split point shaped cutting tip with 135° angle for improved centering - no center punched required.
- 5% Cobalt content. Withstands high drilling heat.
- Type N flute normal angle.
- Suitable for drilling high alloy content steels and metals with tensile strengths of over 1000 N/mm like heat and acid proof steels and stainless steel.
- Colour: bronze.


Diameter (mm)	Total length (mm)	Working length (mm)	Quantity	Article Number	EAN Code
2,0	49	24	2	4932430416	4002395380770
3,0	61	33	2	4932430417	4002395380787
3,2	65	36	2	4932430418	4002395380794
4,0	75	43	2	4932430419	4002395380800
4,8	86	52	1	4932430420	4002395380817
5,0	86	52	1	4932430421	4002395380824
6,0	93	57	1	4932430422	4002395380831
7,0	109	69	1	4932430423	4002395380848
8,0	117	75	1	4932430424	4002395380855
9,0	125	81	1	4932430425	4002395380862
10,0	133	87	1	4932430426	4002395380879
11,0	142	94	1	4932430427	4002395380886
12,0	151	101	1	4932430428	4002395380893
13,0	151	101	1	4932430429	4002395380909



MASONRY DRILL BITS

- Carbide tip with diamond ground cutting edges with 130° angle - For drilling in brick and aerated concrete blocks

Diameter (mm)	Total length (mm)	Working length (mm)	Quantity	Article Number	EAN Code
4	75	40	1	4932363591	4002395332410
5	85	50	1	4932363593	4002395332434
5.5	85	50	1	4932363595	4002395332458
6	100	60	1	4932363597	4002395332472
6	150	85	1	4932367032	4002395333967
7	100	60	1	4932363599	4002395332496
8	120	80	1	4932363600	4002395332502
8	200	135	1	4932363612	4002395332366
10	120	80	1	4932363602	4002395332526
10	200	135	1	4932363613	4002395332373
12	150	85	1	4932363604	4002395332540
Single Power Set Stone Drill Bits (10pcs)				4932352239	4002395368983
Contents: Ø 4/5/5.5/6 (2pcs)/7/8 (2pcs)/9/10mm					



HIGH PERFORMANCE BI-METAL HOLESAWS / SYSTEM ACCESSORIES

Diameter (mm)	Ø (inch)	Article Number	EAN Code	Diameter (mm)	Ø (inch)	Article Number	EAN Code
14	⁹ / ₁₆	4932367244	4002395335947	57	2 ¹ / ₄	4932367266	4002395336173
16	⁵ / ₈	4932367245	4002395335954	60	2 ³ / ₈	4932367267	4002395336180
19	³ / ₄	4932367247	4002395335978	64	2 ¹ / ₂	4932367268	4002395336197
20	²⁵ / ₃₂	4932367248	4002395335985	65	2 ⁹ / ₁₆	4932367269	4002395336203
21	¹³ / ₁₆	4932367249	4002395335992	68	2 ¹¹ / ₁₆	4932371580	4002395345250
22	⁷ / ₈	4932367250	4002395336005	70	2 ³ / ₄	4932367271	4002395336227
24	¹⁵ / ₁₆	4932367251	4002395336012	73	2 ⁷ / ₈	4932367272	4002395336234
25	1	4932367252	4002395336029	76	3	4932367273	4002395336241
27	1 ¹ / ₁₆	4932367253	4002395336036	79	3 ¹ / ₈	4932367274	4002395336258
29	1 ¹ / ₈	4932367289	4002395336043	83	3 ¹ / ₄	4932367275	4002395336265
30	1 ³ / ₁₆	4932367254	4002395336050	89	3 ¹ / ₂	4932367277	4002395336289
32	1 ¹ / ₄	4932367255	4002395336067	92	3 ⁵ / ₈	4932367278	4002395336296
35	1 ³ / ₈	4932367256	4002395336074	98	3 ⁷ / ₈	4932367280	4002395336319
38	1 ¹ / ₂	4932367257	4002395336081	102	4	4932367281	4002395336326
40	1 ⁹ / ₁₆	4932367258	4002395336098	105	4 ¹ / ₈	4932367282	4002395336333
43	1 ¹¹ / ₁₆	4932367259	4002395336104	114	4 ¹ / ₂	4932367284	4002395336357
44	1 ³ / ₄	4932367260	4002395336111	121	4 ³ / ₄	4932367285	4002395336364
48	1 ⁷ / ₈	4932367262	4002395336135	127	5	4932367286	4002395336371
51	2	4932367263	4002395336142	152	6	4932367288	4002395336395
54	2 ¹ / ₈	4932367265	4002395336166				

		Article Number	EAN Code
Arbor Hex 11 -5/8" x 18 - 1pc	FIXTEC arbor 5/8" x 18, 11mm Hex for holesaws Ø 32 - 152mm	4932367421	4002395337422
Arbor Hex 9 -1/2"x20 - 1pc	Arbor 1/2" x 20, Light duty arbor 1/2" x 20, Hex 9 for holesaws Ø 14 - 30mm	4932367422	4002395337439
Pilot Drill - Long - 1pc	Pilot drill bit long. For use with arbor 4932367421	4932367423	4002395337446
Pilot Drill - Short - 1pc	Pilot drill bit short. For use with arbor 4932367422	4932367424	4002395337453



JIGSAW BLADES FOR WOOD / PLASTICS / METAL

Blade length (mm)	Tooth pitch (mm)	Ref. No.	Quantity	Description	Max. cutting capacity wood (mm)	Max. cutting capacity laminated chipboard (mm)	Max. cutting capacity parquet laminate (mm)	Max. cutting capacity PVC (mm)	Max. cutting capacity non-ferrous metals (mm)	Max. cutting capacity metal pipe Ø (mm)	Max. cutting capacity aluminium (mm)	Article Number	EAN Code
75	3	T 111 C	5	For Rough Cutting	5-60			< 40				4932352144	4002395367979
50	1.35	T 101 AO	5	For Fast, Clean, Curve Cutting	< 20		< 20	<15				4932352145	4002395367986
75	4	T 244 D	5	For Rough, Curve Cutting	< 60							4932352146	4002395367993
75	4	T 144 D	5	For Fast, Rough Cutting	< 60							4932352147	4002395368006
3521 48		AEG											
75	2.5	T 101 B	5	For Very Clean, Splinter Free Cutting	< 30	< 60		< 30				4932352148	4002395368013
3521 48		AEG											
75	4	T 101 D	5	For Fast, Clean, Splinter Free Cutting	< 60	< 60		< 45				4932352149	4002395368020
55	1.2	T 118 A	5	For Thin Sheet Metal					1.5-4	1.5-4		4932352150	4002395368037
55	2	T 118B	5	Rougher Cuts In Metal					3-6	3-6	3-10	4932352151	4002395368044
12 piece set in container												4932373494	4002395349944
Suitable for applications in wood, cutting worktops and laminate flooring and metals													

CIRCULAR SAW BLADES FOR PORTABLE TOOLS

Total length (mm)	Working length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Laminat-ed chip-board	Plyywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
127	20	40	1.8		✓	✓	✓	✓	✓			✓	4932352535	4002395371938
160	20	48	2.2		✓	✓	✓	✓	✓			✓	4932352868	4002395375264
160	20	48	2.2						✓		✓	✓	4932352869	4002395375271
165	20	24	2.6		✓	✓	✓	✓	✓				4932430311	4002395379729
165	20	52	2.8		✓	✓	✓	✓	✓			✓	4932430312	4002395379736
190	30	24	2.2		✓	✓	✓	✓	✓				4932430469	4002395381302
190	30	48	2.8		✓	✓	✓	✓	✓			✓	4932430470	4002395381319

CIRCULAR SAW BLADES FOR CORDLESS TOOLS

Total length (mm)	Working length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Laminat-ed chip-board	Plyywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
165	15.8	18	1.5		✓	✓	✓	✓	✓			✓	4932430366	4002395380275

MITRE SAW BLADES

Total length (mm)	Working length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Laminat-ed chip-board	Plyywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
216	30	48	2.4		✓	✓	✓	✓	✓				4932430721	4002395383825
254	30	48	3.2		✓	✓	✓	✓	✓				4932430471	4002395381326
254	30	80	3.2								✓	✓	4932430472	4002395381333
305	30	60	3.2		✓	✓	✓	✓	✓			✓	4932430473	4002395381340
305	30	96	3.2								✓	✓	4932430474	4002395381357











DUST EXTRACTION

- Xtractor
- The ideal dust extraction solution.
- The Xtractor can be used with all household vacuum cleaners and industrial dust extraction units with a hose diameter from 26-41mm.

Description	Article Number	EAN Code
Xtractor - 1pc	4932373501	4002395351862
The ideal dust extraction solution. The Xtractor can be used with all household and industrial dust extraction units with a hose diameter from 26-41mm.		












RECIPROCATING SAW BLADES FOR WOOD / PLASTICS / METAL



Blade length (mm)	Tooth pitch (mm)	Ref. No.	Quantity	Description	Article Number	EAN Code
						
150	2.5	S811H	3	For all woods, nail embedded wood, plaster board 3-100mm, non-ferrous metals, aluminium 3-10mm, plastic pipes	4932318127	4002395301959
						
150	4.2	S744D	2	For fast scroll cutting 6-100mm	4932323801	4002395304240
						
150	4	S644D	2	For fast cutting of wood and plastic, plunge cutting, 6-100mm	4932323800	4002395304233
						
240	8.5	S1542K	2	Special hardened teeth design, for fast coarse cut, as well for green and fire wood, 20-180mm	4932323804	4002395304271
						
300	4.2	S1344D	2	For cutting large timbers and plastic, clean cut, 6-250mm	4932323802	4002395304257
						
150	1.4	S922EF	3	For all metals with a wall thickness between 1.5-4mm	4932354792	4002395324477
						
150	1.8	S922BF	3	For all metals with a wall thickness between 3-10mm	4932354789	4002395324446
						
230	Coarse grit	S1130R	2	For abrasive materials, fibreglass materials (polyesters, expoxies, melamines), cast iron pipes	4932373386	4002395348817
						
450	17	-	1	For abrasive materials ie. bricks, soft abrasive blocks	4932430447	4002395381081
						
300	4.2	-	1	For cutting of frozen materials	4932430448	4002395381098
400	4.2	-	1	For cutting of frozen materials	4932430449	4002395381104

BLADES FOR OSCILLATING TOOL

- Universal blade reception make AEG blades compatible with most popular oscillating tools
- Every blade pack contains both washers

							
Description	Cutting width (mm)	Max. cutting depth (mm)	Quantity	Article Number	EAN Code		
Bi-Metal plunge cutting blade. Application: ① Wood, metal, PVC. Plunge cutting in wood/ steel/ copper/ aluminium	28	40	1	4932430315	4002395379767		① 
Plunge cutting blade. Application: Wood, PVC. ② Plunge cutting in soft and hard wood, PVC. Recess cutting in wood. Flush cutting to length in wood	28	40	1	4932430316	4002395379774		② 
Plunge cutting blade. Application: Wood, PVC. ③ Plunge cutting in soft and hard wood, PVC. Blade sits flush when cutting in door jambs. Recess cutting in wood	9	40	1	4932430317	4002395379781		③ 
Bi-Metal flush cutting blade. Application: Wood, metal, PVC. Plunge cutting in solid wood. Flush cutting in wood. Cutting steel. copper/ aluminium/ metal pipes and profiles with small dimensions. Cutting PVC pipes to length	88	20	1	4932430319	4002395379804		④ 
Grout removal blade. Application: Grout, mortar, soft tiles. Routing grout joints on wall and floor tiles	85	20	1	4932430318	4002395379798		⑤ 
9pc Set: 2 x bi-metal plunge cutting blades, 2 x plunge cutting blades 28mm, 2 x plunge cutting blades 9mm, 1 x bi-metal flush cutting blade, 1 x scraper, 1 x grout blade			9	4932430314	4002395379750		⑥ 
Washer Set: To fit Bosch keyless oscillating tool, To fit Dremel keyless oscillating tool			2	4931441298	4002395872541		⑦ 


SANDING ACCESSORIES FOR OSCILLATING TOOL

Description	Grit	Dimensions (mm)	Quantity	Article Number	EAN Code	
⑧ Sanding Pad		93 x 93	1	4932430320	4002395379811	⑧ 
10pc Set Sanding Paper Hook & Loop: 4 X Grit 60, 3 X Grit 80, 3 X Grit 120. Application: Wood, PVC. ⑨ For Sanding Small Areas, E.G. In Corners, Along Edges, In Restricted. Areas And Tight Spaces, Sanding Down Of Surface Blemishes.	6080120	93 x 93	10	4932430321	4002395379828	⑨ 

ABRASIVE PAPER- HOOK & LOOP FOR FDS 140

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper


Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	115 x 107	10	4932352420	4002395370795
80	115 x 107	10	4932352421	4002395370801
120	115 x 107	10	4932352422	4002395370818
240	115 x 107	10	4932352423	4002395370825



ABRASIVE PAPER- CLAMP TYPE FOR FDS 140

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper


Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	115 x 140	10	4932352424	4002395370832
80	115 x 140	10	4932352425	4002395370849
120	115 x 140	10	4932352426	4002395370856
240	115 x 140	10	4932352427	4002395370863



ABRASIVE DELTA PAPER- HOOK & LOOP FOR FDS 140

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper


Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	110 x 88	10	4932352925	4002395375837
80	110 x 88	10	4932352926	4002395375844
120	110 x 88	10	4932352927	4002395375851
240	110 x 88	10	4932352928	4002395375868



ABRASIVE DISCS- HOOK & LOOP- 6 HOLES

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper

Grit	Diameter (mm)	Quantity	Article Number	EAN Code
40	150	5	4932430454	4002395381159
60	150	5	4932430455	4002395381166
80	150	5	4932430456	4002395381173
120	150	5	4932430457	4002395381180
180	150	5	4932430458	4002395381197
240	150	5	4932430459	4002395381203



POLISHING ACCESSORIES- HOOK & LOOP

Description	Diameter (mm)	Height (mm)	Quantity	Article Number	EAN Code
Polishing Backing Pad. Application: Reception Of Felt- / Lambswool Polishing Discs And Polishing Sponges. Characteristics: M14 Thread, Break Resistant With Integrated Soft And Flexible Foam Layer, Hook & Loop Fixation	150	25	1	4932430450	4002395381111
Lambswool Polishing Disc. Application: Finishing High Gloss Polishing. Requires Polishing Backing Pad. Characteristics: Natural Lambs Wool, Very Soft And Adaptable. Hook & Loop Fixation	150		1	4932430453	4002395381142
Polishing Sponge - Hard. Application: Polish Up Of Weather-Beaten Lacquer, Lacquer Reconditioning. Requires Polishing Backing Pad. Characteristics: Medium Hard, Fine Pored, With Rounded Edge, Hook & Loop Fixation	150	50	1	4932430452	4002395381135
Polishing Sponge- Soft. Application: Second Polish Of Lacquer, Lacquer Care. Requires Polishing Backing Pad. Characteristics: Super-Soft, Fine Pored, With Rounded Edge, Hook & Loop Fixation	150	50	1	4932430451	4002395381128



BASE PLATES

Description	Diameter (mm)	No. of holes	Article Number	EAN Code
Base Plate For EX 125 ES. Complete With Rubber Ring As Spare	125	8	4932352870	4002395375288
Base Plate For EX 150 E. Complete With Rubber Ring As Spare	150	6	4932352871	4002395375295





PRO 18v

PRO TOOLS.
ONE BATTERY.

AEG POWERTOOLS promises to draw upon its heritage and deliver exciting, high performance, innovative working solutions for the professional tradesmen of today and the future.

AEG POWER TOOLS
P.O. Box 320
D-71361 Winnenden
Germany
Tel.: +49 71 95 12-0
Fax: +49 71 95 12-666

AEG-POWERTOOLS.EU

AEG

© AEG POWERTOOLS

AEG is a registered trademark used under license from AB Electrolux (publ).