



AEG

2019/2020

POWERING
PROFESSIONALS
SINCE 1898

AEG-POWERTOOLS.EU

WHEN WE SAY THEY LAST, WE MEAN IT.



Best in class longevity. Unmatched power. Professional performance. We're prepared to put our money where our mouth is when it comes to our range of AEG power tools. That's why we've extended the warranties across our entire power tool range. With an incredible 6 year tool warranty and 3 year guarantee for batteries and chargers, trade professionals trust the legendary durability of AEG.



CONTENTS

AEG POWERTOOLS promises to draw upon its heritage and deliver exciting, high performance, innovative working solutions for the professional tradesmen of today and the future.

CORDLESS SYSTEMS	4 – 59	METALWORKING	75 – 82
18 V Power	4 – 47	Small Angle Grinders	76 – 77
12 V Power	48 – 55	Large Angle Grinders	78 – 79
14.4V Power	56 – 57	Die Grinders	81 – 81
Other Cordless	59 – 59	Polisher	81 – 81
Omni Pro	60 – 63	Right Angle Sander	82 – 82
		Metal Chopsaw	82 – 82
HAMMER SYSTEMS	64 – 69	WOODWORKING	83 – 94
SDS-Plus	65 – 66	Circular Saws	84 – 84
SDS-Max	67 – 69	Jigsaws	85 – 87
DRILLING SYSTEMS	70 – 74	Router	87 – 87
Percussion Drills	71 – 72	Planer	88 – 88
Rotary Drills	72 – 72	Reciprocating Saws	88 – 88
Diamond Drill	73 – 73	Sanders	89 – 90
Wall Chaser	73 – 73	Heat Guns	91 – 91
Screwdrivers	74 – 74	Mitre Saws	92 – 92
		Mitre Saw Legstand	93 – 93
		Table Saw	93 – 93
		Dust Extraction	93 – 94
		ACCESSORIES	95 – 109

PRO 18v

PRO TOOLS.

ONE BATTERY.



BRUSHLESS



BSB 18BL

BRUSHLESS



BSB18CBL

BRUSHLESS



BKS18BL



BKS18

BRUSHLESS



BS18CBL

BRUSHLESS



BSB18C2BL

BRUSHLESS



BUS18BL



BUS18

BRUSHLESS




BS18C2BL

BRUSHLESS



BSB18C2X



BSS18C12Z




BSS18C



BS18G3



BS18G3



BS18C2X

BRUSHLESS



BPS18-254BL

BRUSHLESS



BOF18BL

BRUSHLESS




B18 N18

BRUSHLESS




B16 N18




BTL18



BPL18



BAL18




BST18X


BRUSHLESS



BHBS18-75BL



BHO18



BHJ18C




BR18C




BR1218C

BRUSHLESS




BSS18CB3

BRUSHLESS



BSS18OP

BRUSHLESS




BSS18C12ZBL

BRUSHLESS



BEWS18-230BL

BRUSHLESS



ACS18B30

BRUSHLESS



BFAL18

BRUSHLESS



BFL18X

BRUSHLESS

BEWS18-115BL
BEWS18-125BL

BRUSHLESS


BEWS18-115BLPX
BEWS18-125BLPX

BRUSHLESS




OMNI18C

BRUSHLESS




BTS18BL

BRUSHLESS




BBH18BL

BRUSHLESS




BEX18-125

BRUSHLESS




FL18

BRUSHLESS




BBH18C

BRUSHLESS




BHO18BL

BRUSHLESS




BTS18BLX-0

BRUSHLESS



BEX18-125

BRUSHLESS



FL18

AEG

6 YEAR
TOOL
WARRANTY*

3 YEAR
BATTERY
WARRANTY*

AEG-POWERTOOLS.EU

AEG is a registered trademark used under license from AB Electrolux (publ).

*Register within 30 days of purchase. See online for more details.

PRO18V RANGE.

PROFESSIONALS TRUST THE POWER OF PRO18V.

Unlocking multiple applications across the trades, this revolutionary one battery system offers new levels of performance, power and longevity in cordless tools.

18V DRILLING & DRIVING

Percussion Drills	12 – 21
Drill Drivers	13 – 15
Impact Drivers	15 – 17
Impact Wrenches	17 – 18
SDS Drills	19 – 19
Screwdrivers	20 – 21
	21 – 21

18V WOODWORKING

Circular Saws	22 – 30
Reciprocating Saws	22 – 22
Mitre Saws	23 – 24
Jigsaws	24 – 24
Nailers	25 – 25
Planers	26 – 26
Routers	27 – 28
Sanders	28 – 28
Multi-Tools	29 – 30
	30 – 30

18V METALWORKING

Metalworking	31 – 34
Angle Grinders	31 – 34

18V LIGHTING

35 – 39

18V EXPANSION TOOLS

40 – 41

18V BATTERIES

42 – 45

18V CHARGERS

46 – 47

SEE THE WHOLE RANGE ONLINE,
SEARCH: AEG PRO18V



GEAR UP.



GET MORE.

1

CHOOSE A STARTER PACK



18V 4.0 AH
PROLITHIUM-ION™
BATTERY WITH
BL1218 CHARGER
IN A BAG

SET L1840 BL



18V COMPACT
DRILL DRIVER
KIT WITH
2 X 4.0AH
BATTERIES

BSB 18CBL
LI-402C



18V COMPACT
DRILL DRIVER KIT
WITH 2 X 2.0AH
BATTERIES

BS182C
LI-202C

2

CHOOSE YOUR TOOLS



BPS18-254BL-0



BKS 18BL-0



BEWS18-230BL-0



BUS18BL-0



B16N18-0



BSS 18OP-0



BBH 18BL-0



OMNI 18C



BPL18-0



BEX18-125-0

3

EXPAND YOUR SYSTEM WITH EXTRA POWER OPTIONS



18V BATTERY
CHARGER

BLK 12 18



18V 2.0AH
PROLITHIUM-ION™
BATTERY

L1820R



18V 4.0AH
PROLITHIUM-ION™
BATTERY

L1840R



18V 5.0AH
PROLITHIUM-ION™
BATTERY

L1850R



NEW

18V 3.0AH HIGH
DEMAND LITHIUM
BATTERY

L1830RHD



NEW

18V 6.0AH HIGH
DEMAND LITHIUM
BATTERY

L1860RHD



NEW

18V 9.0AH HIGH
DEMAND LITHIUM
BATTERY

L1890RHD

PRO 18v

POWER. FOR ALL YOUR APPLICATIONS

HIGH
DEMAND

NEW



9.0Ah L1890RHD



6.0Ah L1860RHD



3.0Ah L1830RHD



VERSATILITY



5.0Ah L1850R



4.0Ah L1840R



COMPACT



2.0Ah L1820R



ALL BATTERIES **100%** BACKWARDS COMPATIBLE

WORK IN HD

THE NEW **PRO 18v** HIGH DEMAND BATTERY RANGE

35%
MORE POWER

2x RUNTIME*

HEAVY DUTY

Adapts power output to heavy
duty needs without cutting out

PRO 18v

Compatible with all PRO18V tools

18V 3.0AH
HIGH-DEMAND PACK

PRO 18v

L1830RHD

NEW

18V 9.0AH
HIGH-DEMAND PACK

PRO 18v

L1890RHD

NEW

18V 6.0AH
HIGH-DEMAND PACK

PRO 18v

L1860RHD

NEW



3 YEAR
BATTERY
WARRANTY*

IMPROVED
COOLING TECHNOLOGY

HIGH CAPACITY
HIGH OUTPUT CELLS

RUGGED
CONSTRUCTION

2 x RUNTIME* HIGH QUALITY CELLS

2.0AH
43
HOLES**

VS

3.0AH
63
HOLES**

VS

9.0AH
163
HOLES**

9.0AH
90
METERS***

VS

5.0AH
45
METERS***



**22MM AUGER BIT IN 10X10 CM PINE WOOD

***1250MM LONG CUTS IN 3 X PLYWOOD SHEETS (10 X 54MM)

WHAT'S NEW IN **2019**



18V BRUSHLESS JIGSAW

BST18BLX

Article number:
4935459654



18V BRUSHLESS PLANER

BHO18BL

Article number:
4935464988



18V CAULK GUN

BKP18C-310

Article number:
4935471246



18V BRUSHLESS CHAINSAW

ACS18B30

Article number:
4935471337



18V COMPACT SDS

BBH18C

Article number:
4935464984



18V BRUSHLESS ANGLE GRINDERS

BEWS18-115BL
BEWS18-125BL

Article number:
4935464415
Article number:
4935464414



**18V BRUSHLESS ANGLE GRINDERS
WITH PADDLE SWITCH**

BEWS18-115BLPX
BEWS18-125BLPZ

Article number:
4935464420
Article number:
4935464419



18V BRUSHLESS COMPRESSOR

BK18-38BL

Article number:
4935471201

PRO TOOLS.
ONE BATTERY..

PRO 18v

PRO 18v BRUSHLESS

THREE CORE TECHNOLOGIES

At the heart of PRO18V BRUSHLESS tools lies 3 core technologies. These core technologies are built to offer tradesmen relentless power, instinctive technology and unstoppable runtime and set AEG's PRO18V Brushless tools apart from all competition.

**PROFLUX™
BRUSHLESS
MOTOR**



PRO LI-ION™

RELENTLESS
POWER

INSTINCTIVE
ELECTRONICS

UNSTOPPABLE
RUNTIME

**BRUSHLESS
IMPACT
DRIVER**



BSS180P

**COMPACT
BRUSHLESS
DRILL**



BSB18C2BL

**HIGH
POWER
BRUSHLESS
DRILL**



BSB18BL

**BRUSHLESS
IMPACT
WRENCH**



BSS18C12ZBL

**BRUSHLESS
SLIDE MITRE
SAW**



BPS18-254BL

**18GA
BRUSHLESS
NAIL GUN**



B18N18

**BRUSHLESS
RECIPROCATING
SAW**



BUS18BL

**BRUSHLESS
CIRCULAR
SAW**



BKS18BL

**BRUSHLESS
BELT SANDER**



BHBS 18-75BL

**BRUSHLESS
TRIM ROUTER**



BOF18BL

**BRUSHLESS
LARGE ANGLE
GRINDER**



BEWS18-230BL-0

**16A
BRUSHLESS
NAIL GUN**



B16N18

THE NEW AEG DRILL RANGE



**18V BRUSHLESS HIGH
POWER PERCUSSION DRILL**

BSB18BL

**18V BRUSHLESS COMPACT
PERCUSSION DRILL**

BSB18C2BL

**18V BRUSHLESS
COMPACT DRILL DRIVER**

BS18C2BL

**18V BRUSHLESS
PERCUSSION DRILL**

BSB18CBL

18V PERCUSSION DRILL

BSB18C2X

18V DRILL DRIVER

BS18C2X

**18V TRADESMAN
PERCUSSION DRILL**

BSB18G3

**18V TRADESMAN
DRILL DRIVER**

BS18G3

18 V BRUSHLESS PERCUSSION DRILL

PRO 18v BRUSHLESS

BSB 18BL

- Proflex brushless Motor for more power, and reduced length of the tool
- Only 202mm in length for perfect ergonomics
- 140 Nm with Pro Lithium Ion HD batteries / 120 Nm with standard Pro Lithium Ion Batteries
- Extra long side handle for perfect handling of the tool and work in total safety
- 2 - speed gearbox 0-500 / 0-2.000 rpm
- 13mm metal chuck with carbide tips for the heaviest applications
- Microtexture overmould for the best handling on the market
- LED light on the foot print to illuminate the work surface
- Features AEG Pro Lithium-Ion technology with overload protection for maximum durability of battery and tool



	BSB 18BL-O	BSB 18BL LI-602C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	6,0
No. of batteries supplied	0	2
Max. drilling wood/ steel/ masonry (mm)	100/13	100/13
Chuck capacity (mm)	13	13
Max. torque (Nm)	140	140
No load speed (rpm)	500-2.000	500-2.000
Weight with battery pack (kg)	2,5	2,5
Supplied in	Gift box	Plastic case
Article Number	4935464099	4935464100
EAN Code	4058546220440	4058546220457

BSB 18BL-O



4 058546 220440

BSB 18BL LI-602C



4 058546 220457

18 V BRUSHLESS PERCUSSION DRILL

PRO 18v BRUSHLESS

BSB 18 CBL

- PROFLEX Brushless Motor for more power, more runtime in a smaller tool
- Only 151mm without the chuck and with chuck 193mm in length
- 60 Nm with a (2.0Ah) / 75 Nm with a (4.0Ah) battery for maximum torque which delivers complete power
- 2 - speed 0-550 / 0-2100 rpm
- Removable 13mm ratchet chuck for the heaviest applications
- 1/4" HEX reception under the chuck, 25mm screwdriving bit can be held in the reception while the chuck is mounted
- Offset and right angle attachment are sold as accessories
- New microtexture overmould for the best handling on the market
- LED light on the foot print to illuminate the work surface
- 3 mode selector - ease of use between applications
- Features AEG Pro Lithium-Ion technology with overload protection for maximum durability of battery and tool
- Supplied with a side handle and a 13mm removable chuck



	BSB 18CBL LI-402C	BSB 18CBL LI-202C	BSB 18CBL-O
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	4,0	2,0	-
No. of batteries supplied	2	2	0
Charger supplied	80 min	40 min	-
Max. drilling wood/ steel/ masonry (mm)	45/13/14	45/13/14	45/13/14
Chuck capacity (mm)	1.5-13	1.5-13	1.5-13
Max. torque (Nm)	75	60	-
No load speed (rpm)	0 - 550 / 0 - 2100	0 - 550/0 - 2100	0-550 / 0-2100
Max. percussion rate (bpm)	7.150 / 27.300	7.150 / 27.300	7.150 / 27.300
Weight with battery pack (kg)	2,1	1,8	-
Supplied in	Kitbox	Kitbox	-
Article Number	4935448463	4935448462	4935451082
EAN Code	4002395259373	4002395259366	4002395811083

BSB 18CBL LI-402C



4 002395 259373

BSB 18CBL LI-202C



4 002395 259366

BSB 18CBL-O



4 002395 811083

18 V BRUSHLESS PERCUSSION DRILL

PRO 18v BRUSHLESS

BSB 18C2 BL

- Only 183mm in length
- Brushless motor delivers torque up to 60 Nm (2.0 Ah) / 65 Nm (4.0 Ah)
- 2 - speeds - 0-500 / 0-1950 rpm
- Robust mode selector with By-Pass
- LED for work place illumination
- Forward and reverse
- 13mm Metal chuck for improve durability
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BSB18C2BL LI-202C	BSB18C2BL LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2,0	4,0
No. of batteries supplied	2	2
Charger supplied	40 min	100 min
Max. drilling wood/ steel/ masonry (mm)	40/13/13	40/13/13
Chuck capacity (mm)	13	13
Max. torque (Nm)	60	65
No load speed (rpm)	0-500/0-1950	0-500/0-1950
Max. percussion rate (bpm)	25350	25350
Weight with battery pack (kg)	1,8	2,0
Supplied in	Plastic case	Plastic case
Article Number	4935464096	4935464097
EAN Code	4058546220419	4058546220426

BSB18C2BL LI-202C



BSB18C2BL LI-402C



18 V PERCUSSION DRILL

PRO 18v

BSB 18C2X

- 206 mm in length and only 161 mm without the chuck
- 50 Nm (2.0 Ah) / 60 Nm (4.0 Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800 rpm
- 13mm Metal removable chuck for improve durability and more versatility
- Robust mode selector with By-Pass
- LED for work place illumination
- Forward and reverse
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BSB18C2X LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Chuck capacity (mm)	13
Max. torque (Nm)	50
No load speed (rpm)	0-450/0-1800
Max. drilling wood/ steel/ masonry (mm)	45/13/14
Weight with battery pack (kg)	1,74
Supplied in	Kitbox
Article Number	4935459424
EAN Code	4058546010850

BS18C2X LI-202C



18 V PERCUSSION DRILL

PRO 18v
BSB 18 G3

- 60 Nm maximum torque delivers complete power
- 2 speeds - 0-500 / 0-1850 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm single sleeve chuck
- 3 mode selector - ease of use between functions
- LED - for work place illumination
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of both battery and tool



	BSB 18 G3 LI-152C	BSB 18 G3 LI-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	2,0
No. of batteries supplied	2	2
Max. drilling wood/ steel/ masonry (mm)	40/13/13	40/13/13
Chuck capacity (mm)	13	13
Max. torque (Nm)	55	55
No load speed (rpm)	0-500/0-1850	0-500/0-1850
Weight with battery pack (kg)	1,8	1,8
Supplied in	Plastic case	Plastic case
Article Number	4935464102	4935464103
EAN Code	4058546220471	4058546220488

BSB 18 G3 LI-152C

BSB 18 G3 LI-202C


18 V BRUSHLESS DRILL DRIVER

PRO 18v BRUSHLESS
BS 18 CBL

- PROFILUX Brushless Motor for more power, more runtime in a more compact tool
- Only 176mm in length for an extremely compact and perfect balanced drill driver
- 60 Nm with a (2.0 Ah) / 75 Nm with a (4.0 Ah) battery for maximum torque delivers complete power
- 2 - speeds - 0-550 / 0-2100 rpm
- 13 mm ratchet chuck for withstanding the heaviest application and a perfect torque transmission to the accessory
- New microtexture overmould for the best handling on the market
- LED light on the foot print to illuminate the work surface
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a side handle



	BS 18CBL LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Chuck capacity (mm)	1,5-13
Max. torque (Nm)	60
No load speed (rpm)	0-550 / 0-2100
Weight with battery pack (kg)	1,8
Supplied in	Kitbox
Article Number	4935448768
EAN Code	4002395294572

BS 18CBL LI-202C


18 V BRUSHLESS DRILL DRIVER

PRO 18v BRUSHLESS

BS 18C2BL

- Only 176 mm in length
- Brushless motor delivers torque up to 60 Nm (2.0 Ah) / 65 Nm (4.0 Ah)
- 2 - speeds - 0-500 / 0-1950 rpm
- Robust mode selector with By-Pass
- LED for work place illumination
- Forward and reverse
- 13mm Metal chuck for improve durability
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BS18C2BL LI-202C	BS18C2BL LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2,0	4,0
No. of batteries supplied	2	2
Charger supplied	40 min	80 min
Max. drilling wood/ steel (mm)	40/13	40/13
Chuck capacity (mm)	13	13
Max. torque (Nm)	60	65
No load speed (rpm)	0-500/0-1950	0-500/0-1950
Weight with battery pack (kg)	1,7	1,9
Supplied in	Plastic case	Plastic case
Article Number	4935464094	4935464095
EAN Code	4058546220396	4058546220402

BS18C2BL LI-202C



4 058546 220396

BS18C2BL LI-402C



4 058546 220402

18 V COMPACT DRILL DRIVER

PRO 18v

BS 18C2X

- Changeable chuck for different attachments or screwdriving without the chuck for hard to reach areas
- 202 mm in length and only 158 mm without the chuck
- 50 Nm (2.0 Ah) / 60 Nm (4.0 Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800 rpm
- 13mm Metal removable chuck for improve durability and more versatility
- Robust mode selector with By-Pass
- LED for work place illumination
- Forward and reverse
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BS18C2X LI-202C
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	30 min
Max. torque (Nm)	50
Max. drilling wood/ steel (mm)	45/13
No load speed (rpm)	0-450/0-1800
Weight with battery pack (kg)	1,7
Supplied in	Kitbox
Article Number	4935459423
EAN Code	4058546010843

BS18C2X LI-202C



4 058546 010843

18 V COMPACT DRILL DRIVER

PRO 18v
BS 18G3

- 60 Nm maximum torque delivers complete power
- 2 speeds - 0-500 / 0-1850 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm single sleeve chuck
- LED - for work place illumination
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of both battery and tool



	BS 18G3 Li-152C
Battery type	Li-ion
Battery pack capacity (Ah)	1,5
No. of batteries supplied	2
Charger supplied	50 min
Max. drilling wood/ steel (mm)	13 / 40
Chuck capacity (mm)	13
Max. torque (Nm)	55
No load speed (rpm)	0-500/0-1850
Weight with battery pack (kg)	1,8
Supplied in	Plastic case
Article Number	4935464101
EAN Code	4058546220464

BS 18G3 Li-152C


18 V BRUSHLESS IMPACT DRIVER

PRO 18v BRUSHLESS
BSS18CB3

- Industrial metal gearbox and gears for extended life
- PROFLUX Brushless Motor for more power, and extended runtime, in a more compact tool
- Built in LED illuminates work surface
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BSS 18CB3 LI-502C
Battery type	Li-ion
Battery pack capacity (Ah)	5,0
Max. torque (Nm)	220
No load speed (rpm)	0 - 750/0 - 2000/0 - 2750
Impact rate (ipm)	max. 1700
Tool reception	1/4" Hex
Supplied in	Kitbox
Article Number	4935459898
EAN Code	4058546030704

BSS 18CB3 LI-502C


18 V OIL PULSE IMPACT DRIVER

PRO 18v BRUSHLESS

BSS 180P

- New Oil Pulse Technology allows to reduce the noise of the impact up to only 73dB
- Compact and ergonomic with only 152mm overall length
- Easy carriage with the belt clip, user can work hands free even on a ladder
- PROFLUX Brushless Motor Technology allows extremely fast driving applications up to M14 Capacity
- 3-Speed powerful Gearbox delivers up to 2400rpm
- 100% backwards compatible with all 18V Battery packs



	BSS 180P-0
Battery type	Li-ion
No. of batteries supplied	0
Impact rate (ipm)	0 - 550 / 0 - 1300 / 0 - 1700
Max. torque (Nm)	22 / 54 / 73
No load speed (rpm)	0 - 1000 / 0 - 1800 / 0 - 2400
Weight with battery pack (kg)	1,38
Supplied in	-
Article Number	4935451631
EAN Code	4002395140985

BSS 180P-0



18 V COMPACT IMPACT DRIVER

PRO 18v

BSS 18C

- Only 145 mm overall length
- 158 Nm maximum torque
- Delivers up to 3100 impacts per minute for increased productivity
- Industrial metal gearbox and gears for extended life
- 1/4" Hex bit reception
- Built in LED illuminates work surface
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a single PZ2 bit



	BSS 18C-0
Battery type	Li-ion
No. of batteries supplied	0
Max. torque (Nm)	158
No load speed (rpm)	0 - 2400
Impact rate (ipm)	0 - 3100
Tool reception	1/4" Hex
Weight with battery pack (kg)	1,56
Supplied in	Kitbox
Article Number	4935428405
EAN Code	4002395132140

BSS 18C-0



18 V BRUSHLESS IMPACT WRENCH

PRO 18v BRUSHLESS

BSS 18C 12Z BL

- 1/2" brushless impact wrench
- Only 196 mm overall length
- PROFLUX Brushless Motor Technology allows extremely fast driving applications
- 500 Nm maximum torque/ 360Nm in second speed/ 270Nm in first speed
- Delivers 0–3500 impacts per minute for increased productivity
- 1/2" Square reception and delivered with 1/4" hex adaptor for screwdriving
- 4-Speed Gearbox, 3-Speeds plus Auto Stop Mode
- Built in triple LED for perfect illumination of the work surface without any shadow effect



	BSS 18C 12ZBL-0	BSS 18C 12ZBL LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4.0
No. of batteries supplied	0	2
Charger supplied	-	80 min
Max. torque (Nm)	500	500
No load speed (rpm)	1400 - 2750	1400 - 2750
Impact rate (ipm)	0-3500	0-3500
Tool reception	1/2" square	1/2" square
Weight without battery pack (kg)	2,3	2,3
Supplied in	-	-
Article Number	4935459426	4935459427
EAN Code	4058546010874	4058546010881

BSS 18C 12ZBL-0



BSS 18C 12ZBL LI-402C



18 V COMPACT IMPACT WRENCH

PRO 18v

BSS 18C 12Z

- Only 203 mm overall length
- 360 Nm maximum torque
- Delivers 0–3200 impacts per minute for increased productivity
- Industrial metal gearbox and gears for extended life
- 1/2" Square reception and delivered with 1/4" hex adaptor for screwdriving
- Built in Triple LED for perfect illumination of the work surface without any shadow effect



	BSS 18C 12Z-0	BSS 18C 12Z LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4.0
No. of batteries supplied	0	2
Charger supplied	-	80 min
Max. torque (Nm)	360	360
No load speed (rpm)	0 - 2900	0 - 2900
Impact rate (ipm)	0 - 3200	0 - 3200
Tool reception	1/2" square	1/2" square
Weight with battery pack (kg)	-	2.3
Supplied in	-	Kitbox
Article Number	4935446449	4935446456
EAN Code	4002395136247	4002395136254

BSS 18C 12Z-0



BSS 18C 12Z LI-402C





18V COMPACT SDS

BBH 18C

PRO 18v

MANY
MODES MAKE
LIGHT WORK.

- 4 Modes for chiselling and chisel adjust
- 2-position handle for easy overhead use
- 1.5 Joules
- Replaceable dust mesh for motor protection
- Integrated belt clip

18 V 4-MODE SDS-PLUS COMPACT HAMMER

PRO 18v

BBH 18C

- Compact and powerful 4-Mode SDS plus optimised for fixing applications up to 16mm
- Ergonomic design with pistol grip reduces user fatigue in over head and one handed applications
- Optimized striker mechanism provides maximum productivity common drill sizes (5.5-10mm)
- Dedicated chiselling mode for allows for removal of light materials whilst minimising damage to surrounding material
- Replaceable dust mesh prevents motor damage caused by dust ingress
- 1/4" Hex bit holder included for fixing applications
- Belt clip included for user storage
- Features AEG Pro Lithium-Ion Battery technology with overload protection for maximum durability of battery and tool



	BBH 18C-0	BBH 18CLI-201C	BBH 18CLI-202C
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0	2,0
No. of batteries supplied	0	2	2
Charger supplied	50 min	50 min	50 min
Max. drilling wood/ steel/ masonry (mm)	13 / 10 / 16	13 / 10 / 16	13 / 10 / 16
Blow energy (EPTA)(J)	1,5	1,5	1,5
No load speed (rpm)	0-1300	0-1300	0-1300
Full load hammer action (bpm)	0-5500	0-5500	0-5500
Weight with battery pack (kg)	2,5	2,5	2,5
Supplied in	Gift box	Plastic case	Plastic case
Article Number	4935464984	4935471273	4935464985
EAN Code	4058546229290	4058546289003	4058546229306

BBH 18C-0



BBH 18CLI-201C



BBH 18CLI-202C



18 V BRUSHLESS SDS-PLUS ROTARY HAMMER

PRO 18v BRUSHLESS
BBH 18BL

- L-shape brushless SDS hammer for drilling into concrete up to 26 mm
- 2.5 Joule impact energy delivers high performance
- PROFLUX brushless motor for a better efficiency
- 4-modes for more versatility
- Hammer action stop for rotary drilling in wood and metal
- Rafter hook for holding the tool on a ladder
- Anti vibration handle for more comfort while working
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BBH 18BL-0	BBH 18BL LI-401C	BBH 18BL LI-502C
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4,0	5,0
No. of batteries supplied	0	1	2
Charger supplied	-	80 min	70 min
Max. drilling wood/ steel/ masonry (mm)	30/12/26	30/13/26	30/13/26
Blow energy (EPTA)(J)	2,5	2,5	2,5
No load speed (rpm)	0-1.400	0-1.400	0-1.400
Full load hammer action (bpm)	0-4.800	0-4.800	0-4.800
Weight with battery pack (kg)	-	3,08	3,08
Supplied in	Plastic case	Plastic case	Plastic case
Article Number	4935464751	4935471045	4935464753
EAN Code	4058546226961	4058546286736	4058546226985

BBH 18BL-0

BBH 18BL LI-401C

BBH 18BL LI-502C


18 V BRUSHLESS DRYWALL SCREWDRIVER

PRO 18v BRUSHLESS
BTS18BL

- Small Drywall Screwdriver lightweight with an OAL of 266mm/ 418mm with collated attachment
- Powerful motor with 5000rpm
- Push drive function for improved runtime and improved comfort
- Incredible runtime up to 3000 screws with a L1850R Battery
- Fine adjustment nose cone for setting desired countersink levels in single screw applications +/- 5 mm
- Quick release 1/4" Hex chuck allows for easy bit change
- Compatible with all PRO18V AEG Batteries
- Belt clip to hang your tool quickly and easily



	BTS18BL-0	BTS18BL-0KIT1	BTS18BL LI-202B
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	-	-	2,0
No. of batteries supplied	0	0	2
Charger supplied	-	-	40 min
Tool reception	1/4" Hex	1/4" Hex	1/4" Hex
Max. torque (Nm)	5	5	5
No load speed (rpm)	5000	5000	5000
Standard equipment	-	Collated attachment	-
Weight with battery pack (kg)	1,87	1,87	1,71
Supplied in	-	Tool bag	Tool bag
Wood screws to (mm)	25 - 55	25 - 55	25 - 55
Article Number	4935459620	4935459621	4935464104
EAN Code	4058546027926	4058546027933	4058546220495

BTS18BL-0

BTS18BL-0KIT1

BTS18BL LI-202B


18 V BRUSHLESS CIRCULAR SAW

PRO 18v BRUSHLESS

BKS 18BL

- PROFLEX brushless motor delivers high speed and high power
- Ultra compact circular saw (341mm OAL)
- Improved visibility with LED light and dust blower
- Magnesium guard and die cast shoe keep the tool extremely light
- Supplied with a 190 mm TCT blade with 24 carbide teeth for a perfectly clean and fast cut
- Electronic motor brake, saw blade stops within seconds
- Lock off switch for safety
- Spindle lock for fast blade changing
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



BKS 18BL-0

Battery type	Li-ion
No. of batteries supplied	0
No load speed (rpm)	3800
Max. cutting depth 45° (mm)	45
Max. cutting depth 90° (mm)	64
No load speed (rpm)	3800
Arbor size (mm)	30
Weight with battery pack (kg)	3,6
Supplied in	—
Article Number	4935451537
EAN Code	4002395146345

BKS 18BL-0



18 V CIRCULAR SAW

PRO 18v

BKS 18

- Compact, light and well balanced
- Extremely fast cutting speed of 5000 rpm
- Magnesium base and upper guard for durability
- Large 50° bevel capacity
- Electronic motor brake, saw blade stops within seconds
- Lock off switch for safety
- Spindle lock for fast blade changing
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a 165 mm TCT blade and a side fence



BKS 18-0

Battery type	Li-ion
No. of batteries supplied	0
Blade diameter (mm)	165
Arbor size (mm)	15,87
Bevel capacity (°)	50°
No load speed (rpm)	0 - 5000
Max. cutting depth 45/90° (mm)	41/54
Weight with battery pack (kg)	3,6
Supplied in	—
Article Number	4935431375
EAN Code	4002395132812

BKS 18-0



18 V BRUSHLESS RECIPROCATING SAW

PRO 18v BRUSHLESS

BUS 18BL

- PROFLEX brushless motor delivers up to 3.200spm
- Orbital function on board for cutting without pushing, perfect for overhead work
- 28mm stroke length for the fastest cutting performance on the market
- Quick release blade system, accepts all standard recip saw blades
- Easy and quick adjustable shoe with tool free system
- Fuel gauge on board, always be aware about the remaining power
- LED enables perfect view on the work piece
- Rafter hook for an easy carriage when you are on a ladder
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BUS18BL-0
Battery type	Li-ion
Battery pack capacity (Ah)	-
No. of batteries supplied	0
No load stroke rate (spm)	3.200
Stroke length (mm)	28
Weight without battery pack (kg)	3,1
Supplied in	-
Article Number	4935464032
EAN Code	4058546219772

BUS18BL-0



4 058546 219772



18 V RECIPROCATING SAW

PRO 18v

BUS 18

- Pendulum action for increased performance
- 3600 strokes per minute and 19 mm stroke length for fast cutting applications
- Robust bladeclamp for demolition applications
- FIXTEC for fast and easy keyless blade change
- Adjustable shoe
- Saw blade can be turned 180° for various applications
- Variable speed trigger
- Soft-grip
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with 2 blades



BUS 18-0

Battery type	Li-ion
No. of batteries supplied	0
No load stroke rate (spm)	0 - 3600
Weight with battery pack (kg)	3,5
Supplied in	–
Article Number	4935431370
EAN Code	4002395132805

BUS 18-0



18 V BRUSHLESS SLIDE MITRE SAW

PRO 18v BRUSHLESS

BPS18-254BL

- 18V Brushless motor designed for superior runtime and performance
- Dual 18v System, for longer runtime
- Dual Bevel Cut
- Clamp system, for a safer cut
- LED for perfect view on the cutting line and adjustable laser for quick and precise cut
- Blade depth adjustment, Allows for trenching applications
- 254mm Blade, providing fantastic cutting capacities up to 90mm x 305mm
- Only 15,5kg, for easy transportation on the jobsite
- Supplied with 48 tooth blade



BPS18-254BL-0

Battery type	Li-ion
No. of batteries supplied	0
Blade diameter (mm)	254
Max. cutting depth (mm)	90
No load speed (rpm)	3900
Max. cutting capacity 0 mitre/ 45 bevel [mm]	39 x 305
Max. cutting capacity 45° mitre/ 45° bevel (mm)	39 x 215
Max. cutting depth 45° (mm)	43
Mitre capacity left (°)	45
Mitre capacity right (°)	45
LED	Yes
Weight with battery pack (kg)	16,3
Supplied in	Giftbox
Article Number	4935459336
EAN Code	4058546009977

BPS18-254BL-0



NEW

UP TO

3,500_{SPM}

18V BRUSHLESS MOTOR

LOCK-ON BUTTON


FOR BODY GRIP USE

5-POSITION

SPEED DIAL

25.4MM

STROKE LENGTH

**GREATER POWER
SUPERIOR PRECISION**

Bringing you the **NEW**
PRO18V Brushless Jigsaw.

PRO18v BRUSHLESS**18 V BRUSHLESS JIGSAW****PRO18v BRUSHLESS**

BST 18BLX

- Powerful 18V PROFLUX brushless Motor with 3.500spm
- Lock on button for usage like a body grip jigsaw
- Patented FIXTEC system for fast keyless blade change and bevel adjustment with snap-in at 0° and 45°
- Variable speed with 5 positions, soft start and constant speed under load
- Adjustable chipping blower to the front and rear
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BST 18BLX-0	BST18BLX LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0
No. of batteries supplied	0	2
Charger supplied	-	30 min
Stroke length (mm)	25,4	25,4
No load stroke rate (spm)	3.500	3.500
Bevel capacity (°)	45°	45°
Max. cutting capacity soft wood (mm)	135	135
Max. cutting capacity aluminium (mm)	20	20
Weight with battery pack (kg)	2,46	2,46
Article Number	4935459654	4935459656
EAN Code	4058546028268	4058546028282

BST 18BLX-0



BST18BLX LI-402C



18 V 18 GA BRUSHLESS NAIL GUN

PRO 18v BRUSHLESS

B18N18

- Vacuum Drive Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 18 Gauge (1.2mm) nails from 15,9 to 55mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages twin LEDs by grasping the handle
- Tool less depth and power adjustment helps to protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool-less jam release for easy removal of clear nails
- Belt hook mounts left or right side for added convenience
- Includes 2 non-marring pads to keep work surface free of tool marks
- Up to 1450 Nails runtime using a L1840R battery pack
- Runtime can vary by tool, battery and application



	B18N18-0	B18N18 LI-201C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0
No. of batteries supplied	0	1
Charger supplied	-	40 min
Magazine capacity	105	105
Nail type (mm)	1,2	1,2
Cycle rate (h)	2/sec	2/sec
Weight with battery pack (kg)	3,6	2,7
Supplied in	Kitbox	Kitbox
Article Number	4935451535	4935451536
EAN Code	4002395146321	4002395146338

B18N18-0



B18N18 LI-201C



18 V 16 GA BRUSHLESS NAIL GUN

PRO 18v BRUSHLESS

B16N18

- Vacuum Drive Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 16 Gauge (1.6mm) nails from 19 to 65mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages LED by grasping the handle
- Tool-less depth and power adjustment helps to protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Belt hook mounts left or right side for added convenience
- Includes 2 non-marking pads to keep work surface free of tool marks
- Up to 1400 Nails runtime using a L1840R battery pack
- Runtime can vary by tool, battery and application



	B16N18-0
Battery type	Li-ion
No. of batteries supplied	0
Magazine capacity	105
Nail type (mm)	1,6
Cycle rate (h)	2/Sec
Weight with battery pack (kg)	3,0
Supplied in	Kitbox
Article Number	4935451533
EAN Code	4002395146307

B16N18-0



18V CORDLESS PLANER

BHO18BL

PRO 18v

BRUSHLESS MOTOR

Providing up to 16,000rpm

LOCKABLE
KICK STAND

- 82mm reversible cutters blades
- Patented adjustable -2mm to +2mm chamfering groove
- 58mm left and right ejection ports

18 V BRUSHLESS PLANER

PRO 18v BRUSHLESS

BHO 18BL

- Powerful Brushless motor delivers up to 16000 rpm to achieve supreme surface finish across a range of materials
- 82mm reversible cutting blade with 58mm ejection ports maximises material removal
- Patented depth adjustment feature allows user to retract the planer shoe up to -2mm giving perfectly balanced and precise chamfering capability
- Adjustable cutting depth up to 2mm allows the user to accurately control the amount of material removed with each pass
- Left of right material ejection port to suit user comfort and application
- A lockable kickstand on the base of the tool protects material from accidental damage
- Features AEG Pro Lithium-Ion Battery technology with overload protection for maximum durability of battery and tool



	BHO18 BL-0
Battery type	Li-ion
No. of batteries supplied	0
No load speed (rpm)	14,300
Planing depth (mm)	0 - 2,0
Planing width (mm)	0 - 4,0
Rebate depth (mm)	0,8 - 4,0
Weight with battery pack (kg)	3,32
Supplied in	Recyclable Carton
Article Number	4935464988
EAN Code	4058546229337

BHO18 BL-0



4 058546 229337

18 V PLANER

PRO 18v

BHO 18

- Additional front handle with soft grip for convenient two-hand working
- Large dust bag for a dust free working area
- Adjustment switch for easy adjustment of the cutting depth
- Front and rear shoe have a v-groove for easy chamfer cutting
- Automatic Kickstand to protect surfaces from accidental planer contact
- Lock off switch for safety
- Ergonomic handle design with large soft-grip area for maximum comfort
- Die-cast base plate for high durability



BHO 18-0

Battery type	Li-ion
No. of batteries supplied	0
No load speed (rpm)	12.000
Planing depth (mm)	0 - 1.6
Planing width (mm)	82
Rebate depth (mm)	0 - 12.5
Weight with battery pack (kg)	-
Supplied in	Gift box
Article Number	4935413175
EAN Code	4002395197552

BHO 18-0



18 V BRUSHLESS TRIM ROUTER

PRO 18v BRUSHLESS

BOF 18BL

- One hand cordless 18V brushless Trim Router
- Up to 25.000 rpm for rounding all type of wood
- Collet size 6 mm for the most common accessories on the market
- Spindle Lock enables quick and simple router bit changes
- Built in speed dial, for adjusting the speed for different materials
- Micro adjust dial: For easily adjusting the router depth to the specific material and application
- Magnesium guard for more durability
- Ergonomic slim grip for maximum comfort during extended use



BOF18BL-0

Battery type	Li-ion
No. of batteries supplied	0
Collet capacity (mm)	6
Fuel gauge	Yes
No load speed (rpm)	17,000 to 25,000
Plunge capacity (mm)	32
Speed settings	7
Weight with battery pack (kg)	2.31
Supplied in	Gift box
Standard equipment	Edge Guide, 6mm Bit + 6,35mm, Round and Square base, wrench
Article Number	4935459584
EAN Code	4058546027568

BOF18BL-0



18 V BRUSHLESS BELTSANDER

PRO 18v BRUSHLESS

BHBS 18-75BL

- PROFLUX brushless motor for more power, more runtime and a more compact tool
- Compact and lightweight Sander
- Variable speed dial match the speed of the sander with the specific application
- Lock on button for comfortable operating
- Integrated dust absorption (DEK 26 system)
- Accepts up to 457mm belt length and 75mm belt width
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BHBS18-75BL-0
Battery type	Li-ion
No. of batteries supplied	0
Belt length (mm)	457
Belt width (mm)	75
No load speed (m/min)	135-300
No load speed (rpm)	11.000
Speed settings	6
Weight with battery pack (kg)	-
Supplied in	Kitbox
Standard equipment	1x120grit sanding Belt, 1x 80grit sanding belt
Article Number	4935459582
EAN Code	4058546027544

BHBS18-75BL-0



4 058546 027544



18 V ORBITAL SANDER

PRO 18v

BEX18-125

- Powerful 18V motor 125mm random orbital sander
- Ideal for working in confined spaces and overhead
- Variable speed for optimum control
- Convenient hook & loop paper fastening
- Very efficient dust extraction, over 8 holes in the base plate
- Dust extraction, with dust bag or absorption system
- Micro texture grip for perfect handling
- Supplied with dust bag and sanding paper



	BEX18-125 - 0	BEX18-125 LI-402C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	4,0
No. of batteries supplied	0	2
Charger supplied	-	80 min
No load speed (rpm)	7.000 - 11.000	7.000 - 11.000
Oscillation rate (opm)	14.000 - 22.000	14.000 - 22.000
Oscillation diameter (mm)	2,4	2,4
Sanding pad size (mm)	125	125
Weight with battery pack (kg)	-	2,1
Supplied in	-	Kitbox
Article Number	4935451086	4935451087
EAN Code	4002395811120	4002395811137

BEX18-125 - 0



4 002395 811120

BEX18-125 LI-402C



4 002395 811137

18 V MULTI-TOOL

PRO 18v

OMNI 18C

- Gives more power and more runtime whilst keeping the advantage of cordless portability.
- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2-finger switch with adjustable speed
- One handed use of applications
- Optimum power to weight ratio
- LED for work place illumination
- Built in fuel gauge
- Slim design handle for a perfect ergonomics and a better vibration absorption



	OMNI 18C 0-KIT1	OMNI 18C LI-152BKIT1
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	1,5
Charger supplied	-	30 min
Oscillation rate (opm)	20.000	20.000
Standard equipment	1 x multi-tool head, accessories	1 x multi-tool head, accessories
Weight with battery pack (kg)	-	0.374
Supplied in	-	Tool bag
Article Number	4935440645	4935440644
EAN Code	4002395134649	4002395134632

OMNI 18C 0-KIT1



4 002395 134649

OMNI 18C LI-152BKIT1



4 002395 134632

18V BRUSHLESS ANGLE GRINDER
WITH PADDLE SWITCH

BEWS18-125BLPX

PRO 18v BRUSHLESS

PADDLE
SWITCH

ENHANCED SAFETY

DISK
BRAKE

EFFORTLESS POWER.
EXCEPTIONAL PROTECTION.

18V BRUSHLESS ANGLE GRINDER

BEWS18-125BL

PRO 18v BRUSHLESS

ANTI
KICKBACK

OPTIMISED SAFETY

11,000 RPM

RELENTLESS POWER

18 V 125 MM BRUSHLESS ANGLE GRINDER WITH PADDLE SWITCH

PRO 18v BRUSHLESS
BEWS 18-125BLPX

- Powerful 18 V PROFLUX™ brushless motor with 11.000 rpm for faster cutting
- Features AEG 18 V PROLITHIUMION™ battery technology with triple protection for maximum durability of battery and tool
- LED warning light, to indicate overload protection
- Built-in fuel gauge on the battery
- Best safety with disc break and anti kick back function
- AVS side handle for more safety and comfort
- Supplied with a FIXTEC flange nut and keyless grinding guard for faster adjustment
- CORETEK™ Intelligent Electronics constantly monitors the communication between the PRO Li-ion battery pack and the PROFLUX™ brushless motor to deliver constant speed and power



	BEWS 18-125BLPX-0	BEWS 18-125BLPX-602C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	–	6,0
No. of batteries supplied	0	2
Charger supplied	85 min	85 min
No load speed (rpm)	11.000	11.000
Max. cutting depth (mm)	33	33
Spindle size	M 14	M 14
Weight with battery pack (kg)	2,5	2,9 Kg
Supplied in	Gift box	Plastic case
Article Number	4935464419	4935464422
EAN Code	4058546223649	4058546223670

BEWS 18-125BLPX-0


4 058546 224578

BEWS 18-125BLPX-602C


4 058546 223670

18 V 115 MM BRUSHLESS ANGLE GRINDER WITH PADDLE SWITCH

PRO 18v BRUSHLESS
BEWS 18-115BLPX

- Powerful 18 V PROFLUX™ brushless motor with 11.000rpm for faster cutting
- 18 V PROLITHIUMION™ battery technology with triple protection for maximum durability of battery and tool
- LED warning light, to indicate overload protection
- Built-in fuel gauge on the battery
- Best safety with disc break and anti kick back function
- AVS side handle for more safety and comfort
- Supplied with a FIXTEC flange nut and keyless grinding guard for faster adjustment
- CORETEK™ Intelligent Electronics constantly monitors the communication between the PRO Li-ion battery pack and the PROFLUX™ brushless motor to deliver constant speed and power



	BEWS 18-115BLPX-0	BEWS 18-115BLPX-602C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	6,0
No. of batteries supplied	0	2
Charger supplied	–	100 min
No load speed (rpm)	11.000	11.000
Max. cutting depth (mm)	33	33
Spindle size	M14	M14
Weight with battery pack (kg)	2,5	3,0
Supplied in	Gift box	Plastic case
Article Number	4935464420	4935464423
EAN Code	4058546223656	4058546223687

BEWS 18-115BLPX-0


4 058546 224585

BEWS 18-115BLPX-602C


4 058546 223687

18 V 125MM BRUSHLESS ANGLE GRINDER WITH SLIDE SWITCH

PRO 18v BRUSHLESS
BEWS 18-125BL

- Powerful 18 V PROFLUX™ brushless motor with 11.000rpm for faster cutting
- LED warning light, to indicate overload protection
- Built-in fuel gauge on the battery
- CORETEK™ Intelligent Electronics constantly monitors the communication between the PRO Li-ion battery pack and the PROFLUX™ brushless motor to deliver constant speed and power
- Keyless grinding guard for faster adjustment
- Line Lock Out feature for more safety
- 18 V PROLITHIUMION™ battery technology with triple protection for maximum durability of battery and tool



	BEWS 18-125BL-0	BEWS 18-125BL-502C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	–	5,0
No. of batteries supplied	0	2
Charger supplied	–	90 min
No load speed (rpm)	11.000	11.000
Max. cutting depth (mm)	33	33
Spindle size	M14	M14
Weight with battery pack (kg)	2,4	2,6
Supplied in	Gift box	Plastic case
Article Number	4935464414	4935464417
EAN Code	4058546223595	4058546223625

BEWS 18-125BL-0


4 058546 223595

BEWS 18-125BL-502C


4 058546 223625

18 V 115MM BRUSHLESS ANGLE GRINDER WITH SLIDE SWITCH

PRO 18v BRUSHLESS
BEWS 18-115BL

- Powerful 18 V PROFLUX™ brushless motor with 11.000rpm for faster cutting
- 18 V PROLITHIUMION™ battery technology with triple protection for maximum durability of battery and tool
- LED warning light, to indicate overload protection
- Built-in fuel gauge on the battery
- CORETEK™ Intelligent Electronics constantly monitors the communication between the PRO Li-ion battery pack and the PROFLUX™ brushless motor to deliver constant speed and power
- Keyless grinding guard for faster adjustment



	BEWS 18-115BL-0	BEWS 18-115BL-502C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	5,0
No. of batteries supplied	0	2
Charger supplied	–	90 min
No load speed (rpm)	11.000	11.000
Max. cutting depth (mm)	33	33
Spindle size	M14	M14
Weight with battery pack (kg)	2,4	2,4
Supplied in	Gift box	Plastic case
Article Number	4935464415	4935464418
EAN Code	4058546223601	4058546223632

BEWS 18-115BL-0


4 058546 223601

BEWS 18-115BL-502C


4 058546 223632

18 V BRUSHLESS ANGLE GRINDER

PRO 18v BRUSHLESS

BEWS18-230BL

- The first 18V dual battery 230mm Grinder on the market
- Dual 18V battery System but one battery is enough to operate
- Brushless motor enables up to 5.500rpm
- Best safety with disc break and anti kick back function
- Perfect handling with the rotating back handle with anti vibration system
- LED warning for overload and line lock-out
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BEWS18-230BL-0	BEWS18-230BL LI-402B
Battery type	Li-ion	Li-ion
No. of batteries supplied	0	2
Battery pack capacity (Ah)	-	4.0Ah
Charger supplied	-	80 min
No load speed (rpm)	5.500	5500
Max. cutting depth (mm)	68	68
Spindle size	M14	M14
Weight with battery pack (kg)	7,2	5,5
Article Number	4935459735	4935464670
EAN Code	4058546029074	4058546226152



PRO 18v BRUSHLESS

18V LARGE ANGLE GRINDER

BEWS18-230BL-0

Battery type	Li-ion
No load stroke (rpm)	5500
Max. cutting depth (mm)	68
Spindle size	M14
Article Number	4935464032
EAN Code	4058546219772

THE FIRST
DUAL BATTERY 18V 230MM
GRINDER

0-5500rpm
Brushless motor

128 cuts
with 2 x 9Ah batteries*

6 YEAR
TOOL
WARRANTY*


3 YEAR
BATTERY
WARRANTY*

* Cutting 3cm thick roof tile
* Register within 30 days of purchase. See online for more details.

PRO 18v SITE LIGHTS

POWERING THROUGH DARKNESS

The AEG Pro18v site Lights are able to provide long lasting light for a variety of needs on the jobsite. The powerful LEDs provide a clear white light and the PROLithium-ion battery delivers unstoppable runtime, making these ideal lights for the tradesman on site.



18 V LED SITE LIGHT

PRO 18v

BFL18X

- High performance flood light LEDs with rotary encoder technology automatically adjusts lighting in high heat conditions
- Detachable from stand for added portability
- Dimming function makes it easy to adjust the light level
- Multiple hanging positions
- Compatible with the AEG tripod



	BFL18X-0
Battery type	Li-ion
No. of batteries supplied	0
Bulb type	LED
IP protection class	IP44
Lumens	1.200
Supplied in	–
Weight with battery pack (kg)	1,7
Article Number	4935459657
EAN Code	4058546028299



18 V LED TORCH LIGHT

PRO 18v

BTL18

- High performance torch light, LED's with rotary encoder technology automatically adjusts lighting in high heat conditions
- Handheld design with belt clip makes this unit extremely portable
- Dimming function allows for correct light/concentration level per application
- Rotating head allows for multi directional concentrated light source
- 12V car adaptor included
- Up to 32 hrs runtime on low setting from 5.0Ah Battery pack



	BTL18-0
Battery type	Li-ion
No. of batteries supplied	0
Bulb type	LED
IP protection class	IP24
Lumens	2.100
Weight with battery pack (kg)	2,0
Article Number	4935459659
EAN Code	4058546028312



18 V LED SITE LIGHT

PRO 18v
BPL18

- High performance LED Panels with rotary encoder technology automatically adjusts lighting in high heat conditions
- Hybrid design makes this unit versatile for worksite, camping or workshop
- Dimming function allows for correct light level per application
- Multiple hanging positions
- Folding panels enable multi directional lighting capabilities
- Up to 20 hrs runtime on low setting from 5.0Ah Battery pack



	BPL18-0
Battery type	Li-ion
No. of batteries supplied	0
Bulb type	LED
Lumens	2.500
Standard equipment	2,5m AC power cord
Weight with battery pack (kg)	2,7
Supplied in	-
Article Number	4935459661
EAN Code	4058546028336

BPL18-0


LIGHT TRIPOD STAND

PRO 18v
LUS-210X

- Rugged and lightweight aluminium mast construction
- Wide leg base, with weight ballasts for extra stability
- Compact storage footprint with carry handle enable ultimate portability
- Adjustable arms
- Easy lock level adjustment with bubble level
- Multiple mounting points with standard 1/4" thread size means a huge number of mounting applications
- Equipped with clip for attaching the laser distance measurer LDM 50



	LUS-210X
Length (mm)	882
Length extended (mm)	2100
Loading capacity (kg)	4,5kg per arm
Weight (kg)	3,9
Article Number	4935459663
EAN Code	4058546028350

LUS-210X


18 V LED TORCH LIGHT

PRO 18v

FL 18

- AEG compact and lightweight 18V torch light
- High quality LED, which provides 135 lumens
- Swivel head rotates up to 180° which allows the user to direct the light beam at the desired work area
- Rubberized soft grip increased the comfort on the job site
- Belt clip mountable
- Extensive runtime up to 25hrs with a 18V 4,0Ah Pro Lithium Ion Battery
- Compatible with all PRO 18V Lithium-Ion batteries



	FL18 - 0
Battery type	–
Battery pack capacity (Ah)	–
No. of batteries supplied	0
Bulb type	LED
Lumens	135 lm
Weight with battery pack (kg)	1,5
Supplied in	–
Article Number	4932451164
EAN Code	4002395138333



18 V INSPECTION LIGHT

PRO 18v

BFAL 18

- AEG compact and flexible 18V inspection light
- High quality LED, which provides 270 lumens
- Dual Mode LED for directional spotlight or area light
- Flexible head which allows 360° rotation
- Light can be used standing on its base or wrapped around a pipe
- Extensive runtime up to 18hrs with a 18V 4,0Ah Pro Lithium Ion Battery
- Compatible with all PRO 18V Lithium-Ion batteries



	BFAL 18 - 0
Battery type	Li-ion
No. of batteries supplied	0
Bulb type	LED
Lumens	270 lm
Weight with battery pack (kg)	1,63
Supplied in	–
Article Number	4932451163
EAN Code	4002395138326



18 V AREA LIGHT

PRO 18v

BAL 18

- Compact directional light source for confined spaces.
- LED Light with 2 sources, directional spot or area light
- Clip for hanging or mounting



BAL 18-0

Battery type	–
No. of batteries supplied	0
Bulb type	lumens
Weight with battery pack (kg)	1,01
Supplied in	–
Article Number	4932352661
EAN Code	4002395373192

BAL 18-0



4 002395 373192

18 V USB CHARGER

PRO 18v

BHJ18C

- Compatible with all 18v PRO LITHIUM-ION™ AEG Batteries
- Makes it possible to run the 12V Heated Gear out of 18v PRO LITHIUM-ION™ Battery pack
- USB charging port for MP3 player, mobile phone, digital camera, GPS
- Belt Clip for maximum comfort
- On/Off switch for USB port



BHJ18C-0

Battery type	Li-ion
No. of batteries supplied	0
Weight with battery pack (kg)	0,71
Supplied in	Blister
Article Number	4935459335
EAN Code	4058546009960

BHJ18C-0



4 058546 009960

18 V DAB + DIGITAL JOBSITE RADIO

PRO 18v

BR 1218C

- Ultra compact AC/DC jobsite Radio 1,1Kg
- 150mm width only, fits on almost all window frames
- New Pro Lithium-Ion 5.0Ah provides over 20 hours runtime
- Back light Display allows perfect visibility
- 10 channel pre set for FM/ 10 channel pre set for DAB+
- DAB+ compatible
- Aux Cable Connector (Ipod, Phone)
- Water and debris resistant to withstand tough conditions on the jobsite
- Accept all 12V stem packs and all Pro 18V packs
- 240V 2 pin EU plug transformer included



BR 1218C-0

Battery type	Li-ion
No. of batteries supplied	0
Weight with battery pack (kg)	1,93
Supplied in	Gift box
Article Number	4935451539
EAN Code	4002395146369

BR 1218C-0



18 V JOBSITE BLOWER

PRO 18v

BGE18

- Compact & powerful blower for jobsite clean up
- 3-speed setting dial
- Reinforced housing for durability
- Trigger actuated variable speed



BGE18-0

Battery type	Li-ion
No. of batteries supplied	0
No load speed (rpm)	19,000
Air volume (m³/min)	2,9
Supplied in	Recyclable Carton
Weight with battery pack (kg)	1,94
Article Number	4935464986
EAN Code	4058546229313

BGE18-0



18 V CAULK GUN WITH 310ML CARTRIDGE CAPACITY

PRO 18v

BKP18C

- 4000 N of force even for high viscosity material
- Anti-drip feature prevents unwanted dripping when trigger is released
- Speed dial with 6 speed settings for optimal speed
- Belt clip for easy storage during working
- Spring loaded cartridge holder for easy setup
- On board fuel gauge on the battery
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BKP18C-310-0	BKP18C-310LI-201B
Battery type	Li-ion	Li-ion
No. of batteries supplied	0	1
Weight with battery pack (kg)	2,9	2,9
Supplied in	Recyclable Carton	Tool bag
Article Number	4935471246	4935471247
EAN Code	4058546288747	4058546288754

BKP18C-310-0



BKP18C-310LI-201B



4500NM

Ideal torque for all construction glue or Silicone

18 V CAULK GUN

BKP18C-310-0

PRO 18v

ANTI-DROP
MECHANISM

Rod retracts automatically when
trigger is released pressure

- Speed Dial 1 - 6
- Keyless cartridge clamping mechanism
- 310 ml cartridge holder and rod

18 V 9,0 AH PROLITHIUM-ION™ HD BATTERY

PRO 18v

L1890RHD

- The new HD battery technology offers higher performance level on high demand applications
- AEG Powertools Lithium-Ion technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with ALL AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- New HD battery technology, the pack remains cool no matter the application - less risk of overheating
- 9,0Ah power for working all day long without having to recharge your battery. Up to 2x the runtime of our 5,0Ah battery
- Heavy duty pack construction for optimal resistance to jobsite abuses



	L1890RHD
Battery type	Li-ion
Battery pack capacity (Ah)	9,0
Voltage (V)	18
Weight (kg)	1,2
Article Number	4932464231
EAN Code	4058546221768

L1890RHD



18 V 6,0 AH PROLITHIUM-ION™ HD BATTERY

PRO 18v

L1860RHD

- The new HD battery technology offers higher performance level on high demand applications
- AEG Powertools Lithium-Ion technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with ALL AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- New HD battery technology, the pack remains cool no matter the application - less risk of overheating
- Up to 25% more runtime vs. our 5,0Ah battery
- Heavy duty pack construction for optimal resistance to jobsite abuses



	L1860RHD
Battery type	Li-ion
Battery pack capacity (Ah)	6,0
Voltage (V)	18
Weight (kg)	0,86
Article Number	4932464754
EAN Code	4058546226992

L1860RHD



18 V 3,0 AH PROLITHIUM-ION™ HD BATTERY

PRO 18v

L1830RHD

- The new HD battery technology offers higher performance level on high demand applications
- New HD battery technology helps the pack remain cool no matter the application - less risk of overheating
- AEG Powertools Lithium-Ion technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- Heavy duty pack construction for optimal resistance to jobsite abuses
- Backwards compatible with ALL AEG 18V tools



	L1830RHD
Battery type	Li-ion
Battery pack capacity (Ah)	3,0
Voltage (V)	18
Weight (kg)	0,66
Article Number	4932471051
EAN Code	4058546286798

L1830RHD



18 V 5,0 AH PROLITHIUM-ION™ BATTERY

PRO 18v
L1850R

- AEG Powertools Lithium-Ion technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Same size and weight as the 4.0Ah but with 25% more runtime
- Backwards compatible with ALL AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durability during high vibration applications and are more resistant to heat



	L1850R
Battery type	Li-ion
Battery pack capacity (Ah)	5,0
Voltage (V)	18
Weight (kg)	0,75
Article Number	4932451630
EAN Code	4002395140978

L1850R


4 002395 140978

18 V 4,0 AH PROLITHIUM-ION™ BATTERY

PRO 18v
L1840R

- AEG Powertools Lithium-Ion technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with ALL AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durability during high vibration applications and are more resistant to heat



	L1840R
Battery type	Li-ion
Battery pack capacity (Ah)	4,0
Voltage (V)	18
Weight (kg)	0,72
Article Number	4932430170
EAN Code	4002395378319

L1840R


4 002395 378319

18 V 3,0 AH PROLITHIUM-ION™ BATTERY

PRO 18v
L1830R

- AEG Powertools Lithium-Ion technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with ALL AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durability during high vibration applications and are more resistant to heat



	L1830R
Battery type	Li-ion
Battery pack capacity (Ah)	3,0
Voltage (V)	18
Weight (kg)	0,71
Article Number	4932352655
EAN Code	4002395373130

L1830R


4 002395 373130

18 V 2,0 AH PROLITHIUM-ION™ BATTERY



L1820R

- AEG Powertools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with ALL AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durability during high vibration applications and are more resistant to heat



	L1820R
Battery type	Li-ion
Battery pack capacity (Ah)	2,0
Voltage (V)	18
Weight (kg)	0,47
Article Number	4932430169
EAN Code	4002395378302



18 V 1.5 AH PROLITHIUM-ION™ BATTERY



L1815R

- AEG Powertools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with ALL AEG 18V tools
- On-board battery fuel gauge helps the user to maximize their battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durability during high vibration applications and are more resistant to heat



	L1815R
Battery type	Li-ion
Battery pack capacity (Ah)	1.5
Charger compatibility	AL 9618,BL 1218
Charger supplied	60 min,30 min
Article Number	4932352654
EAN Code	4002395373123



18 V 9,0 AH PROLITHIUM-ION™ HD STARTER KIT

SETL1890
RHDBLK

- The new HD battery technology offers higher performance lever on high demand applications
- AEG Powertools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects Battery if Temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with ALL AEG 18V tools



Article Number **4932464232**
EAN Code **4058546221775**

18 V 6,0 AH PROLITHIUM-ION™ HD STARTER KIT

SETL1860
RHDBLK

- The new HD battery technology offers higher performance lever on high demand applications
- AEG Powertools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with ALL AEG 18V tools



Article Number **4932464756**
EAN Code **4058546227012**

18 V 5,0 AH PROLITHIUM-ION™ BATTERY STARTER KIT

SET L1850BLK

- 12V-18V Twin Charger with fast charging and Car Plug with 1x18V 5,0Ah Battery Pack and a Bag
- AEG Powertools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency



Article Number **4932451629**
EAN Code **4002395140961**

18 V 2X5,0 AH PROLITHIUM-ION™ BATTERY STARTER KIT

SET LL1850 BL

- BL1218 standard Charger with 2 x L1840R in a Bag
- AEG Powertools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency



Article Number **4932464019**
EAN Code **4058546219642**

18 V 2X4,0 AH PROLITHIUM-ION™ BATTERY STARTER KIT

SET LL1840BL

- BL1218 standard Charger with 2 x L1840R in a Bag
- AEG Powertools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency



Article Number **4932451627**
EAN Code **4002395140930**

18 V 4,0 AH PROLITHIUM-ION™ BATTERY STARTER KIT

SET L1840 BL

- BL1218 standard Charger with 1 x 18V 4,0Ah Battery in a Sports Bag
- AEG Powertools Lithium-Ion technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize battery run-time efficiency



Article Number **4932430359**
EAN Code **4002395380206**



12-18 V FAST TWIN CHARGER

PRO 18v

BLK1218

- 12-18V Fast Twin Charger
- Provides fast charging capacity for stem and slide Battery packs out of 240V powersource
- Combined with a DC car plug for charging tools out of a 12V DC socket
- Quick and easy understanding about the charging status though Intuitive LED interface
- Charges 18V 5,0Ah out of main 240V power in 60mins / out of 12V DC plug in 90mins



	BLK1218
Battery type	Li-ion
Weight (kg)	1,59
Supplied in	Giftbox
Article Number	4932451538
EAN Code	4002395146352



18 V CHARGER

PRO 18v

BL 1218

- Power LED: Indicates if the charger is plugged on an energy source
- Evaluate LED: Indicates when the charger is analyzing the battery status
- Defect LED: Blinks when the pack is defective
- Charging LED: Blinks when the battery is charging, stays when the pack is charged
- Temperature LED: Blinks when the pack is too hot or too cold and needs to be cooled or warmed before charging



	BL 1218 GEN II
Battery type	Li-ion, NiCd, NiMH
Charging range	12 - 18 V
Weight (kg)	0,745
Supplied in	Giftbox
Article Number	4932352659
EAN Code	4002395373178

BL 1218 GEN II



4 002395 373178

18 V CHARGER

PRO 18v

AL1218G

- 18 V Charger
- Charges all PRO18V batteries



	AL1218G
Battery type	Li-ion, NiCd, NiMH
Charging range	12 - 18 V
Charging time (min)	60
Weight (kg)	1,08
Supplied in	Giftbox
Article Number	4932352528
EAN Code	4002395371860

AL1218G



4 002395 371860

AEG



COMPACT SIZE.
HEAVY DUTY
PERFORMANCE.

THE  RANGE



12 V 2-SPEED DRILL DRIVER

BBS 12C2

- Removable chuck system allows user to keep a 25 mm screwdriving bit in the reception when the chuck is installed
- Extremely compact percussion drill - 192 mm length with the chuck / 155 mm without
- LED light with twilight mode - allows to work in tight and confined spaces
- Belt clip for easy transportation
- Built in fuel gauge
- High torque - 32 Nm for a wide range of applications
- Offset and right angle attachments available separately
- Full metal planetary gears and gear housing for maximum durability
- Ideal for all application in series that required pre-drilling
- 25 mm screw driving bit can be let in the reception when the attachment is installed



	BBS 12C2 LI-202B	BBS 12C2 LI-202C KIT 1
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2,0	2,0
No. of batteries supplied	2	2
Charger supplied	40 min	40 min
Max. drilling wood/ steel (mm)	20/10	20/10
Max. torque (Nm)	32	32
No load speed (rpm)	0 - 400/0 - 1500	0 - 400/0 - 1500
Standard equipment	Removable chuck, screwdriving bit, belt clip	Removable chuck, chuck offset attachment, screwdriving bit, belt clip
Weight with battery pack (kg)	1,2	1,2
Supplied in	Tool bag	Kitbox
Article Number	4935446693	4935446382
EAN Code	4002395136377	4002395136131

BBS 12C2 LI-202B



BBS 12C2 LI-202C KIT 1



12 V 2-SPEED ULTRA COMPACT PERCUSSION DRILL

BSB 12C2

- Compact hammer drill/driver measuring only 192 mm
- Built in fuel gauge
- Belt clip
- 2-speed gearbox for a wide range of applications
- Industrial metal gearbox and gears for superior durability
- FIXTEC spindle lock and keyless 10 mm chuck
- Electronic switch with variable speed
- 3 mode selector - ease of use between applications
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Powerful Torque of 32 Nm (2.0Ah) / 40 Nm (4.0Ah) for all driving applications



	BSB 12C2 LI-202B	BSB 12C2 LI-402B
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	2,0	4,0
No. of batteries supplied	2	2
Charger supplied	40 min	80 min
Max. drilling wood/ steel/ masonry (mm)	20/10/10	20/10/10
Max. percussion rate (bpm)	22.500	22.500
Chuck capacity (mm)	10	10
Max. torque (Nm)	32	40
No load speed (rpm)	0 - 400/0 - 1500	0 - 400/0 - 1500
Weight with battery pack (kg)	1,4	1,2
Supplied in	Tool bag	Tool bag
Article Number	4935443964	4935446696
EAN Code	4002395135622	4002395136384

BSB 12C2 LI-202B



BSB 12C2 LI-402B



12 V COMPACT SCREWDRIVER

BS 12C2 NEW

- New compact screwdriver
- 17-stage torque adjustment plus additional drilling stage
- 2-speed gearbox for a wide range of applications
- Built in fuel gauge
- Belt clip
- FIXTEC spindle lock on keyless 10mm chuck
- Electronic switch with variable speed
- Built in LED light illuminates the work surface
- Features AEG Pro-Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BS12C2 LI-152B	BS12C2 LI-202B	BS 12C2 Li-202C New
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	2,0	2,0
No. of batteries supplied	2	2	2
Charger supplied	30 min	40 min	40 min
Max. drilling wood (mm)	20	20	20
Max. drilling steel (mm)	10	10	10
Max. torque (Nm)	34	34	34
No load speed (rpm)	0 - 350/0 - 1500	0 - 350/0 - 1500	0 - 350/0 - 1500
Weight with battery pack (kg)	1,1	1,1	1,1
Supplied in	Tool bag	Tool bag	Kitbox
Article Number	4935448464	4935448465	4935447867
EAN Code	4002395259380	4002395259397	4002395135585

BS12C2 LI-152B



BS12C2 LI-202B



BS 12C2 Li-202C New



12 V ULTRA COMPACT DRILL/DRIVER

BS 12C

- Compact pocket drill/screwdriver measuring only 161 mm
- Built in fuel gauge
- 17-stage torque adjustment plus additional drilling stage
- Industrial metal gearbox and gears for superior durability
- FIXTEC spindle lock and keyless 10 mm chuck
- Electronic switch with variable speed
- Built in LED light illuminates the work surfaces
- Overload protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BS 12C LI-151B	BS 12C LI-152B
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	1,5
No. of batteries supplied	1	2
Charger supplied	30 min	30 min
Max. drilling wood/ steel (mm)	20/10	20/10
Max. torque (Nm)	18,5	18,5
No load speed (rpm)	0 - 575	0 - 575
Weight with battery pack (kg)	1,0	1,0
Supplied in	Tool bag	Tool bag
Article Number	4935433901	4935433902
EAN Code	4002395126347	4002395126354

BS 12C LI-151B



BS 12C LI-152B



12 V ULTRA COMPACT IMPACT DRIVER

BSS 12C

- Ultra compact impact driver measuring only 163 mm
- 115 Nm torque
- Industrial metal gearbox and gears for superior durability
- Built in fuel gauge
- 1/4" Hex bit reception
- Ergonomic soft-grip design
- NEW 3 beam LED for total workplace illumination
- Belt clip
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BSS 12C-0	BSS 12C LI-202C
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0
No. of batteries supplied	0	2
Charger supplied	-	40 min
Max. torque (Nm)	115	115
No load speed (rpm)	0 - 2000	0 - 2000
Impact rate (ipm)	0 - 3000	0 - 3000
Tool reception	1/4" Hex	1/4" Hex
Weight with battery pack (kg)	-	1,0
Supplied in	-	Kitbox
Article Number	4935446702	4935443965
EAN Code	4002395136407	4002395135639

BSS 12C-0



BSS 12C LI-202C



12 V CORDLESS HAMMER

BBH 12

- L-shape SDS hammer for drilling and fixing into concrete up to 13 mm
- 0.9 Joule impact energy delivers high performance
- Hammer action stop for rotary drilling in wood and metal
- Built in fuel gauge
- Metal gearbox for extended durability
- Safety clutch for user protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a screwdriving bit adaptor



	BBH12-0	BBH 12 LI-202C	BBH 12 LI-402C	BBH 12 LI-401C
Battery type	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0	4,0	4,0
No. of batteries supplied	0	2	2	1
Charger supplied	-	40 min	80 min	80 min
Max. drilling wood/ steel/ concrete (mm)	10/8/13	10/8/13	10/8/13	10/8/13
Blow energy (EPTA)(J)	0,9	0,9	0,9	0,9
No load speed (rpm)	0 - 800	0 - 800	0 - 800	0 - 800
Full load hammer action (bpm)	0 - 5350	0 - 5350	0 - 5350	0 - 5350
Weight with battery pack (kg)	-	1,6	1,8	1,8
Supplied in	-	Kitbox	Kitbox	Kitbox
Article Number	4935446699	4935443968	4935443991	4935443988
EAN Code	4002395136391	4002395135646	4002395135721	4002395135714

BBH12-0



BBH 12 LI-402C



BBH 12 LI-202C



BBH 12 LI-401C



12 V DRYWALL SCREWDRIVER

BTS12C

- Light and small Drywall Screwdriver weighs only 1,5 kg with an OAL of 254mm
- Really powerful motor with 4000rpm
- A lock on Trigger to work more comfortable and safe runtime
- Fine adjustment nose cone for setting desired countersink levels in single screw applications +/-5 mm
- Quick release 1/4" Hex chuck allows for easy bit change
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- Fuel gauge displays remaining charge
- Bright LED workspace illumination
- Belt clip to hang your tool quickly and easily



	BTS12C-0	BTS12C LI-202C	BTS12C LI-302C
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	-	2,0	3,0
No. of batteries supplied	0	2	2
Charger supplied	-	40 min	60 min
Max. torque (Nm)	3	3	3
No load speed (rpm)	4000	4000	4000
Tool reception	1/4" Hex	1/4" Hex	1/4" Hex
Wood screws to (mm)	25 - 55	25 - 55	25 - 55
Weight with battery pack (kg)	1,71	1,2	1,2
Supplied in	Gift box	-	-
Article Number	4935459624	4935459625	4935459626
EAN Code	4058546027964	4058546027971	4058546027988

BTS12C-0



BTS12C LI-202C



BTS12C LI-302C



12 V FLASHLIGHT

BLL 12 C

- Fantastic power to weight ratio
- Extra long runtime with Pro lithium Packs



	BLL 12C
Bulb type	LED
Battery Life (continuous use) (hrs)	9 (1.5ah)
Weight with battery pack (kg)	0,71
Supplied in	–
Article Number	4932352162
EAN Code	4002395368150



12 V MULTI-TOOL

BMT12C

- The 12V Multitool is a problem solver for the professional user
- 20.000 opm enables you to work with all kind of materials
- Speed dial 1-6 for perfect control of the speed
- Lock-on Switch for better comfort, no need for constant pushing
- Keyless bladechange is an easy and quick solution
- 1,5°/1,5° L/R oscillation for a clean cut
- Fuel gauge, to be aware of the power remaining
- Unique LED in Multitool, makes it able to work even in dark areas
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



	BMT12C-0	BMT12C LI-152B
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	-	1,5
Charger supplied	–	30 min
Standard equipment	1 x multi-tool head, accessories	1 x multi-tool head, accessories
Oscillation rate (opm)	20.000	20.000
Weight with battery pack (kg)	1,37	1,1
Supplied in	Gift box	Tool bag
Article Number	4935464030	4935464031
EAN Code	4058546219758	4058546219765



12 V 6.0 AH PROLITHIUM-ION™ BATTERY

L1260

- AEG Powertools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging



Article Number	4932459181
EAN Code	4002395288564

12 V 3.0 AH PROLITHIUM-ION™ BATTERY

L1230

- AEG Powertools Lithium-Ion technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging



Article Number	4932352824
EAN Code	4002395374823

12 V 4.0 AH PROLITHIUM-ION™ BATTERY

L1240

- AEG Powertools Lithium-Ion technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Impact and vibration resistant outer shell to protect and increase the lifetime of each pack



Article Number	4932430166
EAN Code	4002395378272

12 V 2.0 AH PROLITHIUM-ION™ BATTERY

L1220

- AEG Powertools Lithium-Ion technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging



Article Number	4932430165
EAN Code	4002395378265

12 V 1,5 AH PROLITHIUM-ION™ BATTERY

L1215 GEN I

- AEG Powertools Lithium-Ion technology provides the optimum power battery platform with triple protection
- Thermal overload protection: Protects battery if temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging



Article Number	4932352095
EAN Code	4002395367481

CHARGER

LL1230

- Compatible with all AEG 12V batteries
- Heavy duty durable plastic case
- Dual LED Charge level indicator with easy to read descriptions
- Battery Fault indicator displays when battery is defective



Article Number	4932352096
EAN Code	4002395367498

14,4 V COMPACT PERCUSSION DRILL

BSB 14C

- 3 mode selector
- Powerful new frameless motor delivering 50 Nm maximum torque
- 2 speeds - 0-400 / 0-1500 rpm
- FIXTEC 13 mm keyless chuck
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



BSB 14C LI-202C

Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel/ masonry (mm)	45/13/14
Max. percussion rate (bpm)	19.500
Chuck capacity (mm)	1,5 - 13
Max. torque (Nm)	50
No load speed (rpm)	0 - 400/0 - 1500
Weight with battery pack (kg)	1,8
Supplied in	Kitbox
Article Number	4935443974
EAN Code	4002395136025

BSB 14C LI-202C



14,4 V COMPACT PERCUSSION DRILL

BSB 14G3

- Compact (190mm OAL) & powerful for completion of all jobsite applications
- 36 Nm maximum torque delivers complete power
- 2 speed Gearbox 0-400 / 0-1700 rpm
- 24-stage torque adjustment
- 13 mm single sleeve metal chuck with full metal jaws
- 3 mode selector - ease of use between functions
- LED - for work place illumination and built in Fuel Gauge
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool*



BSB14G3 LI-202C

Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Max. drilling wood/ steel (mm)	32/13
Max. torque (Nm)	36
No load speed (rpm)	0-400 / 0-1700
Weight with battery pack (kg)	1,26
Supplied in	Kitbox
Article Number	4935451532
EAN Code	4002395145690

BSB14G3 LI-202C



14,4 V COMPACT DRILL DRIVER

BS 14C

- Ultra compact drill/driver measuring 186 mm in length
- Powerful new frameless motor delivering 50 Nm maximum torque
- 2 speeds 0-400 / 0-1500 rpm
- FIXTEC 13 mm keyless chuck
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



BS 14C LI-202C

Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	40 min
Max. drilling wood/ steel (mm)	45/13
Chuck capacity (mm)	1,5-13
Max. torque (Nm)	50
No load speed (rpm)	0 - 400 / 0 - 1500
Weight with battery pack (kg)	1,7
Supplied in	Kitbox
Article Number	4935443971
EAN Code	4002395135653

BS 14C LI-202C



14,4 V COMPACT DRILL DRIVER

BS 14G3

- Compact (Up to 180mm OAL) & powerful for completion of all jobsite applications
- Up to 36 Nm maximum torque delivers complete power
- 2 speeds 0-400 / 0-1700 rpm
- 24 stage torque adjustment for complete control
- 13 mm single sleeve metal chuck with full metal jaws (202C Version only)
- Built in fuel gauge (202C Version only)
- LED - for work place illumination (202C Version only)
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool*



BS 14G3 LI-152C

BS 14G3 LI-202C

Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	2,0
No. of batteries supplied	2	2
Charger supplied	60 min	80 min
Max. drilling steel (mm)	10	13
Max. drilling wood (mm)	30	32
Chuck capacity (mm)	0,8 - 10	2,0 - 13
Max. torque (Nm)	32	36
No load speed (rpm)	0 - 400 / 0 - 1700	0 - 400 / 0 - 1700
Weight with battery pack (kg)	1,2	1,2
Supplied in	Kitbox	Kitbox
Article Number	4935451092	4935451093
EAN Code	4002395811182	4002395811199

BS 14G3 LI-152C



BS 14G3 LI-202C



12 V COMPACT PERCUSSION DRILL

BSB 12G3

- Compact (188mm OAL) & powerful for completion of all jobsite applications
- 32 Nm maximum torque delivers complete power
- 2 speed Gearbox 0-350 / 0-1500 rpm
- 24-stage torque adjustment
- 10 mm single sleeve chuck with full metal jaws
- 3 mode selector - ease of use between functions
- New 12V 2.0Ah pro Lithium pack delivering higher power and higher runtime
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Built in LED and Fuel Gauge



BSB 12G3 LI-202C

Battery type	Li-ion
Battery pack capacity (Ah)	2,0
No. of batteries supplied	2
Charger supplied	80 min
Max. drilling wood (mm)	30
Max. drilling steel (mm)	10
Chuck capacity (mm)	0,8 - 10
Max. torque (Nm)	32
No load speed gear 1 (rpm)	0 - 350
No load speed gear 2 (rpm)	0 - 1500
Weight with battery pack (kg)	1,2
Supplied in	Kitbox
Article Number	4935451531
EAN Code	4002395145683

BSB 12G3 LI-202C



12 V COMPACT DRILL DRIVER

BS 12G3

- Compact (180mm OAL) & powerful for completion of all jobsite applications
- Up to 32 Nm maximum torque delivers complete power
- 2 speed Gearbox delivering 0-350 / 0-1500 rpm
- 24-stage torque adjustment for complete control
- 10 mm single sleeve chuck with full metal jaws
- New 12V 2.0 Ah pro lithium pack delivering higher power and higher runtime (202C Version only)
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



BS 12G3 LI-152C

Battery type	Li-ion	BS 12G3 LI-202C
Battery pack capacity (Ah)	1,5	2,0
No. of batteries supplied	2	2
Charger supplied	60 min	80 min
Max. torque (Nm)	30	32
Max. drilling wood (mm)	30	30
Max. drilling steel (mm)	10	10
No load speed (rpm)	0 - 350/0 - 1500	0 - 350/0 - 1500
Chuck capacity (mm)	0,8 - 10	0,8 - 10
Weight with battery pack (kg)	1,1	1,1
Supplied in	Kitbox	Kitbox
Article Number	4935451090	4935451091
EAN Code	4002395811168	4002395811175

BS 12G3 LI-152C



BS 12G3 LI-202C



3.6 V INLINE SCREWDRIVER

SE 3.6

- In-line or angled handle adjustment
- 10-stage torque selection plus drill stage
- Ergonomic, modern design
- 2-speed full metal gearbox
- 1/4" Hex bit reception



SE 3.6 LI-152C

Battery type	Li-ion
Battery pack capacity (Ah)	1,5
No. of batteries supplied	2
Charger supplied	30 min
No load speed (rpm)	200/600
Weight with battery pack (kg)	0.6
Supplied in	Kitbox
Article Number	4935413165
EAN Code	4002395197538

SE 3.6 LI-152C



LASER DISTANCE METER

LMG 50

- Point and shoot system - one person measuring with only one simple press of a button
- Area, volume, height and width measurement
- Pythagoras 3 types
- Large and easy to read 3 line LCD graphical display with automatic white backlight
- Measuring pin for corner measurement
- Memory recall for last 10 measurements
- IP54 water & dust protection
- Extremely slim LDM
- Rubber overmold for a perfect handling
- Large rising buttons with intuitive positioning
- Belt clip makes it easy to carry and to hold in the pocket
- Addition/Subtraction function for adding measures of areas and volumes
- 3 points of measures: from the back, front or back end pin
- Indirect surface measurement



LMG 50

Battery type	2 x AAA
No. of batteries supplied	2
IP protection class	IP 54
Max. measurement range (m)	50
Pythagoras function	3 - point
Weight with battery pack (kg)	1,0
Supplied in	Blister
Article Number	4935447680
EAN Code	4002395294275

LMG 50



OMNIPRO



THIS IS HOW
REAL PROS
MULTI TASK

AEG-POWERTOOLS.EU

18 V MULTI-TOOL

OMNI 18C

- Gives more power and more runtime whilst keeping the advantage of cordless portability.
- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2-finger switch with adjustable speed
- One handed use of applications
- Optimum power to weight ratio
- LED for work place illumination
- Built in fuel gauge
- Slim design handle for a perfect ergonomics and a better vibration absorption



	OMNI 18C 0-KIT1	OMNI 18C LI-152BKIT1
Battery type	Li-ion	Li-ion
Battery pack capacity (Ah)	–	1,5
Charger supplied	–	30 min
Oscillation rate (opm)	20.000	20.000
Standard equipment	1 x multi-tool head, accessories	1 x multi-tool head, accessories
Weight with battery pack (kg)	–	0.374
Supplied in	–	Tool bag
Article Number	4935440645	4935440644
EAN Code	4002395134649	4002395134632

OMNI 18C 0-KIT1



4 002395 134649

OMNI 18C LI-152BKIT1



4 002395 134632

AC MULTI-TOOL

OMNI 300

- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- One handed use of applications
- LED for work place illumination



	OMNI 300 KIT1
Power input (W)	300
No. of batteries supplied	0
Oscillation rate (opm)	20.000
Oscillation angle left/ right (°)	2,0
Standard equipment	1 x multi-tool head, accessories
Weight (kg)	2,52
Supplied in	Tool bag
Article Number	4935431790
EAN Code	4002395194995

OMNI 300 KIT1



4 002395 194995

OMNI KEYLESS MULTI TOOL HEAD

OMNI - MTX

- For applications: cutting, grout removal, rasping, sanding, scraping, polishing
- Keyless blade change system, no more allen key needed for an easy and quick solution
- Full metal head construction for more durability
- Supplied with an adaptor which are fitting the most common blades on the market



	OMNI - MTX
Oscillation angle left/ right (°)	2° / 2°
Oscillation rate (opm)	20.000
Article Number	4935446707
EAN Code	4002395136414

OMNI MULTI-TOOL HEAD

OMNI-MT

- For applications: sawing, grout removal, rasping, shaving, sanding, scraping, filing, cutting, sharpening, polishing



	OMNI-MT
Oscillation angle left/ right (°)	1,5
Article Number	4935440700
EAN Code	4002395134717

OMNI ROTARY/DRYWALL CUTTER HEAD

OMNI - RT

- A problem solver head for the professional user, which will help them to make clean and precise curve plunge cut in drywall. Precise cut in non-ferrous metal, small and precise grinding & sanding jobs
- Up to 24.000 rpm clean cut in all materials
- Adjustable depth gauge for having a perfect control of the cut
- Multipurpose depth gauge: one end depth gauge, other End Key to change the bit. Easy and quick solution, always by the tool, no need to lose time looking for the key
- 3,2mm reception accepts the most common accessories on the market. Can be used: cutting wheel for cutting metal. Grinding wheel for metal. Sanding wheels for wood. Drywall drill bit etc.



	OMNI - RT
No load speed (rpm)	24.000
Collet capacity (mm)	3.175
Article Number	4935451311
EAN Code	4002395151295

OMNI JIGSAW HEAD

OMNI-JS

- For applications: cutting wood, laminate, thin metal and plastic
- Keyless blade change system
- Integrated Dust Blow
- Full metal gear case for maximum durability
- 15mm Stroke Length for clean and fast cuts



	OMNI-JS
Max. cutting capacity wood/ steel/ aluminium (mm)	40/6/10
Stroke length (mm)	15
No load stroke rate (spm)	0 - 3000
Article Number	4935440715
EAN Code	4002395134748

OMNI RECIPROCATING SAW HEAD

OMNI-RH

- For applications: cutting metal & plastic pipe, wood (interior, garden & exterior), plasterboard
- 13mm Stroke length and up to 3.000 spm for fast cutting application
- Keyless Blade change for perfect ergonomics



	OMNI-RH
No load stroke rate (spm)	0 - 3000
Stroke length (mm)	13
Article Number	4935440725
EAN Code	4002395134762

OMNI RIGHT ANGLE DRILLING HEAD

OMNI-RAD

- For applications: drilling wood, metal and plastic, fastening / screwdriving
- Single Sleeve 10mm Chuck



	OMNI-RAD
Max. drilling wood/ steel (mm)	18/10
Max. torque (Nm)	12
No load speed (rpm)	0 - 550
Wood screws to (mm)	4
Article Number	4935440705
EAN Code	4002395134724

OMNI RATCHET HEAD

OMNI-IR

- For applications: fastening / loosening bolts
- 3/8" reception
- 28Nm Torque for up to M12 capacity of nuts
- up to 220rpm in forward / reverse



	OMNI-IR
No load speed (rpm)	0 - 220
Tool reception	3/8" square
Max. torque (Nm)	28
Article Number	4935440720
EAN Code	4002395134755

OMNI IMPACT DRIVER HEAD

OMNI-IH

- For applications: fastening / screwdriving, drilling wood & metal
- Quick Release system for easy change of bit



	OMNI-IH
Max. torque (Nm)	62
Impact rate (ipm)	0 - 3100
No load speed (rpm)	0 - 2000
Tool reception	1/4" Hex
Article Number	4935440730
EAN Code	4002395134779

A construction worker wearing black protective overalls and gloves is using an AEG AC Hammer drill. The drill is orange and silver, with the AEG logo visible on the orange motor housing. The worker is holding the drill with both hands, and the drill bit is positioned on a concrete surface. The background shows a construction site with dirt and debris.

AEG

AC HAMMER
RANGE

SDS-PLUS ROTARY HAMMER

BH 24IE

- Powerful 800 watt motor
- 24 mm drilling capacity in concrete
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism
- Soft-grip handle for comfort

	BH 24IE
Power input (W)	800
No load speed (rpm)	0 - 1500
Max. drilling wood/ steel/ concrete (mm)	30/ 13/ 24
Full load hammer action (bpm)	0 - 4500
Blow energy (EPTA)(J)	2,4
Tool reception	SDS-Plus
Weight (kg)	2,8
Supplied in	Kitbox
Article Number	4935451558
EAN Code	4002395145201



BH 24IE



SDS-PLUS COMBI HAMMER

KH 24IE

- Powerful 800 watt motor
- 24 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and Reverse mechanism

	KH 24IE
Power input (W)	800
No load speed (rpm)	0 - 1500
Blow energy (EPTA)(J)	2,4
Full load hammer action (bpm)	0 - 4500
Max. drilling wood/ steel/ concrete (mm)	30/ 13/ 24mm
FIXTEC	No
Weight (kg)	2,8
Tool reception	SDS-Plus
Supplied in	Kitbox
Article Number	4935451555
EAN Code	4002395144570



KH 24IE



SDS-PLUS ROTARY HAMMER

KH 24IXE

- Powerful 800 watt motor
- 24 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- FIXTEC quick change chuck
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal

	KH_24_IXE
Power input (W)	800
No load speed (rpm)	0 - 1500
Blow energy (EPTA)(J)	2,4
Full load hammer action (bpm)	0 - 4500
Max. drilling wood/ steel/ concrete (mm)	30/ 13/ 24mm
FIXTEC	Yes
Weight (kg)	2,8
Tool reception	SDS-Plus
Supplied in	Kitbox
Article Number	4935451553
EAN Code	4002395144556



KH_24_IXE



SDS-PLUS COMBI HAMMER

KH 26E

- Powerful 800 watt motor
- 26 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and Reverse mechanism

	KH 26E	KH 26XE
Power input (W)	800	800
No load speed (rpm)	0 - 1500	0 - 1500
Blow energy (EPTA)(J)	2.5	2.5
Full load hammer action (bpm)	0 - 4500	0 - 4500
Max. drilling wood/ steel/ concrete (mm)	30/13/26	30/13/26
FIXTEC	No	Yes
Weight (kg)	2.6	2.8
Supplied in	Kitbox	Kitbox
Article Number	4935428180	4935428910
EAN Code	4002395194360	4002395194681



KH 26E



KH 26XE



SDS-PLUS COMBI HAMMER

KH 28 Super XE

- Powerful 1010 watt motor
- 28 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for drilling/chiselling in sensitive materials
- FIXTEC quick change tool system
- Safety clutch for user protection
- Variable speed electronics for control

	KH 28 Super XE
Power input (W)	1010
No load speed (rpm)	0 - 1500
Blow energy (EPTA)(J)	2.8
Full load hammer action (bpm)	0 - 5000
Max. drilling wood/ steel/ concrete (mm)	30/13/28
Weight (kg)	2.8
Supplied in	Kitbox
Article Number	4935428190
EAN Code	4002395194377



KH 28 Super XE



SDS-PLUS CHIPPING HAMMER

PM 3

- Powerful 720 watt motor
- 3.6 J impact energy for powerful chipping
- Variolock (35 positions) for selecting the most appropriate chisel angle
- Service hatches for easy changing of carbon brushes
- Lock-on switch function
- AVS anti-vibration system significantly reduces vibration for more comfortable operation
- Soft-grip for more comfortable handling

	PM 3
Power input (W)	720
Blow energy (EPTA)(J)	3.6
Full load hammer action (bpm)	0 - 3650
Weight (kg)	3.7
Supplied in	Kitbox
Article Number	4935412541
EAN Code	4002395199044



PM 3



SDS-PLUS COMBI HAMMER

PN 3500X

- Powerful 750 watt motor
- 30 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for controlled drilling in masonry
- FIXTEC quick change tool system
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection

	PN 3500X	PN 3500
Power input (W)	750	750
No load speed (rpm)	0 - 970	0 - 970
Blow energy (EPTA)(J)	3,4	3,4
Full load hammer action (bpm)	0 - 4200	0 - 4200
Max. drilling wood/ steel/ concrete (mm)	40/16/30	40/16/30
FIXTEC	Yes	No
Weight (kg)	3,6	3,4
Supplied in	Kitbox	Kitbox
Article Number	4935412210	4935412152
EAN Code	4002395198337	4002395198306



PN 3500X



4 002395 198337

SDS-MAX TRADESMANN CHIPPING HAMMER

MH 5 G

- Best power to weight ratio in its class
- 2 mode SDS-Max chipping hammer
- Multi position chisel function gives 12 different positions to optimize working angle
- Robust magnesium gear housing for tough environments, exact seat fitting of gear components for better cooling
- Low vibration construction enhances usage time per day
- Soft grip side handle
- Supplied with a side handle and a 4 m cable

	MH 5G
Power input (W)	1100
Blow energy (EPTA)(J)	7,5
Full load hammer action (bpm)	0 - 3000
Vibration chiseling (m/s²)	16.7
Weight (kg)	5,9
Supplied in	Kitbox
Article Number	4935443170
EAN Code	4002395135462



MH 5G



4 002395 135462

SDS-MAX COMBI HAMMER

KH 5 G

- Powerful 1100 watt motor
- 7.5 J EPTA blow energy
- 40 mm drilling capacity in concrete
- Rotary stop for chiselling applications
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling
- Supplied with a side handle, metal depth gauge, grease and a 4 m cable

	KH 5 G
Power input (W)	1100
No load speed (rpm)	0 - 450
Blow energy (EPTA)(J)	7,5
Full load hammer action (bpm)	0 - 3000
Max. drilling concrete/core bit/tunnel drill bit (mm)	40/105/65
Weight (kg)	6,4
Supplied in	Kitbox
Article Number	4935418160
EAN Code	4002395133062



KH 5 G



4 002395 133062

SDS-MAX DEMOLITION HAMMER

MH 5 E

- Powerful 1200 watt motor
- 8.5 J impact energy for effortless chipping
- Soft hammer mode reduces blow energy for chiselling in sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiselling
- Service light provides in-time notice in the case of worn out brushes
- Power light indicates if electricity flows



	MH 5 E
Power input (W)	1200
Blow energy (EPTA)(J)	8,5
Full load hammer action (bpm)	0 - 2840
Weight (kg)	6,2
Supplied in	Kitbox
Article Number	4935412361
EAN Code	4002395198795



SDS-MAX COMBI HAMMER

KH 5 E

- Powerful 1200 watt motor
- 40 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for drilling/chiselling in sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling



	KH 5 E
Power input (W)	1200
No load speed (rpm)	0 - 300
Blow energy (EPTA)(J)	8,5
Full load hammer action (bpm)	0 - 2840
Max. drilling concrete/core bit/tunnel drill bit (mm)	40/90/65
Weight (kg)	6,6
Supplied in	Kitbox
Article Number	4935412326
EAN Code	4002395198603



SDS-MAX DEMOLITION HAMMER

MH 7 E

- Powerful 1.500 watt motor
- 10.5 J impact energy for stronger chipping applications
- Soft hammer mode for reducing the blow energy by working on sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiseling
- Service lights provides in-time notice in case of worn out brushes
- Power light indicates if electricity flows



	MH 7 E
Power input (W)	1500
Full load hammer action (bpm)	0 - 2700
Blow energy (EPTA)(J)	10,5
Vibration chiseling (m/s²)	11,1
Weight (kg)	7,3
Supplied in	Kitbox
Article Number	4935459422
EAN Code	4058546010836



SDS-MAX CHIPPING HAMMER

KH 7E

- Powerful 1500 watt motor
- 10.5 J impact energy for stronger chipping applications
- Soft hammer mode for reducing the blow energy by working on sensitive materials
- 3 mode selector switch (1-Hammer drilling / 2-Chisel lock off), allows to lock chisel in 12 different positions
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiseling
- Service lights provides in-time notice in case of worn out brushes



Power input (W)	1500 W
No load speed (m/min)	300 min
Blow energy (J)	10,5 J
Max. drilling concrete (mm)	45
Max. drilling tunnel bit (mm)	80
Weight (kg)	7,3 kg
Article Number	4935459609
EAN Code	4058546027810

KH 7E



SDS-MAX LARGE DEMOLITION HAMMER

PM 10 E

- Powerful 1600 watt motor
- 20 J impact energy for heavy demolition applications
- Variable speed electronics for control
- No load speed limitation
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiselling
- Service light provides in-time notice in the case of worn out brushes



	PM 10 E
Power input (W)	1600
Blow energy (EPTA)(J)	20
Full load hammer action (bpm)	975 - 1950
Weight (kg)	11,0
Supplied in	Kitbox
Article Number	4935412418
EAN Code	4002395198832

PM 10 E



SDS-MAX LARGE COMBI HAMMER

PN 11 E

- Powerful 1700 watt motor
- 20 J impact energy for heavy demolition applications
- 50 mm drilling capacity into concrete
- Variable speed electronics for control
- No load speed limitation
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection



	PN 11 E
Power input (W)	1700
Blow energy (EPTA)(J)	20
Full load hammer action (bpm)	975 - 1950
Max. drilling concrete/core bit/tunnel drill bit (mm)	50/150/80
Weight (kg)	11,8
Supplied in	Kitbox
Article Number	4935412440
EAN Code	4002395198931

PN 11 E



AEG

A construction worker wearing a black hard hat, safety glasses, and an orange high-visibility vest over a black jacket is using an AEG AC drilling tool to drill into a brick wall. The worker is focused on the task, with dust or sparks visible around the drill bit. The background shows a construction site with rebar and other structural elements.

AC DRILLING RANGE

2-SPEED PERCUSSION DRILL

SB2E 1100 RV

- 1100 Watt powerful 2 speed percussion drill
- Anti vibration system for better comfort of use
- Large metal gear case for maximum durability
- 13 mm metal chuck
- Ergonomic soft-grip design for comfort

	SB2E 1100 RV	SB2E 1100 RVZ
Power input (W)	1100	1100
No load speed (rpm)	0 - 1000/0 - 3200	0 - 1000/0 - 3200
Max. drilling wood/ steel/ masonry/ concrete (mm)	40/13/24/22	40/13/24/22
Max. torque (Nm)	60	60
Chuck capacity (mm)	13	13
Chuck type	Keyless	Keyed
Weight (kg)	2,9	2,9
Supplied in	Kitbox	Kitbox
Article Number	4935447375	4935447385
EAN Code	4002395294176	4002395294183


SB2E 1100 RV

SB2E 1100 RVZ


2-SPEED PERCUSSION DRILL

SB2E 850 R

- 850 Watt powerful 2 speed percussion drill
- 10 mm shorter than the previous version (235 mm OAL)
- Large switch with speed dial for stationary drilling or light mixing
- Large metal gear case for maximum durability
- 13 mm metal chuck
- Ergonomic soft-grip design for comfort

	SB2E 850 R	SB2E 850 RZ
Power input (W)	850	850
No load speed (rpm)	0 - 1000/0 - 3000	0 - 1000/0 - 3000
Max. drilling wood/ steel/ masonry/ concrete (mm)	40/13/22/20	40/13/22/20
Max. torque (Nm)	56	56
Chuck capacity (mm)	13	13
Chuck type	Keyless	Keyed
Weight (kg)	2,7	2,7
Supplied in	Kitbox	Kitbox
Article Number	4935447360	4935447370
EAN Code	4002395294152	4002395294169


SB2E 850 R

SB2E 850 RZ


HIGH TORQUE PERCUSSION DRILL

SB2E 750 RX ST

- Compact and powerful 750 watt high torque percussion drill
- 62 Nm torque delivers complete power
- IMB - Integrated-Metal-Block technology for highest durability and stability
- 2-speed gearbox with synchromesh gear lever
- Variable speed control with speed dial, forward and reverse mechanism
- Easy access to carbon brushes via removal of soft-grip rubber
- Hammer action stop for rotary drilling

	SB2E 750 RX ST	SB2E 750 R ST
Power input (W)	750	750
No load speed (rpm)	0 - 1200/0 - 3400	0 - 1200/0 - 3400
Max. drilling wood/ steel/ masonry/ concrete (mm)	40/13/22/20	40/13/22/20
Max. torque (Nm)	62	62
Chuck capacity (mm)	13	13
Weight (kg)	2,5	2,5
Supplied in	Kitbox	Kitbox
Article Number	4935412853	4935412839
EAN Code	4002395192779	4002395192700


SB2E 750 RX ST

SB2E 750 R ST


1-SPEED PERCUSSION DRILL

SBE 750 RE

- Compact and powerful 750 watt motor
- Speed dial and lock on trigger button for stationary drilling
- High drilling speed at 3.000 rpm
- IMB design for more durability
- Reinforced 2 sleeve 13 mm chuck
- Rubber overmold with micro texture for a perfect handling

	SBE 750 RE	SBE 750 RZ
Power input (W)	750	750
Max. drilling concrete (mm)	16	16
Max. drilling masonry (mm)	20	20
Max. torque (Nm)	27	27
Chuck capacity (mm)	1,5 - 13	1,5 - 13
Chuck type	Keyless	Keyed
Weight (kg)	1,9	1,9
Supplied in	Kitbox	Tool bag
Article Number	4935442850	4935442840
EAN Code	4002395247875	4002395247868



SBE 750 RE



SBE 750 RZ



1-SPEED PERCUSSION DRILL

SBE 705 RE

- Powerful 705 watt motor
- Speed dial on the switch with lock on button
- Fast drilling speed at 2.800 rpm
- IMB design for more durability
- High quality 13mm metal chuck
- Rubber overmold with micro texture for a perfect handling

	SBE 705 RE
Power input (W)	705
No load speed (rpm)	0 - 2800
Max. drilling wood/ steel/ masonry/ concrete (mm)	30/13/20/15
Max. torque (Nm)	25
Chuck capacity (mm)	13
Weight (kg)	1,9
Supplied in	Tool bag
Article Number	4935442830
EAN Code	4002395247851



SBE 705 RE



ROTARY DRILL

B4-1050

- Four-speed rotary drill for drilling up to 32 mm
- Breast plate and 57 mm gear neck for use in magnetic drill stands
- Standard morse taper 3 reception
- Attachable handle with adjustable length
- Supplied with a breast plate, attachable handle and a 4 m cable

	B4-1050
Power input (W)	1050
No load speed (rpm)	220/260/350/420
Max. drilling wood/ steel/ aluminium (mm)	52/32/52
Max. torque (Nm)	200
Tool reception	Morse taper 3
Weight (kg)	9,7
Supplied in	-
Article Number	4935415000
EAN Code	4002395193356



B4-1050



DRY DIAMOND DRILL

DB 1500-2 XE

- Powerful 1500 watt motor
- High performance 2-speed dry diamond drill
- Dual protection with interlinked mechanical and electronic clutches for safety
- Robust construction and full metal gearbox for durability
- 2-speed gear box
- Electronics with soft start for precision drilling and motor overload protection
- Soft hammer mode


DB 1500-2XE


	DB 1500-2XE
Power input (W)	1500
No load speed (rpm)	0 - 1500/0 - 3000
Spindle size	M 18 x 2,5
Max. drilling masonry (mm)	162
Weight (kg)	4,2
Supplied in	Kitbox
Article Number	4935412475
EAN Code	4002395198955

WALL CHASER

MFE 1500

- Powerful 1500 watt motor
- Electronics with thermal overload protection and soft start
- Variable and adjustable cutting depth for accurate results
- Variable cutting width for versatility
- Bayonet adaptor for dust extraction
- Spindle lock
- Supplied with a 4 m cable, special break out chisel, front handle, suction adaptor and a spanner



	MFE 1500
Power input (W)	1500
Disc diameter (mm)	125
No load speed (rpm)	0 - 9500
Cutting width (mm)	8-26
Weight (kg)	4,1
Supplied in	Kitbox
Article Number	4935413605
EAN Code	4002395192809

MFE 1500


DRYWALL SCREWDRIVER

S 4000 E

- Powerful 720 watt motor for increased productivity
- Compact high speed screwdriver for drywall applications
- Full metal gearbox for durability
- Easily adjustable depth-setting nosepiece for consistent fastener depth
- Forward and reverse mechanism
- Ergonomic design and soft-grip for comfortable handling
- 1/4" Hex bit reception

	S 4000 E
Power input (W)	720
No load speed (rpm)	0 - 4000
Drywall screws [mm]	5
Max. torque (Nm)	10
Tool reception	1/4" Hex
Weight (kg)	1,4
Supplied in	-
Article Number	4935413215
EAN Code	4002395197637



SELF DRILLING SCREWDRIVER

S 2500 E

- Powerful 720 watt motor for increased productivity
- Compact self drilling screwdriver with high torque for self tapping screws
- Full metal gearbox for durability
- Easily adjustable depth-setting nosepiece for consistent fastener depth
- Forward and reverse mechanism
- Ergonomic design and soft grip for comfortable handling
- 1/4" Hex bit reception

	S 2500 E
Power input (W)	720
No load speed (rpm)	0 - 2500
Self-tapping [mm]	6
Wood screws to (mm)	6
Max. torque (Nm)	14
Tool reception	1/4" Hex
Weight (kg)	1,5
Supplied in	-
Article Number	4935413225
EAN Code	4002395197651



A close-up, low-angle shot of a worker's hands, wearing black protective gloves, operating an orange and black AEG angle grinder. The tool is being used to grind a metal surface, resulting in a dense, bright spray of sparks that fills the upper right portion of the frame. The background is dark and industrial, with some structural elements visible. The overall lighting is dramatic, highlighting the sparks and the worker's hands.

AEG

AC METALWORKING RANGE

SMALL ANGLE GRINDER

WS 8-115 S

- New powerful 800 watt motor
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Metal gearbox for durability
- Directed air exhaust
- Gear head rotates at 90° intervals for added versatility
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Protected air inlets



	WS 8-115S
Power input (W)	800
No load speed (rpm)	12.000
Max. cutting depth (mm)	35
Disc diameter (mm)	115
Spindle size	M14
Weight (kg)	1,9
Supplied in	–
Article Number	4935451293
EAN Code	4002395150519

WS 8-115S



4 002395 150519

SMALL ANGLE GRINDER

WS 8-125 S

- New powerful 800 watt motor
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Metal gearbox for durability
- Directed air exhaust
- Gear head rotates at 90° intervals for added versatility
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Protected air inlets



	WS 8-125SK	WS 8-125S
Power input (W)	800	800
No load speed (rpm)	12.000	12.000
Max. cutting depth (mm)	40	40
Disc diameter (mm)	125	125
Spindle size	M14	M14
Weight (kg)	1,9	1,9
Supplied in	Kitbox	–
Article Number	4935451298	4935451296
EAN Code	4002395150564	4002395150540

WS 8-125SK



4 002395 150564

WS 8-125S



4 002395 150540

SMALL ANGLE GRINDER

WS 10-115 S

- New powerful 1000 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling



	WS 10-115 S
Power input (W)	1000
No load speed (rpm)	11.500
Max. cutting depth (mm)	35
Disc diameter (mm)	115
Spindle size	M14
Weight (kg)	2,3
Supplied in	–
Article Number	4935451300
EAN Code	4002395150588

WS 10-115 S



4 002395 150588

SMALL ANGLE GRINDER

WS 10-125 S

- New powerful 1000 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling

	WS 10-125 S	WS 10-125 SK
Power input (W)	1000	1000
No load speed (rpm)	11.500	11.500
Max. cutting depth (mm)	40	40
Disc diameter (mm)	125	125
Spindle size	M14	M14
Weight (kg)	2,3	2,3
Supplied in	–	Kitbox
Article Number	4935451302	4935451303
EAN Code	4002395151202	4002395151219



WS 10-125 S



WS 10-125 SK



SMALL ANGLE GRINDER

WS 12-125 S

- New powerful 1200 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling

	WS 12-125 SK	WS 12-125 S
Power input (W)	1200	1200
No load speed (rpm)	11.500	11.500
Max. cutting depth (mm)	40	40
Disc diameter (mm)	125	125
Spindle size	M14	M14
Weight (kg)	2,4	2,4
Supplied in	Kitbox	–
Article Number	4935451307	4935451306
EAN Code	4002395151257	4002395151240



WS 12-125 SK



WS 12-125 S



SMALL ANGLE GRINDER

WS 13-125 SXE

- New powerful 1300 W motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Variable speed electronics for lower speed setting especially in finishing applications
- Constant speed for best performance and high torque, even in lower speed applications
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand

	WS13-125 SXE	WS13-125 SXEK
Power input (W)	1300	1300
No load speed (rpm)	2.800 - 11.500	2.800 - 11.500
Max. cutting depth (mm)	40	40
Disc diameter (mm)	125	125
Spindle size	M14	M14
Weight (kg)	2,4	2,4
Supplied in	–	Kitbox
Article Number	4935451309	4935451310
EAN Code	4002395151271	4002395151288



WS13-125 SXE



WS13-125 SXEK



LARGE ANGLE GRINDER

WS 15-125 SX

- New powerful 1520 watt motor
- DIGITRONIC with constant speed electronics, soft start, motor overload protection and no load speed limitation
- FIXTEC - patented nut for fast and easy disc changing
- Automatic cut-off, easy change carbon brushes
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Epoxy coating field and armature - combat abrasive dust to increase tool lifetime
- New "snap-in" safety guard for keyless adjustment



	WS 15-125 SX
Power input (W)	1520
No load speed (rpm)	11.000
Max. cutting depth (mm)	35
Disc diameter (mm)	125
Spindle size	M14
Weight (kg)	2,5
Supplied in	–
Article Number	4935455100
EAN Code	4002395247264

WS 15-125 SX



4 002395 247264

LARGE ANGLE GRINDER

WS 22-180

- Powerful 2200 W motor with powder field coating for long life time and outstanding performance in all applications
- Extreme compact design with an overall short length of 485 mm and 5.1 kg for most comfortable handling
- Line lock out function to prevent automatic start up after power loss
- Soft start for smooth start up
- Burst resistant keyed safety guard
- External brush doors for easy access to the brushes for fast servicing
- Supplied with a cable, wrench, flange, flange nut, anti-vibration addition handle and a safety guard



	WS 22-180 E	WS 22-180 DMS
Power input (W)	2200	2200
No load speed (rpm)	8.500	8.500
Max. cutting depth (mm)	45	45
Disc diameter (mm)	180	180
Spindle size	M14	M14
Deadman switch	No	Yes
Weight (kg)	5,1	5,1
Supplied in	–	–
Article Number	4935431690	4935431700
EAN Code	4002395194858	4002395194865

WS 22-180 E



4 002395 194858

WS 22-180 DMS



4 002395 194865

LARGE ANGLE GRINDER

WS 24-180 V

- Powerful 2400 watt motor
- AVS: additional handle for more comfort handling and less strain on body joints
- Epoxy-coated field windings and armature - prevents accumulation of abrasive dust, increasing tool life
- High quality sealed bearings provide superior protection
- New "snap-in" safety guard for keyless adjustment
- Convenient three-finger switch with soft start
- Soft start for smooth startup



	WS 24-180 V
Power input (W)	2400
No load speed (rpm)	8.500
Max. cutting depth (mm)	44
Disc diameter (mm)	180
Spindle size	M14
Weight (kg)	5,3
Supplied in	–
Article Number	4935446490
EAN Code	4002395136285

WS 24-180 V



4 002395 136285

LARGE ANGLE GRINDER

WS 22-230

- Powerful 2200 watt motor with powder field coating for long life time and outstanding performance in all applications
- Extreme compact design with an overall short length of 485 mm and 5.1 kg for most comfortable handling
- Line lock out function to prevent automatic startup after power loss
- Soft start for smooth start up
- Burst resistant keyed safety guard
- External brush doors for easy access to the brushes for fast servicing
- Supplied with a cable, wrench, flange, fange nut, anti-vibration additional handle and a safety guard



	WS 22-230 E	WS 22-230 DMS
Power input (W)	2200	2200
No load speed (rpm)	6.600	6.600
Max. cutting depth (mm)	68	68
Disc diameter (mm)	230	230
Spindle size	M14	M14
Deadman switch	No	Yes
Weight (kg)	5,2	5,2
Supplied in	-	-
Article Number	4935431720	4935431730
EAN Code	4002395194889	4002395194902



LARGE ANGLE GRINDER

WS 24-230 V

- Powerful 2400 watt motor
- AVS: additional handle for more comfort handling and less strain on body joints
- Epoxy-coated field windings and armature - prevents accumulation of abrasive dust, increasing tool life
- High quality sealed bearings provide superior protection
- New "snap-in" safety guard for keyless adjustment
- Convenient three-finger switch with soft start
- Soft start for smooth startup



	WS 24-230 V
Power input (W)	2400
No load speed (rpm)	6.600
Max. cutting depth (mm)	68
Disc diameter (mm)	230
Spindle size	M14
Weight (kg)	5,4
Supplied in	-
Article Number	4935446500
EAN Code	4002395136292



LARGE ANGLE GRINDER

WS 24-230 GEV

- Powerful 2400 watt motor with powder field coating for long life time and outstanding performance in all applications
- Extreme compact design with an overall short length of 515 mm and 5.6 kg for most comfortable handling
- Line lock out function to prevent automatic start up after power loss
- Soft start for smooth start up
- Burst resistant quick release safety guard for easy adjustment
- AVS equipped motor housing and 2-positions Anti-vibration side handle for less vibrations
- 7 step rotating main handle and large soft grip area for most comfortable handling



	WS 24-230 GEV	WS 24-230 GV DMS
Power input (W)	2400	2400
No load speed (rpm)	0 - 6.600	0 - 6.600
Max. cutting depth (mm)	68	68
Disc diameter (mm)	230	230
Spindle size	M14	M14
Deadman switch	No	Yes
Weight (kg)	5,6	5,6
Supplied in	Kitbox	-
Article Number	4935431765	4935431775
EAN Code	4002395194964	4002395194971



FIXTEC NUTS

THE PROCESS



12
SEC



DIE GRINDER

GS 500 E

- High speed, one handed die grinder
- Variable speed electronic
- Automatic cut-off carbon brushes
- High rotation precision metal gearbox
- Weight only 1.3 kg
- Ergonomic switch
- Supplied with a key, 6 mm collet and a 4 m cable



	GS 500 E
Power input (W)	500
No load speed (rpm)	10.000 - 29.000
Collet capacity (mm)	6
Max. grinding wheel diameter (mm)	40
Max. grinding pin diameter (mm)	20
Weight (kg)	1,3
Supplied in	-
Article Number	4935412985
EAN Code	4002395192939

GS 500 E


4 002395 192939

DIE GRINDER

GSL 600 E

- Variable speed electronics
- Long spindle for easy access to awkward places
- Double bearing spindle seating for smooth rotation
- Automatic cut-off carbon brushes
- High rotation precision metal gearbox
- Weight only 1.9 kg
- Ergonomic switch



	GSL 600 E
Power input (W)	600
No load speed (rpm)	10.000 - 29.000
Collet capacity (mm)	6
Max. grinding wheel diameter (mm)	40
Max. grinding pin diameter (mm)	20
Weight (kg)	1,9
Supplied in	-
Article Number	4935412965
EAN Code	4002395192946

GSL 600 E


4 002395 192946

POLISHER

PE 150

- 1200 watt polisher
- Variable speed electronics for various materials and finishes
- Special gearing for high spindle torque and ideal polishing speed
- Automatic cut-off carbon brushes
- Externally accessible brushes for easy replacement
- Spindle lock
- Large 3 finger switch



	PE 150
Power input (W)	1200
No load speed (rpm)	900 - 2.500
Disc diameter (mm)	150
Spindle size	M14
Weight (kg)	2,1
Supplied in	-
Article Number	4935412266
EAN Code	4002395198443

PE 150


4 002395 198443

RIGHT ANGLE SANDER

SE 12-180

- 1200 watt sander with full wave electronics
- Variable speed electronics for various materials and finishing
- High motor torque and optimum speed range for sanding, especially for fine surface work
- Automatic cut-off carbon brushes
- Externally accessible brushes for easy replacement
- Spindle lock
- Large 3 finger switch



SE 12-180	
Power input (W)	1200
No load speed (rpm)	1.800 - 4.800
Disc diameter (mm)	180
Spindle size	M14
Weight (kg)	2,5
Supplied in	–
Article Number	4935412279
EAN Code	4002395198481

SE 12-180



METAL CHOPSAW

SMT 355

- Powerful 2300 watt motor
- - 45°/0°/45° mitre capacity with quick release mitre clamp
- Spindle lock for easy wheel and accessory changing
- Deflector protects the user from sparks
- Oversize guard for added safety
- On board wrench storage
- Rubber feet for greater stability



SMT 355	
Power input (W)	2300
No load speed (rpm)	3800
Wheel size (mm)	355
Bore size (mm)	25,4
Weight (kg)	16,5
Supplied in	–
Article Number	4935411770
EAN Code	4002395129638

SMT 355



A construction worker wearing a grey t-shirt, a white hard hat, and safety glasses is focused on cutting a piece of wood. He is using a large, silver and black AEG circular saw. The saw is positioned horizontally, and the worker's hands are on the handles. The background shows a workshop with wooden beams and a corrugated metal roof. The lighting is dramatic, with strong highlights and shadows.

AEG

AC WOODWORKING RANGE

AC MULTI-TOOL

OMNI 300

- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- One handed use of applications
- LED for work place illumination
- Mains machine



OMNI 300 KIT1

Power input (W)	300
No. of batteries supplied	0
Oscillation rate (opm)	20.000
Oscillation angle left/ right (°)	2,0
Standard equipment	1 x multi-tool head, accessories
Weight (kg)	2,52
Supplied in	Tool bag
Article Number	4935431790
EAN Code	4002395194995

OMNI 300 KIT1



66MM CIRCULAR SAW

KS 66-2

- Powerful 1600 watt motor
- 0-56 degree bevel capacity with 45 degree positive stop
- Durable and stable die cast shoe and guard
- Large action levers for easy operating
- Micro texture grip on front and back handle
- 4m cable
- Dust port with DEK 26 connection to our AEG dust extractors



KS 66-2

Power input (W)	1600
No load speed (rpm)	0 - 5800
Mitre capacity (°)	0- 56
Blade diameter/Arbor size (mm)	190/30
Max. cutting depth 45/90° (mm)	47/64
Weight (kg)	4,8
Supplied in	Tool bag
Article Number	4935446675
EAN Code	4002395136339

KS 66-2



55MM CIRCULAR SAW

KS 55-2

- Powerful 1200 watt motor
- 0-50° bevel capacity with 45° positive stop
- Magnesium shoe and guards for increased durability
- Large action levers for easy operating
- Micro texture grip on front and back handle
- 4m cable
- Dust port with DEK 26 connection to our AEG dust extractors



KS 55-2

Power input (W)	1200
No load speed (rpm)	0 - 6.100
Mitre capacity (°)	0 - 50
Blade diameter/Arbor size (mm)	165/20
Max. cutting depth 45/90° (mm)	41/54
Weight (kg)	3,3
Supplied in	Tool bag
Article Number	4935446665
EAN Code	4002395136322

KS 55-2



TOPHANDLE JIGSAW

STEP 1200 BX

- Powerful 600 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4 – stage pendulum adjustment
- Variable speed electronics for control
- Ergonomic top handle design with integrated soft-grip
- Sawdust blower keeps cutting line clear for accuracy
- Base plate can be moved backwards for sawing close to edges and for precise mitre cuts to 45°

	STEP 1200 BX
Power input (W)	600
No load stroke rate (spm)	500 - 3000
Mitre capacity (°)	45
Stroke length (mm)	26
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	110/10/30
Weight (kg)	2,4
Supplied in	Kitbox
Article Number	4935412819
EAN Code	4002395192694



STEP 1200 BX



TOPHANDLE JIGSAW

STEP 100 X

- New Tophandle Jigsaw with a new powerful 700 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 6-different speed settings for a better cutting control
- Better ergonomic design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Keyless Adjustment of the Base plate for cutting close to edges and for precise Bevel cuts up to 45°

	STEP 100 X
Power input (W)	700
No load stroke rate (spm)	1000 - 3200
Mitre capacity (°)	45
Stroke length (mm)	20
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	100/10/20
Weight (kg)	2,3
Supplied in	Kitbox
Article Number	4935451000
EAN Code	4002395136513



STEP 100 X



TOPHANDLE JIGSAW

STEP 100

- New Tophandle Jigsaw with a new powerful 700 watt motor
- 6-different speed settings for a better cutting control
- Better ergonomic design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Supplied with a 4m cable, blade, anti-splintering guard and dust cap

	STEP 100
Power input (W)	700
No load stroke rate (spm)	1000 - 3200
Mitre capacity (°)	45
Stroke length (mm)	20
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	100/10/20
Weight (kg)	2,2
Supplied in	–
Article Number	4935451001
EAN Code	4002395136520



STEP 100



TOPHANDLE JIGSAW

STEP 80

- New Tophandle Jigsaw with a new powerful 700 watt motor
- 6-different speed settings for a better cutting control
- Better ergonomic design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Supplied with a 4m cable, blade, anti-splitting guard and dust cap

	STEP 80
Power input (W)	700
No load stroke rate (spm)	1000 - 3200
Mitre capacity (°)	45
Stroke length (mm)	20
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	80/10/20
Weight (kg)	2,2
Article Number	4935451002
EAN Code	4002395136537



STEP 80



BODYGRIP JIGSAW

STEP 1200 XE

- Powerful 730 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4 – stage pendulum adjustment
- Variable speed selection for correct speed to match the material and blade
- Soft start prevents sudden kick back of machine on start up
- Integrated electronics allows constant speed under load
- Ergonomic and very slim body grip design with integrated soft-grip zone

	STEP 1200 XE
Power input (W)	730
No load stroke rate (spm)	500 - 3000
Mitre capacity (°)	45°
Stroke length (mm)	26
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	135/10/30
Weight (kg)	2,4
Supplied in	Kitbox
Article Number	4935412878
EAN Code	4002395192762



STEP 1200 XE



BODYGRIP JIGSAW

ST 800 XE

- Powerful 705 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4 – stage pendulum adjustment
- Variable speed electronics for control
- Ergonomic slimline bodygrip design with integrated soft grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy

	ST 800 XE
Power input (W)	705
No load stroke rate (spm)	600 - 2700
Mitre capacity (°)	45
Stroke length (mm)	26
Pendulum settings	4
Max. cutting capacity wood/ steel/ aluminium (mm)	110/10/25
Weight (kg)	2,3
Supplied in	Kitbox
Article Number	4935412950
EAN Code	4002395192892



ST 800 XE



PALM JIGSAW

PST 500 X

- Powerful 440 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- LED light for cut line visibility
- Pendulum function
- Unique palm design for use in tight spaces and easy handling
- Dust blower keeps cut line clear for accuracy
- Supplied with a clear dust cap, splintering device, 1 saw blade and a 4 m cable



	PST 500 X
Power input (W)	450
No load stroke rate (spm)	3700
Mitre capacity (°)	45
Stroke length (mm)	15
Pendulum settings	1
Max. cutting capacity wood/ steel/ aluminium (mm)	40/6/10
Weight (kg)	2,3
Supplied in	Tool bag
Article Number	4935428260
EAN Code	4002395194315

PST 500 X



4 002395 194315

COMBO ROUTER

MF 1400 KE

- 2 routers in one for maximum flexibility in all kinds of application
- Soft start to prevent sudden kickback
- Integrated electronics maintain constant speed under load
- Variable speed electronics for optimum control in a wide range of materials
- Large soft-grip handles for decreased vibration and greater comfort
- Flat motor housing with integrated rubber feet for convenient upside down bit change with spindle lock
- Premium collet and shaft design minimises run out



	MF 1400 KE
Power input (W)	1400
Collet capacity (mm)	8 / 12
Plunge capacity (mm)	64
No load speed (rpm)	10.000 - 23.000
Weight (kg)	5,7
Supplied in	Tool bag
Article Number	4935411850
EAN Code	4002395193295

MF 1400 KE



4 002395 193295

ROUTER

OF 2050 E

- Powerful 2050 watt motor
- Electronic variable speed control
- Plunge depth set by calibrated dial
- Micro depth adjustment
- 3-stage depth stop lock
- Vertical depth adjustment scales
- Supplied with a 4 m cable, 6/8/12 mm collet, spanner, parallel guide, 4 guide bushes, router bit and dust adaptor



	OF 2050 E
Power input (W)	2050
Collet capacity (mm)	6/ 8/ 12
Plunge capacity (mm)	66
No load speed (rpm)	10.000 - 20.000
Weight (kg)	6,2
Supplied in	-
Article Number	4935403665
EAN Code	4002395125869

OF 2050 E



4 002395 125869

PLANER

PL 750

- Powerful 750 watt motor
- Left and right chip ejection for greater convenience
- Heel shoe protects the base, blade and work surface
- 0.2 mm stage depth adjustment setting for greater control and accuracy
- Depth scale indicator
- Supplied with 2 blades, edge guide, dust bag and a key



	PL 750
Power input (W)	750
No load speed (rpm)	17.000
Max. cutting depth (mm)	2
Cutting width (mm)	82
Rebate depth (mm)	12
Weight (kg)	2,9
Supplied in	–
Article Number	4935419140
EAN Code	4002395130481

PL 750



RECIPROCATING SAW

US 900 XE

- Powerful 900 W motor, for fast cuts in various materials
- Pendulum function with 19 mm stroke length, for more powerful and faster cutting progress
- Speed regulation from 0 – 3500 spm, especially needed for heat-sensitive materials
- FIXTEC - for fast and easy keyless blade change
- 24 % lighter than other saws, for better work control
- One hand blade insertion
- Soft grip handle, for better ergonomics



	US 900 XE
Power input (W)	900
No load stroke rate (spm)	0 - 3500
Stroke length (mm)	19
Weight (kg)	2,9
Supplied in	Tool bag
Article Number	4935419610
EAN Code	4002395193806

US 900 XE



RECIPROCATING SAW

US 1300 XE

- Powerful 1300 watt motor
- FIXTEC blade clamp for fast and easy blade changes
- Variable speed switch for increased cutting control and efficiency
- Adjustable shoe for prolonged blade life
- Ergonomic soft grip handle design for comfort
- Blades can be turned 180° for various applications
- Supplied with a 4 m cable and 2 blades



	US 1300 XE
Power input (W)	1300
No load stroke rate (spm)	0 - 2800
Stroke length (mm)	30
Weight (kg)	3,8
Supplied in	Kitbox
Article Number	4935413235
EAN Code	4002395197675

US 1300 XE



PALM DELTA SANDER

FDS 140

- Extremely compact 260 watt sheet sander
- Ideal for working in confined spaces and over head
- Delta base for sanding in corners
- Hook & loop and large release tabs for convenient paper changing
- Magnesium base for more stability and less vibration
- Dust extraction with dust bag or absorption system
- Soft-grip on handle



	FDS 140
Power input (W)	260
No load speed (rpm)	14.000
Oscillation rate (opm)	20.000
Oscillation diameter (mm)	1,6
Sanding pad size (mm)	115 x 140
Weight (kg)	1,5
Supplied in	-
Article Number	4935416090
EAN Code	4002395129768

FDS 140



1/2 SHEET SANDER

FS 280

- Powerful 500 watt motor
- Variable speed for optimum control
- Convenient hook & loop paper fastening
- Dust extraction, with dustbag or absorption system
- Supplied with a 4 m cable, 3 sheets (80, 120, 240 grit) sanding pads, dust bag and a pommel handle



	FS 280
Power input (W)	500
Oscillation rate (opm)	14.000 - 26.000
Sanding pad size (mm)	115 x 280
Weight (kg)	3,0
Supplied in	-
Article Number	4935419280
EAN Code	4002395133116

FS 280



RANDOM ORBIT SANDER

EX 125 ES

- Ergonomic & compact 300 watt random orbit sander
- Ideal for working in confined spaces and over head
- Variable speed for optimum control
- Pad brake control: pad brake for a gauge free workpiece
- Convenient hook & loop paper fastening
- Very efficient dust extraction over 8 holes in the base plate
- Dust extraction, with dust bag or absorption system



	EX 125 ES
Power input (W)	300
No load speed (rpm)	7000 - 12.000
Oscillation rate (opm)	14.000 - 24.000
Oscillation diameter (mm)	2,4
Sanding pad size (mm)	125
Weight (kg)	1,7
Supplied in	Gift box
Article Number	4935416100
EAN Code	4002395129799

EX 125 ES



RANDOM ORBIT SANDER

EX 150 ES

- Dual orbits for control of material removal
- Variable speed for optimum control
- Soft start and pad brake for a gauge free workpiece
- Through-body sealed slide switch for reliability and ease of use
- Convenient hook & loop paper fastening
- Dust extraction, with dust bag or absorption system
- Diecast construction for strength and durability



EX 150 ES

Power input (W)	440
No load speed (rpm)	4000-10.000
Oscillation rate (opm)	8000-20.000
Oscillation diameter (mm)	3,2/ 6,4
Sanding pad size (mm)	150
Weight (kg)	2,8
Supplied in	–
Article Number	4935443290
EAN Code	4002395135479

EX 150 ES



BELT SANDER

HBS 1000 E

- Powerful 1010 watt motor
- Electronic speed for control and optimum results
- Clamping lever for easy, tool free changing of sanding belt
- Externally accessible brushes for easy replacement
- Control wheel for precise adjustment of sanding belt
- Compact design, ideal for sanding close to edges
- Die-cast construction for high strength and durability



HBS 1000 E

Power input (W)	1010
Belt length (mm)	533
Belt speed (rpm)	240 - 450
Sanding surface (mm)	75 x 145
Belt width (mm)	75
Weight (kg)	5,1
Supplied in	Kitbox
Article Number	4935413205
EAN Code	4002395197613

HBS 1000 E



BELT SANDER

BBSE 1100

- Powerful 1100 watt motor
- Extra-large sanding surface 100 x 140 mm
- Full-wave electronics with pre-selection of belt speed
- Control wheel for precise adjustment of belt alignment
- Dust extraction, with dust bag or absorption system
- Supplied with a 4 m cable, 1 x 100 grit sanding belt and a dust bag



BBSE 1100

Power input (W)	1100
Belt speed (rpm)	230 - 400
Belt length (mm)	560
Belt width (mm)	100
Sanding surface (mm)	100 x 140
Weight (kg)	5,0
Supplied in	–
Article Number	4935413530
EAN Code	4002395199037

BBSE 1100



HEAT GUN

HG 560

- 2 temperature adjustment modes 300° / 560°
- 253 - 420 l/min
- Reinforced fan for continuous use
- Extremely light product - 0.85 kg
- Rubber overmold on back end for safe stationary use

	HG 560 D
Power input (W)	1500
Air flow (l/min)	253 - 420
Temperature range (°C)	300 / 560
Weight (kg)	0,85
Supplied in	Gift box
Article Number	4935441015
EAN Code	4002395134991


HG 560 D


HEAT GUN

HG 600

- Electronic precise adjustment for temp from 90° up to 600°
- 345 - 434 l/min
- Reinforced fan for continuous use
- Extremely light product - 0.9 kg
- Rubber overmold on back end for safe stationary use

	HG 600 V	HG 600 VK
Power input (W)	2000	2000
Air flow (l/min)	345 - 434	345 - 434
Temperature range (°C)	90 - 600	90 - 600
Weight (kg)	0,9	0,9
Supplied in	Gift box	Kitbox
Article Number	4935441025	4935441035
EAN Code	4002395135011	4002395135035


HG 600 V
HG 600 VK


SLIDE MITRE SAW

PS 254 L

- Internal fan that removes 80% of the dust
- Cut line visibility - Adjustable LED and laser
- Blade depth adjustment. Allows for trenching application
- Mitre lock with detent plate. Mitre: 50° left or right
- Powerful 2.000 watt motor delivers 5.000 RPM
- Supplied with a 48 tooth blade, clamp, hose, bucket cover and a dust bag



PS 254 L

Power input (W)	2000
Blade diameter (mm)	254
No load speed (rpm)	4500
Mitre capacity left (°)	50
Mitre capacity right (°)	50
Max. cutting depth (mm)	90
Mitre saw capacity 90° (mm)	305
Max. cutting capacity 0° mitre/ 90° bevel [mm]	90 x 305
Max. cutting capacity 45° mitre/ 90° bevel (mm)	90 x 215
Max. cutting capacity 0° mitre/ 45° bevel [mm]	50 x 305
Max. cutting capacity 45° mitre/ 45° bevel (mm)	50 x 215
Weight (kg)	19,5
Supplied in	-
Article Number	4935440670
EAN Code	4002395134687

PS 254 L



SLIDE MITRE SAW

PS 216 L

- Internal fan that removes 80% of the dust
- Cut line visibility - Adjustable LED and laser
- Blade depth adjustment: Allows for trenching applications
- Mitre lock with detent plate
- Mitre: 50° left or right
- Powerful 1500 watt motor delivers 5.000 RPM
- Supplied with a 48 tooth blade, clamp, hose, bucket cover and a dust bag



PS 216 L

Power input (W)	1500
Blade diameter (mm)	216
No load speed (rpm)	5000
Mitre capacity left (°)	50
Mitre capacity right (°)	50
Max. cutting depth (mm)	65
Mitre saw capacity 90° (mm)	65 x 305
Max. cutting capacity 0° mitre/ 90° bevel [mm]	65 x 305
Max. cutting capacity 45° mitre/ 90° bevel (mm)	65 x 215
Max. cutting capacity 0° mitre/ 45° bevel [mm]	36 x 305
Max. cutting capacity 45° mitre/ 45° bevel (mm)	36 x 215
Weight (kg)	16,5
Supplied in	Gift box
Article Number	4935440650
EAN Code	4002395134656

PS 216 L



UNIVERSAL MITRE SAW LEGSTAND

PSU 1000

- Extendable to 2,3 m
- Quick release brackets
- Adjustable leg
- Low weight 14 kg
- 180 Kg maximum load capacity



PSU1000



	PSU1000
Extendable up to (mm)	2,3
Bearing force (kg)	180
Weight (kg)	14,0
Article Number	4935440850
EAN Code	4002395134892

DUST EXTRACTOR

AP2-200 ELCP

- Clear Press filters cleaning system
- "L" industry dust class
- PET Filter, with fleece filter bag
- Wet and dry cleaning
- Wet overfill protection
- Click system easy to change accessories
- Fleece double wall filter bag and disposal bag



AP2-200 ELCP



	AP2-200 ELCP
Power input (W)	1000
Air volume (l/min)	3600
Max. vacuum (mbar)	210
Container capacity (ml)	20
Hose diameter (mm)	32
Hose length (m)	3,5
Weight (kg)	7,5
Article Number	4935447460
EAN Code	4002395294190

TABLESAW

TS 250 K

- Powerful 1800 watt motor
- 4800 rpm for effortless accurate cutting
- 90 mm cutting depth (62 mm at 45°)
- Dual clamping parallel fence for high stability and accuracy
- Overload protection ensures durability
- Soft start
- Integrated table side extension up to 645 mm gives huge cutting capacity



TS 250 K



	TS 250 K
Power input (W)	1800
Blade diameter (mm)	254 x 30
No load speed (rpm)	4800
Mitre capacity (°)	45
Max. cutting depth 45/90° (mm)	62/90
Weight (kg)	41,0
Supplied in	–
Article Number	4935419265
EAN Code	4002395133093

DUST BUSTING POWER

Clear-press filter
cleaning system
explained:



AP 300 ECP

Description	Article Number	EAN Code
Filter cartridge	4932352304	4002395369638
Filter bags	4932352307	4002395369669
Extraction hose, anti static. 4 m long 36 mm diameter with tool adaptor	4932352311	4002395369706
Extraction hose. 3.5 m long 32 mm diameter with tool adaptor	4932352312	4002395369713

AP2-200 ELCP

Description	Article Number	EAN Code
Filter cartridge	4932352303	4002395369621
Filter bags (5pc)	4932352306	4002395369652
Extraction hose. 3.5 m long 32 mm diameter with tool adaptor	4932352312	4002395369713

AEG



ACCESSORIES RANGE

BATTERIES

18 V



	L1890RHD	L1860RHD	L1830RHD	L1850R	L1840R	L1820R
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	9,0	6,0	3,0	5,0	4,0	2,0
Charger compatibility	AL 1218G,AL 9618	AL 1218G,AL 9618	AL 1218G,AL 9618	AL 1218G,AL 9618	AL 1218G,AL 9618	AL 9618,BL 1218
Article Number	4932464231	4932464754	4932471051	4932451630	4932430170	4932430169
EAN Code	4058546221768	4058546226992	4058546286798	4002395140978	4002395378319	4002395378302

14.4 V



	L1430R GEN II	L1420R	L1415R	L1420 G3	L1415 G3
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	3,0	2,0	1,5	2,0	1,5
Charger compatibility	AL 9618,BL 1218,AL 1218G	AL 9618,BL 1218,AL 1218G	AL 9618,BL 1218,AL 1218G	AL 1214 G3	AL 1214 G3
Article Number	4932352657	4932430167	4932352656	4932451097	4932451096
EAN Code	4002395373154	4002395378289	4002395373147	4002395811236	4002395811229

12 V



	L1260	L1240	L1230	L1220	L1215
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	6,0	4,0	3,0	2,0	1,5
Charger compatibility	LL 1230	LL 1230	LL 1230	LL 1230	LL 1230
Article Number	4932459180	4932430166	4932352824	4932430165	4932352658
EAN Code	4002395288557	4002395378272	4002395288557	4002395378265	4002395373161

12 V



	L1215 G3	L1220 G3	L1215R
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	1,5	2,0	1,5
Charger compatibility	-	-	AL 9618,BL 1218
Article Number	4932430365	4932451094	4932451095
EAN Code	4002395380268	4002395811205	4002395811212

3.6 V



	SL 3.6
Battery type	Li-ion
Battery pack capacity (Ah)	1,5
Charger compatibility	LA 036
Article Number	4932352969
EAN Code	4002395376278

CHARGERS

	Battery type	Charging range	Charging time	Article Number	EAN Code
AL1214G	Li-ion, NiCd, NiMH	12 - 14,4 V	60 min	4932352481	4002395371402
AL1218G	Li-ion, NiCd, NiMH	12 - 18 V	60 min	4932352528	4002395371860
BL 1218 GEN II	Li-ion, NiCd, NiMH	12 - 18 V	30 min	4932352659	4002395373178
AL1214 G3	Li-ion	12 - 14 v	30 min	4932451098	4002395811243
LL1230	Li-ion	12 V	30 min	4932352096	4002395367498
LA 036	Li-ion, NiCd, NiMH	3,6 V	30 min	4932352097	4002395367504

POWER SET SDS-PLUS DRILL BITS

- High quality 2 cutter carbide top with 130° tip angle
- The carbide tip is set deeper into the head for a more precise fit and better durability
- 2 flute geometry for rapid material removal
- Surface treated flute eliminates binding for faster drilling and high abrasion resistance
- High quality robust and compact power set with secure lock
- Made in Germany

	Article Number	EAN Code
Counter display (12 sets) SDS-Plus	4932352315	4002395369744
Single Power Set SDS-Plus Drill Bits (8pcs) with Ø 5/6/8 x 110 mm and Ø 6 (2pcs)/8/10/12 x 160 mm	4932352236	4002395368952



POWER SET STONE DRILL BITS

- Extra sharp diamond ground carbide tip with 130 degree angle
- Polished silver and black finish eliminates binding for faster cutting and material removal
- Made from special alloy steel for best precision and robustness
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 sets) Stone	4932352238	4002395368976
Single Power Set Stone Drill Bits (10pcs) Contents: Ø 4/5/5.5/6 (2pcs)/7/8 (2pcs)/9/10 mm	4932352239	4002395368983



POWER SET HSS-R (DIN 338) METAL DRILL BITS

- HSS-Rollforged metal drill bits manufactured according to DIN 338
- Oxide coating for improved swarf removal
- Normal point cutting tip with 118 degree angle
- Standard type N flute design
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) HSS-R	4932352240	4002395368990
Single Power Set HSS-R Drill Bits (19pcs) Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm/ Ø 3 (2pcs) x 61 mm/ Ø 3.5 (2pcs) x 70 mm/ Ø 4 (2pcs) x 75 mm/ Ø 4.5 (2pcs) x 80 mm/ Ø 5 (2pcs) x 86 mm/ Ø 6 (2pcs) x 93 mm/ Ø 7 x 109 mm/ Ø 8 x 117 mm/ Ø 9 x 125 mm/ Ø 10 x 133 mm	4932352241	4002395369003



POWER SET HSS-G (DIN 338) METAL DRILL BITS

- Fully ground drill bits according to DIN 338
- Standard tip for cutting geometry with 118° angle
- Standard type N flute design for faster chip removal and faster cutting
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) HSS-G	4932352242	4002395369010
Single Power Set HSS-G Drill Bits (19pcs) Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm/ Ø 3 (2pcs) x 61 mm/ Ø 3.5 (2pcs) x 70 mm/ Ø 4 (2pcs) x 75 mm/ Ø 4.5 (2pcs) x 80 mm/ Ø 5 (2pcs) x 86 mm/ Ø 6 (2pcs) x 93 mm/ Ø 7 x 109 mm/ Ø 8 x 117 mm/ Ø 9 x 125 mm/ Ø 10 x 133 mm	4932352243	4002395369027



POWER SET HSS-G TIN DRILL BITS

- Metal drill bits ground from high speed steel according to DIN 338
- Normal point cutting tip with 118° angle
- Standard type N flute design
- Titanium nitride coating increases cutting speed by 50% and lifetime by 300%
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) HSS-G TiN	4932352244	4002395369034
Single Power Set HSS-G TiN Drill Bits (19pcs)		
Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm/ Ø 3 (2pcs) x 61 mm/ Ø 3.5 (2pcs) x 70 mm/ Ø 4 (2pcs) x 75 mm/ Ø 4.5 (2pcs) x 80 mm/ Ø 5 (2pcs) x 86 mm/ Ø 6 (2pcs) x 93 mm/ Ø 7 x 109 mm/ Ø 8 x 117 mm/ Ø 9 x 125 mm/ Ø 10 x 133 mm	4932352245	4002395369041



POWER SET LIP & SPUR WOOD DRILL BITS

- Manufactured from chrome vanadium steel according to DIN 7487 E
- Center point guarantees precise positioning
- Sharpened shoulders provide for clean holes avoiding splintering
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6x sets) Lip and Spur Wood	4932352246	4002395369058
Single Power Set Lip & Spur Wood Drills Bits (8 pcs)		
Contents: Ø 3 x 60 mm / Ø 4 x 75 mm/ Ø 5 x 85 mm/ Ø 6 x 97 mm/ Ø 7 x 104 mm/ Ø 8 x 117 mm/ Ø 9 x 120 mm/ Ø 10 x 133 mm	4932352247	4002395369065



POWER SET HSS-G (DIN 338) METAL DRILL BITS & SCREWDRIVING BITS

- Metal drill bits ground from high speed steel according to DIN 338
- Normal point cutting tip with 118° angle
- Standard type N flute design
- Screwdriving bits are milled from S2 steel
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter Display (6 x sets) HSS-G & Screwdriving Bits	4932352248	4002395369072
Single Power Set HSS-G & Screwdriving Bits (35pcs)		
Contents: Ø 2/ 2.5/ 3/ 3.2/ 3.5/ 4/ 4.5/ 6/ 8/ 10mm 25mm length: PH1 (2pcs)/ PH2 (2pcs)/ PH3 (2pcs)/ PZ1 (2pcs)/ PZ2 (2pcs)/ PZ3 (2pcs)/ TX10 (2pcs)/ TX15 (2pcs)/ TX20 (2pcs)/ TX25 (2pcs)/ TX30/ TX40 50mm length: PH2/ PZ2 ¼" Hex magnetic bit holder	4932352249	4002395369089



POWER SET JIGSAW BLADES FOR WOOD & METAL

- Wood applications:
- T144D - Fast cutting
- T101B - Very clean, splinter free cutting
- Metal applications:
- T118A - Cutting of thin sheet material Ø 1.5-4 mm
- T118B - cutting of thicker material 3-6 mm
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) Jigsaw Blades	4932352252	4002395369119
Power Set 50pcs - jigsaw blades for wood and metal		
Contents: 10 x T 144 D/ 10 x T 101 B/ 15 x T 118 A/ 15 x T 118 B	4932352253	4002395369126



POWER SET SCREWDRIVING BITS

- COLDfire® is a special hardening treatment for making metal stronger, tougher and more durable. This cryogenic process is a one-time permanent treatment affecting the entire screwdriving bit and it is not just a surface coating. The cryogenic process consists of two steps, firstly the bit is hardened by heating it up to 870° and then freezing the bit down to -148° using a dry nitrogen atmosphere. The result of this process is a bit with exceptional durability
- + 40% stronger - bit tips hold their form and will accept higher torque forces
- + 45% longer life - over the lifetime of a bit one can expect to drive 45% more screws

COLDfire®
Cryogenically Treated

	Article Number	EAN Code
Counter display (6x sets) Screwdriving Bits	4932352254	4002395369133
Single Power Set Screwdriving Bits (40pcs)		
Contents: 25mm length: PH1 / PH2 (2pcs) / PH3 / PZ1 (2pcs) / PZ2 (2pcs) / PZ3 (2pcs) / TX6/ TX7 / TX 8/ TX9/ TX10 (2pcs) / TX15 (2pcs) / TX20 (2pcs) / TX25 (2pcs) / TX30/ TX40/ Hex 3/ Hex 4/ Hex 5/ Hex 6/ SL 0.6 x 4.5/ SL 0.8 x 5.5/ SL 1.0 x 5.5/ SL 1.2 x 6.5 50mm length: PH1/ PH2/ PZ1/ PZ2/ TX10/ TX15/ TX20 ¼" Hex magnetic bit holder	4932352255	4002395369140



PROFI-BOX HSS-R (DIN 338) METAL DRILL BITS

- HSS-Rollforged metal drill bits manufactured according to DIN 338
- 118° cutting tip angle
- Oxide coating for improved swarf removal
- Robust metal box

	Article Number	EAN Code
Counter display (10 x sets) HSS-R	4932352460	4002395371198
Single Profi-Box HSS-R Drill Bits (19pcs)		
Contents: Ø 1-10 mm in 0.5 mm incrementals	4932352459	4002395371181



MAXI-MIX DRILL BITS


- Contains a mixed assortment of drill bits for drilling wood, metal and masonry/stone (18 pieces in total)
- Robust metal box

	Article Number	EAN Code
Counter display (10 x sets) Maxi-Mix Drill Bits	4932352464	4002395371235
Single Maxi-Mix Drill Bits (18pcs)		
Contents: Stone drill bits: Ø 3/4/5/6/8/10 mm HSS-R drill bits: Ø 3/4/5/6/8/10 mm Wood drill bits: Ø 3/4/5/6/8/10 mm	4932352463	4002395371228



WB1 - SCREWDRIVER ANGLE ATTACHMENT WITH 10 SCREWDRIVING BITS

- Contents: WB1 and screwdriving bits 25 mm PH1/ PH2/ PZ1/ PZ2 (2pcs) / PZ3/ TX15/ TX20/ Hex 4/ Hex 5
- Being only 30 mm high it is ideally suited to working in confined and limited spaces
- Fits to all machines. The ¼" Hex shank fits directly into the chuck preventing slippage
- Magnetic ¼" Hex reception. Accepts ¼" Hex screwdriving bits
- Adjustable to working situation. 360° variable thumb lever for extra grip
- Industrial quality up to 11 Nm torque and 400 min⁻¹
- Tough gears made of special hardened steel



	Article Number	EAN Code
Counter display (10 x WB1 Sets)	4932430174	4002395378357
Single WB1		
Contents: Screwdriver angle attachment with 10 screwdriving bits	4932430173	4002395378340

MAXI-BIT SCREWDRIVING SET

	Article Number	EAN Code
Counter display (20 x sets) & Screwdriving Bits	4932399494	4002395361144
Single Maxi-Bit Set Screwdriving Bits (10pcs)	4932399493	4002395361151
Contents: SL 0.6 x 4.5/ SL 0.8 x 5.5/ SL 1.5 x 6.5/ PH1/ PH2/ PH3/ PZ1/ PZ2/ PZ3 1/4" Hex magnetic bit holder		



PROFI-BIT SCREWDRIVING SET

	Article Number	EAN Code
Counter Display (17 x Sets) Screwdriving Bits	4932399496	4002395361168
Single Profi-Bit Set Screwdriving Bits (17pcs)	4932399495	4002395361175
Contents: SL 0.8 x 5.5/ SL 1.2 x 6.5/ PH1/ PH2 (2pcs)/ PH3/ PZ1/ PZ2 (2pcs)/ PZ3/ TX10/ TX15/ TX20/ TX25/ TX30/ TX40 1/4" Hex magnetic bit holder		



FIXTEC NUTS

- FIXTEC: Disc changing in seconds, no extra tools required
- 12 seconds from removing the worn disc to fixing a new disc
- Only 8 mm thick, enabling more surface of disc on the material
- Compatible to all manufactures angle grinders up to 150 mm with standard M14 spindle thread
- With integrated keyholes, for removal of the nut with a standard pin spanner in the event of the nut becoming too tight




	Article Number	EAN Code
Counter display (12 x FIXTEC Nut)	4932358936	4002395326693
Single FIXTEC Nut	4932358225	4002395325528

SDS-PLUS DRILL BITS - 2 CUT / 10 PIECE POWER PACKS


- High quality 2 cutter carbide tip with 130 degree tip angle
- The carbide tip is set deeper into the head for a more precise fit and better durability
- 2 flute geometry for rapid material removal
- Surface treated eliminates binding for faster drilling and high abrasion resistance
- Made in Germany

Ø (mm)	Total length A (mm)	Working length B (mm)	Quantity	Article Number	EAN Code
5	110	50	10	4932352256	4002395369157
5.5	110	50	10	4932352257	4002395369164
6	110	50	10	4932352258	4002395369171
6	160	100	10	4932352259	4002395369188
7	160	100	10	4932352260	4002395369195
8	110	50	10	4932352261	4002395369201
8	160	100	10	4932352262	4002395369218
8	210	150	10	4932352263	4002395369225
10	160	100	10	4932352264	4002395369232
10	210	150	10	4932352265	4002395369249
10	260	200	10	4932352266	4002395369256
12	160	100	10	4932352267	4002395369263
12	210	150	10	4932352268	4002395369270
Single Power Set SDS-Plus Drill Bits (8pcs) with Ø 5/6/8 x 110 mm and Ø 6 (2pcs)/8/10/12 x 160 mm				4932352236	4002395368952
SDS-plus Starter Set with Ø 6/8/10 x 160mm, point chisel and flat chisel				4932352653	4002395373116




SDS MAX DRILLS - 2 CUT

Ø (mm)	Total length A (mm)	Working length B (mm)	Quantity	Article Number	EAN Code
16	540	400	1	4932352687	4002395373451
18	540	400	1	4932352688	4002395373468
20	520	400	1	4932352689	4002395373475
22	520	400	1	4932352690	4002395373482
25	520	400	1	4932352691	4002395373499
28	570	450	1	4932352692	4002395373505
30	570	450	1	4932352693	4002395373512
32	570	450	1	4932352694	4002395373529




SDS-PLUS CHISELS

Description	Length (mm)	Width (mm)	Quantity	Article Number	EAN Code
Point chisel	200	-	1	4932352269	4002395369287
Flat chisel	200	20	1	4932352270	4002395369294
Wide chisel	200	35	1	4932352271	4002395369300
Set of 3 SDS-plus chisels with 1 pointed, 1 flat, 1 wide chisel				4932352272	4002395369317



SDS MAX CHISELS

Description	Length (mm)	Width (mm)	Quantity	Article Number	EAN Code
Point chisel	400	-	1	4932352685	4002395373437
Flat chisel	400	25	1	4932352686	4002395373444



ROUTER BIT SET

Description	Quantity	Article Number	EAN Code
8 mm shank	12	4932354236	4002395320639



MULTIMIX SET 75 PCS - DRILLING AND SCREWDRIVING SET

	Article Number	EAN Code
Contents: Screwdriving bits 25 mm length 1 x PH 0/ 1 x PH 1/ 3 x PH 2/ 1 x PH 3/ 1 x PZ 0/ 1 x PZ 1/ 3 x PZ 2/ 1 x PZ 3/ 1 x SQ 1/ 1 x SQ 2/ 1 x SQ 3/ 1 x TX 10/ 1 x TX 15/ 1 x TX 20/ 1 x TX 25/ 1 x TX 30/ 1 x TX 40/ 1 x Hex 4/ 1 x Hex 5/ 1 x Hex 6/ 1 x SL 3/ 1 x SL 4/ 1 x SL 5/ 1 x SL 6/ 1 x SL 7/ 1 x SL 8 ¼" Hex magnetic bit holder Screwdriving bits 50 mm length 1 x PH 2/ 1 x PZ 2/ 1 x SL 4/ 1 x SL 6/ 1 x SL 8 Nut drivers 1 x 5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm/ 1 x 10 mm/ 1 x 12 mm Metal drill bits HSS-R DIN 338 2 x 1 mm/ 1 x 1.5 mm/ 1 x 2 mm/ 1 x 2.5 mm/ 1 x 3 mm/ 1 x 3.5 mm/ 1 x 4 mm Lip & Spur wood drill bits 3 x 3 mm/ 3 x 4 mm/ 2 x 5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm/ 1 x 10 mm/ Countersink with ¼" Hex reception 45° Masonry drill bits 1 x 4 mm/ 1 x 5 mm/ 1 x 5.5 mm/ 3 x 6 mm/ 1 x 6.5 mm/ 2 x 7 mm/ 1 x 8 mm/ 1 x 10 mm/ 1 x 12 mm	4932352670	4002395373284



DRILL AND DRIVE 50PCS SET

	Article Number	EAN Code
HSS-Ground Metal Drill Bits 1 x 2 mm/ 1 x 2.5 mm/ 1 x 3 mm/ 1 x 3.5 mm/ 1 x 4 mm/ 1 x 4.5 mm/ 1 x 5 mm/ 1 x 5.5 mm/ 1 x 6 mm Stone Drill Bits 1 x 5 mm/ 1 x 5.5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm/ 1 x 9 mm/ 1 x 10 mm Nut Drivers 1 x Hex 6/ 1 x Hex 8/ 1 x Hex 10 Lip & Spur Wood Drill Bits 1 x 4 mm/ 1 x 5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm Flat Boring Bits 1 x 16 mm/ 1 x 18 mm Screwdriving bits 25 mm bits (1 of each) SL 0.6 x 4.5/ SL 0.8 x 5.5/ PH 1/ PH 2/ PH 3/ PZ 1/ PZ 2/ PZ 3/ TX 10/ TX 15/ TX 20/ TX 25/ TX 30/ TX 35/ TX 40/ Hex 4/ Hex 5/ Hex 6 50 mm bits PH 1/ PZ 2 Magnetic bit holder	4932430411	4002395380725



METAL DRILL BITS HSS-G COBALT (DIN 338)

- Metal drill bits ground from solid extremely heat resistant cobalt-alloyed high speed steel produced according to DIN 338. Polished finish. Split point shaped cutting tip with 135° angle for improved centering - no center punched required.
- 5% Cobalt content. Withstands high drilling heat.
- Type N flute normal angle.
- Suitable for drilling high alloy content steels and metals with tensile strengths of over 1000 N/mm like heat and acid proof steels and stainless steel.
- Colour: bronze.


Ø (mm)	Total length A (mm)	Working length B (mm)	Quantity	Article Number	EAN Code
2.0	49	24	2	4932430416	4002395380770
3.0	61	33	2	4932430417	4002395380787
3.2	65	36	2	4932430418	4002395380794
4.0	75	43	2	4932430419	4002395380800
4.8	86	52	1	4932430420	4002395380817
5.0	86	52	1	4932430421	4002395380824
6.0	93	57	1	4932430422	4002395380831
7.0	109	69	1	4932430423	4002395380848
8.0	117	75	1	4932430424	4002395380855
9.0	125	81	1	4932430425	4002395380862
10.0	133	87	1	4932430426	4002395380879
11.0	142	94	1	4932430427	4002395380886
12.0	151	101	1	4932430428	4002395380893
13.0	151	101	1	4932430429	4002395380909



MASONRY DRILL BITS

- Carbide tip with diamond ground cutting edges with 130° angle - For drilling in brick and aerated concrete blocks

Ø (mm)	Total length A (mm)	Working length B (mm)	Quantity	Article Number	EAN Code
4	75	40	1	4932363591	4002395332410
5	85	50	1	4932363593	4002395332434
5.5	85	50	1	4932363595	4002395332458
6	100	60	1	4932363597	4002395332472
6	150	85	1	4932367032	4002395333967
7	100	60	1	4932363599	4002395332496
8	120	80	1	4932363600	4002395332502
8	200	135	1	4932363612	4002395332366
10	120	80	1	4932363602	4002395332526
10	200	135	1	4932363613	4002395332373
12	150	85	1	4932363604	4002395332540
Single Power Set Stone Drill Bits (10pcs)				4932352239	4002395368983
Contents: Ø 4/5/5.5/6 (2pcs)/7/8 (2pcs)/9/10 mm					




HIGH PERFORMANCE BI-METAL HOLESAWS / SYSTEM ACCESSORIES







Ø (mm)	Ø (inch)	Article Number	EAN Code
14	1/2	4932367244	4002395335947
16	5/8	4932367245	4002395335954
19	3/4	4932367247	4002395335978
20	25/32	4932367248	4002395335985
21	13/16	4932367249	4002395335992
22	7/8	4932367250	4002395336005
24	15/16	4932367251	4002395336012
25	1	4932367252	4002395336029
27	1 1/16	4932367253	4002395336036
29	1 1/8	4932367289	4002395336043
30	1 3/16	4932367254	4002395336050
32	1 1/4	4932367255	4002395336067
35	1 3/8	4932367256	4002395336074
38	1 1/2	4932367257	4002395336081
40	1 5/8	4932367258	4002395336098
43	1 11/16	4932367259	4002395336104
44	1 3/4	4932367260	4002395336111
48	1 7/8	4932367262	4002395336135
51	2	4932367263	4002395336142
54	2 1/8	4932367265	4002395336166

Ø (mm)	Ø (inch)	Article Number	EAN Code
57	2 1/4	4932367266	4002395336173
60	2 3/8	4932367267	4002395336180
64	2 1/2	4932367268	4002395336197
65	2 9/16	4932367269	4002395336203
68	2 7/8	4932371580	4002395345250
70	2 3/4	4932367271	4002395336227
73	2 7/8	4932367272	4002395336234
76	3	4932367273	4002395336241
79	3 1/8	4932367274	4002395336258
83	3 1/4	4932367275	4002395336265
89	3 1/2	4932367277	4002395336289
92	3 5/8	4932367278	4002395336296
98	3 7/8	4932367280	4002395336319
102	4	4932367281	4002395336326
105	4 1/8	4932367282	4002395336333
114	4 1/2	4932367284	4002395336357
121	4 3/4	4932367285	4002395336364
127	5	4932367286	4002395336371
152	6	4932367288	4002395336395

		Article Number	EAN Code
Arbor Hex 11 -5/8" x 18 - 1pc	FIXTEC arbor 5/8" x 18 11 mm Hex for holesaws Ø 32 - 152 mm	4932367421	4002395337422
Arbor Hex 9 -1/2"x20 - 1pc	Arbor 1/2" x 20 Light duty arbor 1/2" x 20 Hex 9 for holesaws Ø 14 - 30 mm	4932367422	4002395337439
Pilot Drill - Long - 1pc	Pilot drill bit long For use with arbor 4932367421	4932367423	4002395337446
Pilot Drill - Short - 1pc	Pilot drill bit short For use with arbor 4932367422	4932367424	4002395337453



JIGSAW BLADES FOR WOOD / PLASTICS / METAL

Blade length (mm)	Tooth pitch (mm)	Ref. No.	Quantity	Description	Max. cutting capacity wood (mm)	Max. cutting capacity laminated chipboard (mm)	Max. cutting capacity parquet laminate (mm)	Max. cutting capacity PVC (mm)	Max. cutting capacity non-ferrous metals (mm)	Max. cutting capacity metal pipe Ø (mm)	Max. cutting capacity aluminium (mm)	Article Number	EAN Code
75	3	T 111 C	5	For rough cutting	5-60			< 40				4932352144	4002395367979
50	1.35	T 101 AO	5	For fast, clean, curve cutting	< 20		< 20	<15				4932352145	4002395367986
75	4	T 244 D	5	For rough, curve cutting	< 60							4932352146	4002395367993
75	4	T 144 D	5	For fast, rough cutting	< 60							4932352147	4002395368006
													
75	2.5	T 101 B	5	For very clean, splinter free cutting	< 30	< 60		< 30				4932352148	4002395368013
													
75	4	T 101 D	5	For fast, clean, splinter free cutting	< 60	< 60		< 45				4932352149	4002395368020
													
55	1.2	T 118 A	5	For thin sheet metal					1.5-4	1.5-4		4932352150	4002395368037
													
55	2	T 118 B	5	Rougher cuts in metal					3-6	3-6	3-10	4932352151	4002395368044
				12 piece set in container									
				Suitable for applications in wood, cutting worktops and laminate flooring and metals								4932373494	4002395349944
				Power Set 50pcs - jigsaw blades for wood and metal									
				10 x T 144 D/ 10 x T 101 B/ 15 x T 118 A/ 15 x T 188 B								4932352253	4002395369126

CIRCULAR SAW BLADES FOR PORTABLE TOOLS

Total length (mm)	Work-ing length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Lami-nated chip-board	Plywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
127	20	6	1.8	✓						✓		✓	4932352534	4002395371921
127	20	40	1.8		✓	✓	✓	✓	✓			✓	4932352535	4002395371938
160	20	48	2.2		✓	✓	✓	✓	✓			✓	4932352868	4002395375264
160	20	48	2.2						✓		✓	✓	4932352869	4002395375271
165	20	24	2.6		✓	✓	✓	✓	✓				4932430311	4002395379729
165	20	52	2.8		✓	✓	✓	✓	✓			✓	4932430312	4002395379736
184	30	24	1.8		✓	✓	✓	✓	✓			✓	4932352874	4002395375325
190	30	24	2.2		✓	✓	✓	✓	✓				4932430469	4002395381302
190	30	48	2.8		✓	✓	✓	✓	✓			✓	4932430470	4002395381319











CIRCULAR SAW BLADES FOR CORDLESS TOOLS

Total length (mm)	Work-ing length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Lami-nated chip-board	Plywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
165	15.8	18	1.5		✓	✓	✓	✓	✓			✓	4932430366	4002395380275



MITRE SAW BLADES

Total length (mm)	Work-ing length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Lami-nated chip-board	Plywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
216	30	48	2.4		✓	✓	✓	✓	✓				4932430721	4002395383825
254	30	48	3.2		✓	✓	✓	✓	✓				4932430471	4002395381326
254	30	80	3.2								✓	✓	4932430472	4002395381333
305	30	60	3.2		✓	✓	✓	✓	✓			✓	4932430473	4002395381340
305	30	96	3.2								✓	✓	4932430474	4002395381357

RECIPROCATING SAW BLADES FOR WOOD / PLASTICS / METAL


Blade length (mm)	Tooth pitch (mm)	Ref. No.	Quantity	Description	Article Number	EAN Code
						
150	2.5	S811H	3	For all woods, nail embedded wood, plaster board 3-100 mm, non-ferrous metals, aluminium 3-10 mm, plastic pipes	4932318127	4002395301959
						
150	4.2	S744D	2	For fast scroll cutting 6-100 mm	4932323801	4002395304240
						
150	4	S644D	2	For fast cutting of wood and plastic, plunge cutting, 6-100 mm	4932323800	4002395304233
						
240	8.5	S1542K	2	Special hardened teeth design, for fast coarse cut, as well for green and fire wood, 20-180mm	4932323804	4002395304271
						
300	4.2	S1344D	2	For cutting large timbers and plastic, clean cut, 6-250 mm	4932323802	4002395304257
						
150	1.4	S922EF	3	For all metals with a wall thickness between 1.5-4 mm	4932354792	4002395324477
						
150	1.8	S922BF	3	For all metals with a wall thickness between 3-10 mm	4932354789	4002395324446
						
230	Coarse grit	S1130R	2	For abrasive materials, fibreglass materials (polyesters, expoxies, melamines), cast iron pipes	4932373386	4002395348817
						
450	17	-	1	For abrasive materials ie. bricks, soft abrasive blocks	4932430447	4002395381081
						
300	4.2	-	1	For cutting of frozen materials	4932430448	4002395381098
400	4.2	-	1	For cutting of frozen materials	4932430449	4002395381104

ATTACHMENTS


Description	Article Number	EAN Code		
Xtractor - 1pc The ideal dust extraction solution. The Xtractor can be used with all household and industrial dust extraction units with a hose diameter from 26-41 mm.	4932373501	4002395351862		

BLADES FOR OSCILLATING TOOL

- Universal blade reception make AEG blades compatible with most popular oscillating tools
- Every blade pack contains both washers




Description	Cutting width (mm)	Max. cutting depth (mm)	Quantity	Article Number	EAN Code
Bi-Metal plunge cutting blade Application: ① Wood, metal, PVC Plunge cutting in wood/ steel/ copper/ aluminium	28	40	1	4932430315	4002395379767
Plunge cutting blade Application: ② Wood, PVC Plunge cutting in soft and hard wood, PVC Recess cutting in wood. Flush cutting to length in wood	28	40	1	4932430316	4002395379774
Plunge cutting blade Application: ③ Wood, PVC Plunge cutting in soft and hard wood, PVC Blade sits flush when cutting in door jambs Recess cutting in wood	9	40	1	4932430317	4002395379781
Bi-Metal flush cutting blade Application: Wood, metal, PVC Plunge cutting in solid wood Flush cutting in wood Cutting steel, copper/ aluminium/ metal pipes and profiles with small dimensions. Cutting PVC pipes to length	88	20	1	4932430319	4002395379804
Grout removal blade Application: ⑤ Grout, mortar, soft tiles Routing grout joints on wall and floor tiles	85	20	1	4932430318	4002395379798
9pc Set 2 x bi-metal plunge cutting blades 2 x plunge cutting blades 28 mm 2 x plunge cutting blades 9 mm 1 x bi-metal flush cutting blade 1 x scraper 1 x grout blade			9	4932430314	4002395379750
Washer Set ⑦ To fit Bosch keyless oscillating tool To fit Dremel keyless oscillating tool			2	4931441298	4002395872541



SANDING ACCESSORIES FOR OSCILLATING TOOL


Description	Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
⑧ Sanding Pad 10pc Set Sanding paper Hook & Loop 4 x Grit 60 3 x Grit 80 3 x Grit 120		93x93	1	4932430320	4002395379811
⑨ Application: Wood, PVC For sanding small areas, e.g. in corners, along edges, in restricted areas and tight spaces, sanding down of surface blemishes.	6080120	93x93	10	4932430321	4002395379828



ABRASIVE PAPER- HOOK & LOOP FOR FDS 140

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper


Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	115 x 107	10	4932352420	4002395370795
80	115 x 107	10	4932352421	4002395370801
120	115 x 107	10	4932352422	4002395370818
240	115 x 107	10	4932352423	4002395370825



ABRASIVE PAPER- CLAMP TYPE FOR FDS 140


- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper

Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	115 x 140	10	4932352424	4002395370832
80	115 x 140	10	4932352425	4002395370849
120	115 x 140	10	4932352426	4002395370856
240	115 x 140	10	4932352427	4002395370863



ABRASIVE DELTA PAPER- HOOK & LOOP FOR FDS 140


Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	110 x 88	10	4932352925	4002395375837
80	110 x 88	10	4932352926	4002395375844
120	110 x 88	10	4932352927	4002395375851
240	110 x 88	10	4932352928	4002395375868



ABRASIVE DISCS- HOOK & LOOP- 6 HOLES

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper

Grit	Ø (mm)	Quantity	Article Number	EAN Code
40	150	5	4932430454	4002395381159
60	150	5	4932430455	4002395381166
80	150	5	4932430456	4002395381173
120	150	5	4932430457	4002395381180
180	150	5	4932430458	4002395381197
240	150	5	4932430459	4002395381203



POLISHING ACCESSORIES- HOOK & LOOP

Description	Ø (mm)	Height (mm)	Quantity	Article Number	EAN Code
Polishing backing pad Application: Reception of felt- / lambswool polishing discs and polishing sponges Characteristics: M14 thread, break resistant with integrated soft and flexible foam layer, Hook & Loop fixation	150	25	1	4932430450	4002395381111
Lambswool polishing disc Application: Finishing high gloss polishing Requires polishing backing pad Characteristics: Natural lambs wool, very soft and adaptable Hook & Loop fixation	150		1	4932430453	4002395381142
Polishing sponge - hard Application: Polish up of weather-beaten lacquer, lacquer reconditioning Requires polishing backing pad Characteristics: Medium hard, fine pored, with rounded edge, Hook & Loop fixation	150	50	1	4932430452	4002395381135
Polishing sponge- soft Application: Second polish of lacquer, lacquer care Requires polishing backing pad Characteristics: Super-soft, fine pored, with rounded edge, Hook & Loop fixation	150	50	1	4932430451	4002395381128



BASE PLATES

Description	Ø (mm)	No. of holes	Article Number	EAN Code
Base plate for EX 125 ES Complete with rubber ring as spare	125	8	4932352870	4002395375288
Base plate for EX 150 E Complete with rubber ring as spare	150	6	4932352871	4002395375295



PRO TOOLS. ONE BATTERY.

PRO 18v



AEG POWERTOOLS promises to draw upon its heritage and deliver exciting, high performance, innovative working solutions for the professional tradesmen of today and the future.

AEG POWER TOOLS
P.O. Box 320
D-71361 Winnenden
Germany
Tel.: +49 71 95 12-0
Fax: +49 71 95 12-666

AEG-POWERTOOLS.EU

AEG

© AEG POWERTOOLS

AEG is a registered trademark used under license from AB Electrolux (publ).