POWER DEALS.

AEG

**NEW** 

PAGES 4-5

#### **POWER WITH PRECISION** 6 MODES ARE

JOINING THE SYSTEM



PAGES 6

COMPACT POWER NEW COMPACT RECIP SAW



PAGES 9

#### **GET KITTED UP**

NEW PROMOTIONAL KITS FROM PRO18V



MODE **IMPACT** RANGE

PRO 18v BRUSHLESS

# **RECISION**<sub>o</sub>

Introducing the new 6 mode **Impact Wrench & Impact Driver** 

AEG



AEG



## PRO TOOLS. ONE BATTERY.








**BATTERY WITH BLK1218** 



2 X 2.0AH BATTERIES





EXPAND YOUR SYSTEM WITH POWER FOR ALL YOUR APPLICATIONS.





L1820R













L1890RHD

ALL BATTERIES 100% BACKWARDS COMPATIBLE

L1860RHD





# PERFORMAN



AEG 18V Brushless 6 Mode Impact Wrench

Max. torque (Nm)	300 NM
Impact Rate	0 - 4000 ipm
No Load Speed	0 – 3000 Rpm
Bit Reception	1/2" Square
Modes	6
Batteries supplied	- \
Article number	4935472012



Low torque range for installation of concrete anchors. Shut off prevents concrete damage.

**NEW** 

PRO 18v BRUSHLESS



Mid torque range – ideal for tightening wheel nuts, will automatically shut off to prevent



vehicles and vans.



#### **170**Nm/2200rpm

**58**Nm/1100rpm

Low torque, low speed mode for

applications requiring precision

Mid torque, mid speed mode for jobs requiring a little more force but still with control.



#### **300**Nm/3000rpm

duty applications and large fastenings.

#### requiring precision over power for fixing into more delicate materials. **210**Nm/2100RPM

**50**Nm/750RPM

Low torque mode for applications

**280**Nm/3000RPM

Mid torque, medium speed mode for those jobs requiring a little more force



PULSE **MODE** 



AUTOSTOP

overtightening or thread-stripping.

Stops when the fixing is secured. Ideal for driving


anchors or concrete screws without danger of



cut into the surface, before slowing down to prevent damage. Ideal for corrugated roofs.











**PERFORM** 

**COMPACT AND LIGHTWEIGH** 

**POWERFUL BRUSHLE** 

**ERGONOMICALLY DESIGNED** 

**ORBITAL CUTTING ACTION** 

**SAFETY TRIGGER ACTION** 

Power	18V
No Load Speed	3000spm
Stroke length	19mm
Orbital cutting action	Yes
Tool Free change	Yes
Article number	4935471984

PRO HD

**18V BRUSHLESS COMPACT RECIP SAW** 

**BUS18CBL** 

€00.00





PRO 18v



# WORK

35% **MORE POWER** 

#### **HEAVY DUTY**

Adapts power output to heavy duty needs without cutting out


THE PRO 18v **HIGH DEMAND BATTERY RANGE** 

PRO 18v

Compatible with all PRO18V tools



## 2 x RUNTIME\* HIGH QUALITY CELLS



**HOLES** 





90 CUTS







# AEG





# **ULTIMATE** PRO 18v **KITS**

BSB18C2BL

#### **18V BRUSHLESS DRILL DRIVER KIT**

- comes equipped with a brushless motor and delivers torque up to 60Nm for
- The 13mm metal chuck on the drill allow
- LED light helps illuminate work space on
- 2 speed setting allows the drill to deliver 0 – 500 on speed and 0 – 1950 rpr when set to speed 2



BSB18C2 / BSS18C / BKS18 / BUS18 / BUS18 / BFAL18

#### **18V COMBO KIT**

- Compact & powerful 60Nm drill with 2 speeds setting that delivers up to 1800 rpm for heavy duty application
- delivering up to 3100 impacts per r
- Reciprocating saw delivers up to 3600



#### BS18G3-0 / BSS18C-0

#### **18V IMPACT DRIVER &** TRADESMAN DRILL

- 55Nm Maximum torque delivers comp
   2 speeds 0-500 / 0-1850 rpm
- FIXTEC 13mm single sleeve chuck
   24 stage torque adjustment for complete
- 158Nm maximum torque
   Delivers up to 3100 impact per minute fo
- increased productivity
  %" Hex bit reception Metal gearbox and gears for extended life



#### ACS18B30-601

#### **18V BRUSHLESS CHAINSAW**

- Automatic Chain oiling system keeps chain lubricated and helps prevent rust build up
- Chain brake protects the users, shutting th



#### BS18G3-0 / BSS18C-0

#### **18V IMPACT DRIVER &** TRADESMAN DRILL

- 2 speeds 0-500 / 0-1850 rpm
- FIXTEC 13mm single sleeve chuck
  24 stage torque adjustment for comple
- increased productivity
  %" Hex bit reception Metal gearbox and gears for extended life




#### BSS18C12ZBL-0

#### **18V BRUSHLESS IMPACT WRENCH KIT**

Extremely powerful impact wrench with up to 500 Nm and up to 3,500 impact per minute.

- Speed 1 : 1.400rpm, 270Nm Speed 2 : 2.000rpm, 360Nm
- Speed 3: 2.750rpm, 500Nm Auto Stop





## **BENEFITS OF AEG TOOLS**

We understand the demands of the trades, that's why we're the supplier of choice for the trade professional. **Expect nothing less than leading-edge** performance, technology, innovation and reliability.



**OPTIMISED PERFORMANCE** 





**COMPACT DESIGN** 



**END USER** RESEARCH



**BUILT TO LAST** 

### OUR **PROFESSIONAL OPINION**

There's no substitute for the professional opinion of the trade professionals. After all, they put AEG powertools through the toughest tests on the jobsite, day after day.





battery devices in order to go wireless and exchange the corded machines. I have great experiences with it [PRO18V] because you can actually say it's the first system where you can really effectively swap the tools and replace corded machines. The HD batteries give a lot more juice, more energy that hasn't been seen before in batteries. You can work for longer, and the weight of the batteries is relatively low





SITE MANAGER

is the power that you get from the tools. The HD batteries we've found is your just getting that little bit more out of the tool....It is giving you that little bit more power, that little bit more runtime. Because most of the you are. It's just very handy to run the site off the same





CONSTRUCTION

33 YRS IN THE TRADE Before working with the AEG range I was using mostly

Bosch tools which didn't give me the same product satisfaction or service satisfaction, or versatility. So that's why I trust AFG now.





FABIAN BIHLMEYER OWNER, JOINER & KITCHEN FITTER 8 YRS IN THE TRADE

"My favorite tool was the electric planer. It's battery powered, doesn't need cables it's easy to handle and we can work more quickly and efficiently on site."





My favourite tool is the battery powered 125mm grinder because it's very light, very functional and I use it a lot in places like little nooks that are inaccessible with extension leads. So that's my favourite little tool."

PASCAL POIRIER

ARTISAN ROOFER

23 YRS IN THE TRADE





TOBY COLDECOTT 20 YRS IN THE TRADE

"The multi-tools is absolutely fantastic. Very, very light, and very, very nimble. It really is a good bit of kit."



VISIT OUR YOUTUBE PAGE TO SEE THE FULL VIDEO.





#### **BSB 18BL**

#### **18V BRUSHLESS PERCUSSION** DRILL

	BSB 18BL-0
Battery supplied	=
Max. drilling wood/ steel/ masonry (mm)	100 / 13 / 20
Chuck capacity (mm)	13
Max. torque (Nm)	140
No load speed (rpm)	500 - 2000
Article Number	4935464099
EAN Code	4058546220440



#### **BSB 18CBL**

#### **18V BRUSHLESS PERCUSSION** DRILL

	BSB 18CBL-0
Battery supplied	-
Max. drilling wood/ steel/ masonry (mm)	45 / 13 / 14
Chuck capacity (mm)	1,5 - 13
Max. torque (Nm)	-
No load speed (rpm)	0 - 550 / 0 - 2100
Article Number	4935451082
EAN Code	4002395811083



#### **BS 18CBL**

#### **18V BRUSHLESS DRILL DRIVER**

	BS 18CBL LI-202C
Battery supplied	2 x 2.0Ah
Max. drilling wood/ steel (	<b>mm)</b> 45 / 13
Chuck capacity (mm)	1,5 - 13
Max. torque (Nm)	60
No load speed (rpm)	0 - 550 / 0 - 2100
Article Number	4935448768
EAN Code	4002395294572



#### **BS 18C2X**

#### **18V COMPACT DRILL DRIVER**

	BS 18C2X LI-202C
Battery supplied	2 x 2.0Ah
Max. drilling wood/ steel (	( <b>mm)</b> 45 / 13
Chuck capacity (mm)	13
Max. torque (Nm)	50
No load speed (rpm)	0 - 450 / 0 - 1800
Article Number	4935459423
EAN Code	4058546010843



#### **BSB 18G3**

#### **18V PERCUSSION DRILL**

	BSB 18G3 LI-202C
Battery supplied	2 x 2.0Ah
Max. drilling wood/ steel/ masonry (mm)	40 / 13 / 13
Chuck capacity (mm)	13
Max. torque (Nm)	55
No load speed (rpm)	0 - 500 / 0 - 1850
Article Number	4935464103
EAN Code	4058546220488



#### BS 18G3

#### 18V COMPACT DRILL DRIVER

	BS 18G3 Li-152C
Battery supplied	1 x 1.5Ah
Max. drilling wood/ steel (mm) 13 / 40	
Chuck capacity (mm)	13
Max. torque (Nm)	60
No load speed (rpm)	0 - 500 / 0 - 1.850
Article Number	4935464101
EAN Code	4058546220464





#### **BSB 18C2 BL**

#### **18V BRUSHLESS PERCUSSION** DRILL

BSB 18C2BL LI-402C
2 x 4.0Ah
40 / 13 / 13
13
65
0 - 500 / 0 - 1950
4935464097
4058546220426



#### BS 18C2BL

#### **18V BRUSHLESS DRILL DRIVER**

	BS 18C2BL LI-402C	
Battery supplied	2 x 4.0Ah	
Max. drilling wood/ steel (mm)	40 / 13	
Chuck capacity (mm)	13	
Max. torque (Nm)	65	
No load speed (rpm)	0 - 500 / 0 - 1950	
Article Number	4935464095	
EAN Code	4058546220402	



#### **BSB 18C2X**

#### **18V PERCUSSION DRILL**

	BSB 18C2X LI-202C
Battery supplied	1 x 2.0Ah
Max. drilling wood/ steel/ masonry (mm)	45 / 13 / 14
Chuck capacity (mm)	13
Max. torque (Nm)	50
No load speed (rpm)	0 - 450 / 0 - 1800
Article Number	4935459424
EAN Code	4058546010850



#### BBH 18BL

#### **18V BRUSHLESS SDS-PLUS ROTARY** HAMMER

	BBH 18BL-0
Battery supplied	-
Max. drilling wood/ steel/ masonry (mm)	30 / 13 / 26
Blow energy (EPTA)(J)	2,5
No load speed (rpm)	0 - 1400
Full load hammer action (bp	<b>m)</b> 0 - 4800
Article Number	4935464751
EAN Code	4058546226961



#### **BBH 18C**

#### 18V 4-MODE SDS-PLUS COMPACT **HAMMER**

	DDI 1400 0
	BBH 18C-0
Battery supplied	-
Max. drilling wood/ steel/ masonry (mm)	13 / 10 / 16
Blow energy (EPTA)(J)	1,5
No load speed (rpm)	0 - 1300
Full load hammer action (bpm) 0 - 5500	
Article Number	4935464984
EAN Code	4058546229290



#### **BSS 18B6**

**NEW** 

#### **18V BRUSHLESS 6-MODE IMPACT DRIVER**

	BSS 18B6-0
Max. torque (Nm)	280
Impact rate (ipm)	0 - 4000
No load speed (rpm)	50 - 750 / 210 - 2100 / 280 - 3000
Tool reception	¼″ Hex
Modes	6
Article Number	4935472013





**BSS 180P** 

#### 18V OIL PULSE IMPACT DRIVER

	BSS 180P-0
Battery supplied	=
Impact rate (ipm)	0 - 550 / 0 - 1300 / 0 - 1700
Max. torque (Nm)	22 / 54 / 73
No load speed (rpm)	0 - 1000 / 0 - 1800 / 0 - 2400
Article Number	4935451631
EAN Code	4002395140985



BSS 18C

#### 18V COMPACT IMPACT DRIVER

	BSS 18C-0
Battery supplied	=
Max. torque (Nm)	190
No load speed (rpm)	0 - 2400
Impact rate (ipm)	0 - 3100
Tool reception	¼″ Hex
Supplied in	Kitbox
Article Number	4935428405
EAN Code	4002395132140



BSS 18C12ZB6

**NEW** 

#### 18V BRUSHLESS 6-MODE IMPACT WRENCH

	BSS 18C12ZB6-0
Max. torque (Nm)	300
Impact rate (ipm)	0 - 4000
No load speed (rpm)	0 - 3000
Tool reception	½" square
Modes	6
Article Number	4935472012



PRO 18v RANGE

#### **18V 16 GA BRUSHLESS NAIL GUN**

	B16N18-0
Battery supplied	-
Magazine capacity	105
Nail type (mm)	1,6
Cycle rate (h)	2/Sec
Article Number	4935451533
EAN Code	4002395146307



#### B18N18

#### **18V 18 GA BRUSHLESS NAIL GUN**

	B18N18-0
Battery supplied	-
Magazine capacity	105
Nail type (mm)	1,2
Cycle rate (h)	2/sec
Article Number	4935451535
EAN Code	4002395146321



#### BKP18C

#### 18V CAULK GUN WITH 310ML CARTRIDGE CAPACITY

	BKP18C-310-0
Battery supplied	=
Max. speed (m/s)	11
Max. feed force (N)	4000
Speed settings	6
Article Number	4935471246
EAN Code	4058546288747



**BSS 18C 12Z BL** 

#### **18V BRUSHLESS IMPACT WRENCH**

_
500
1400 - 2750
0 - 3500
½″ square
4935459426
4058546010874



**BSS 18C 12Z** 

#### 18V COMPACT IMPACT WRENCH

	BSS 18C 12Z-0
Battery supplied	-
Max. torque (Nm)	360
No load speed (rpm)	0 - 2900
Impact rate (ipm)	0 - 3200
Tool reception	½″ square
Article Number	4935446449
EAN Code	4002395136247



#### BTS 18BL

#### 18V BRUSHLESS DRYWALL SCREW-DRIVER

BTS 18BL-0
-
5
5000
¼″ Hex
4935459620
4058546027926



**BKS 18BL** 

#### **18V BRUSHLESS CIRCULAR SAW**

	BKS 18BL-0
Battery supplied	=
No load speed (rpm)	3800
Max. cutting depth 45° (mm)	45
Max. cutting depth 90° (mm)	64
Arbor size (mm)	30
Article Number	4935451537
EAN Code	4002395146345



**BKS 18** 

#### **18V CIRCULAR SAW**

	BKS 18-0
Battery supplied	=
No load speed (rpm)	0 - 5000
Max. cutting depth 45° (mm)	41
Max. cutting depth 90° (mm)	54
Arbor size (mm)	15,87
Article Number	4935431375
EAN Code	4002395132812
LAIT COUC	4002373132012



BPS18-254BL

#### **18V BRUSHLESS SLIDE MITRE SAW**

	BPS18-254BL-0
Battery supplied	-
Blade diameter (mm)	254
Max. cutting depth (mm)	90
No load speed (rpm)	3900
Max. cutting depth 45° (mm)	43
Article Number	4935459336
EAN Code	4058546009977

## PRO 18v RANGE



#### BST 18BLX

#### **18V BRUSHLESS JIGSAW**

	BST 18BLX-0
Battery supplied	-
Stroke length (mm)	25,4
No load stroke rate (spm)	3500
Max. cutting capacity soft wood (mm)	135
Mitre capacity (°)	45
Bevel capacity (°)	45
Article Number	4935459654
EAN Code	4058546028268



#### BST 18X

#### **18V HEAVY DUTY JIGSAW**

BST 18X-0
-
26
0 - 2050
80
45
4935413130
4002395197460



#### ACS18B30

#### **18V BRUSHLESS CHAINSAW**

	ACS18B30
Chain bar length (cm)	30
Chain speed (m/s)	10
Article Number	4935459562
EAN Code	4058546027346





#### BOF 18BL

#### **18V BRUSHLESS TRIM ROUTER**

	BOF 18BL-0
Battery supplied	-
Collet capacity (mm)	6
Fuel gauge	Yes
No load speed (rpm)	17.000 to 25.000
Plunge capacity (mm)	32
Speed settings	7
Article Number	4935459584
EAN Code	4058546027568



#### BHBS 18-75BL

#### **18V BRUSHLESS BELTSANDER**

	BHBS18-75BL-0
Battery supplied	=
Belt length (mm)	457
Belt width (mm)	75
No load speed (m/min)	135 - 300
No load speed (rpm)	11.000
Article Number	4935459582
EAN Code	4058546027544



#### BEX18-125

#### **18V ORBITAL SANDER**

	BEX18-125-0
Battery supplied	=
No load speed (rpm)	7000 - 11.000
Oscillation rate (opm)	14.000 - 22.000
Oscillation diameter (mm)	2,4
Sanding pad size (mm)	125
Article Number	4935451086
EAN Code	4002395811120



#### BUS 18BL

#### **18V BRUSHLESS RECIPROCATING** SAW

	BUS 18BL-0
Battery supplied	=
No load stroke rate (spm)	3200
Stroke length (mm)	28
Article Number	4935464032
EAN Code	4058546219772



#### **BUS 18**

#### **18V RECIPROCATING SAW**

BUS 18-0
-
19
0 - 3600
4935431370
4002395132805



#### **BUS 18CBL**

#### **NEW**

#### **18V BRUSHLESS COMPACT** RECIPROCATING SAW

	BUS 18CBL-0
Battery supplied	=
No load stroke rate (spm)	0 - 3000
Stroke length (mm)	19
Article Number	4935471984
EAN Code	4058546298838



#### OMNI 18C

#### 18V MULTI-TOOL

	OMNI 18C 0-KIT1
Battery supplied	-
Oscillation rate (opm)	20.000
Standard equipment	1 x multi-tool head,
	accessories
Article Number	4935440645
EAN Code	4002395134649



#### **BHO 18BL**

#### **18V BRUSHLESS PLANER**

	BHO18 BL-0
Battery supplied	-
No load speed (rpm)	14.300
Planing depth (mm)	0 - 2,0
Planing width (mm)	82
Rebate depth (mm)	0 - 12,5
Article Number	4935464988
EAN Code	4058546229337



#### BHO 18

#### **18V PLANER**

	BHO 18-0
Battery supplied	=
No load speed (rpm)	12.000
Planing depth (mm)	0 - 1,6
Planing width (mm)	82
Rebate depth (mm)	0 - 12,5
Article Number	4935413175
EAN Code	4002395197552





**BAL 18** 

#### **18V AREA LIGHT**

	BAL 18-0
Battery supplied	-
Bulb type	LED
Article Number	4932352661
EAN Code	4002395373192



BPL18

#### **18V LED SITE LIGHT**

	BPL18-0
Battery supplied	=
Bulb type	LED
Lumens	2500
Standard equipment	2,5m AC power cord
Article Number	4935459661
FAN Code	4058546028336



BFAL 18

#### **18V INSPECTION LIGHT**

	BFAL 18 - 0
Battery supplied	-
Bulb type	LED
Lumens	270
Article Number	4932451163
EAN Code	4002395138326



PRO 18v RANGE

BTL18

#### 18V LED TORCH LIGHT

	BTL18-0
Battery supplied	=
Bulb type	LED
IP protection class	IP24
Lumens	2100
Article Number	4935459659
EAN Code	4058546028312



**BR 1218C** 

#### 18V DAB + DIGITAL JOBSITE RADIO

	BR 1218C-0
Battery supplied	-
Article Number	4935451539
EAN Code	4002395146369



BK18-38BL

#### **DUAL 18V BRUSHLESS COMPRES-**SOR

	BK18-38BL-0
Battery supplied	-
Power (kW)	0,4
Tank capacity (I)	3,8
Max. pressure (bar)	8,3
Air flow (I/min)	30,8
Article Number	4935471201
EAN Code	4058546288297



FL 18 New

#### **18V LED TORCH LIGHT**

	FL18-0
Battery supplied	-
Bulb type	LED
Lumens	135
Article Number	4932451164
EAN Code	/ <sub>1</sub> 002305138333



BHJ18C

#### **18V USB CHARGER**

	BHJ18C-0
Battery supplied	=
Article Number	4935459335
EAN Code	4058546009960



BFL18X

#### **18V LED SITE LIGHT**

	BFL18X-0
Battery supplied	-
Bulb type	LED
IP protection class	IP44
Lumens	1200
Article Number	4935459657
EAN Code	4058546028299



BGE18

#### **18V JOBSITE BLOWER**

	BGE18-0
Battery supplied	-
No load speed (rpm)	19,000
Air volume (m³/min)	2,9
Article Number	4935464986
EAN Code	4058546229313




**BHSS 18** 

**NEW** 

#### **18V HANDHELD DUST EXTRACTOR**

	BHSS 18-0
Sealed Suction [kPa]	5,4
Air flow (I/min)	1068
Tank capacity (I)	670
Filter type	Washable pre filter
Article Number	4935471983
EAN Code	4058546298821







#### **BEWS 18-230BL**

#### **18V BRUSHLESS ANGLE GRINDER**

	BEWS 18-230BL-0
Battery supplied	-
No load speed (rpm)	5500
Max. cutting depth (mm)	68
Spindle size	M14
Article Number	4935459735
EAN Code	4058546029074



#### **BEWS 18-125BL**

#### **18V 125MM BRUSHLESS ANGLE GRINDER WITH SLIDE SWITCH**

	BEWS 18-125BL-0
Battery supplied	-
No load speed (rpm)	11.000
Max. cutting depth (mm)	26
Spindle size	M14
Article Number	4935464414
EAN Code	4058546223595



#### **BEWS 18-**125BLPX

#### **18V 125 MM BRUSHLESS ANGLE GRINDER WITH PADDLE SWITCH**

	BEWS 18-125BLPX-0
Battery supplied	-
No load speed (rpm)	11.000
Max. cutting depth (mm)	26
Spindle size	M 14
Article Number	4935464419
EAN Code	4058546223649



#### **BEWS 18-115BL**

#### **18V 115MM BRUSHLESS ANGLE GRINDER WITH SLIDE SWITCH**

	BEWS 18-115BL-0
Battery supplied	-
No load speed (rpm)	11.000
Max. cutting depth (mm)	21
Spindle size	M14
Article Number	4935464415
EAN Code	4058546223601



#### 18V 115 MM BRUSHLESS ANGLE **GRINDER WITH PADDLE SWITCH**

BEWS 18-115BLPX-	
Battery supplied	-
No load speed (rpm)	11.000
Max. cutting depth (mm)	21
Spindle size	M14
Article Number	4935464420
EAN Code	4058546223656



## SPECIALIST CORDED TOOLS



#### SDS-MAX COMBI HAMMER

	KH 5G	
Power input (W)	1100	
Blow energy (EPTA)(J)	7,5	
Full load hammer action (bpm) 0 - 3000		
Weight (kg)	6,4	
Article Number	4935418160	
EAN Code	4002395133062	



#### **KH 24IE**

#### **SDS-PLUS COMBI HAMMER**

	KH 24IE
Power input (W)	800
Blow energy (EPTA)(J)	2,4
ull load hammer action (bpm)	0 - 4500
Veight (kg)	2,8
Article Number	4935451555
AN Code	4002395144570



#### WS 12-125 S

#### **SMALL ANGLE GRINDER**

	WS 12-125 S
Power input (W)	1200
No load speed (rpm)	11.500
Max. cutting depth (mm)	40
Disc diameter (mm)	125
Spindle size	M14
Weight (kg)	2,4
Article Number	4935451306
EAN Code	4002395151240



#### MH 5G

#### **SDS-MAX TRADESMANN CHIPPING HAMMER**

	MH 5G	
Power input (W)	1100	
Blow energy (EPTA)(J)	7,5	
Full load hammer action (bpm) 0 - 3000		
Weight (kg)	5,9	
Article Number	4935443170	
EAN Code	4002395135462	



#### PM 10E

#### **SDS-MAX LARGE DEMOLITION HAMMER**

	PM 10E	
Power input (W)	1600	
Blow energy (EPTA)(J)	20	
Full load hammer action (bpm) 975 - 1950		
Weight (kg)	11,0	
Article Number	4935412418	
EAN Code	4002395198832	



#### KH 28 Super XE

#### SDS-PLUS COMBI HAMMER

	KH 28 Super XE
Power input (W)	1010
Blow energy (EPTA)(J)	2,8
Full load hammer action (bpm)	0 - 5000
Weight (kg)	2,8
Article Number	4935428190
EAN Code	4002395194377



#### PM 3

#### **SDS-PLUS CHIPPING HAMMER**

	PM 3
Power input (W)	720
Blow energy (EPTA)(J)	3,6
Full load hammer action (b	<b>pm)</b> 0 - 3650
Weight (kg)	3,7
Article Number	4935412541
EAN Code	4002395199044



#### WS 24-180 V

#### **LARGE ANGLE GRINDER**

	WS 24-180 V
Power input (W)	2.400
No load speed (rpm)	8.500
Max. cutting depth (mm)	44
Disc diameter (mm)	180
Spindle size	M14
Weight (kg)	5,3
Article Number	4935446490
EAN Code	4002395136285



#### WS 24-230 GEV

#### LARGE ANGLE GRINDER

	WS 24-230 GEV
ower input (W)	2400
lo load speed (rpm)	0 - 6600
1ax. cutting depth (mm)	68
isc diameter (mm)	230
pindle size	M14
Veight (kg)	5,6
Article Number	4935431765
AN Code	4002395194964





1500W CIRCULAR SAW

€00.00

NEW

**DUST PORT** 

Max. Depth of Cut

**TEXTURED HANDLES** 

OR COMFORT

# AEG SOLUTIONS FOR THE WHOLE SITE

**DURABILITY FOR LONG LASTING USE** 

AEG offers today's professional user a wide range of innovative solutions that are capable of performing in the toughest conditions. This doesn't just stop with our tools, with our new storage and accessories ranges we are kitting out the whole site with the AEG standard.

WIDE RANGE OF **ACCESSORIES TO** SUIT THE JOB

PORTABLE HARD WEARING STORAGE FOR ON SITE SOLUTIONS



#### **STORAGE**



**AEG26TB** 

4932471878

#### 37L TOOL BOX

- 37 Liters capacity / 26"
- Water seal
- Portable half tray allows room for storage of larger items
- Made by heavy-duty injected PP
- Metal latches with lockable lid and rubber handle



**AEG21TB** 

4932471879

#### 21 L TOOL BOX

- 21.5 Liters capacity / 21"
- Water seal
- Portable half tray allows room for storage of larger items
- Heavy-duty injected PP
- Metal latches with lockable lid and rubber handle



**BAGTT** 

4932471880

#### **TOTE BAG EIGHT POCKETS**

- High quality 1680 denier
- · Eight inner pockets. six inner tool loops
- Seven outer pockets
- Hard plastic and waterproof base
- Straight zip for open mouth style
- · Adjustable shoulder strap

#### **ACCESSORIES**



AAKSD10

4932471963

#### 10 PIECE BALLISTIC IMPACT **SCREWDRIVING KIT**

• 10 x 50mm Screwdriver Bits PH2 X 1, PH3 X 1, PZ2 X 1. PZ3 X 1. T15 X 1, T20 X 2, T25 X 2, TX30 X 1



AAKSDDD24

4932464802

#### 16 X 50MM SCREWDRIVER BITS

- 1 x Magnetic Bit Holder
- 7 x Black Oxide HSS Drill Bits



**AAKDD50** 

4932472024

#### **50 PIECE MIXED DRILLING & SCREWDRIVING SET**

- 19 x 25mm Screwdriver Bits
- 1x 60mm Bit Holder
- 2 x 50mm Screwdriver Bit
- 3 x Non-Magnetic Nut Drivers
- 2 x Spade Bits
- 5 x Brad Point Bits
- 9 x Masonry Bits
- 9 x HSS Metal Bits




AAKDD30

4932472023

#### **30 PIECE MIXED DRILLING AND SCREWDRIVING SET**

- 10 x 25mm Screwdriver Bits
- 1 x 60mm Bit Holder
- 3 x Non-Magnetic Nut Drivers
- 5 x Brad Point Bits
- 5 x Masonry Bits
- 6 x HSS Metal Bits



AAKSD31

4932471962

31 PIECE MIXED

**DRILLING AND** 

• 30 x 25mm

**SCREWDRIVING SET** 

• 1 x 60mm Magnetic Bit Holder

NOTES	 NOTES

# WHEN WE SAY THEY LAST, WE MEAN IT.





# Best in class longevity. Unmatched power. Professional performance. We're prepared to put our money where our mouth is when it comes to our range of AEG power tools. That's why we've extended the warranties across our entire power tool range. With an incredible 6 year tool warranty and 3 year guarantee for batteries and chargers, trade professionals trust the legendary durability of AEG.

